Reach S-CC14 (Timber Mat Crossing) Intermittent Spread I Pittsylvania County, Virginia

Data	Included
Photos	√
SWVM Form	✓
FCI Calculator and HGM Form	\checkmark
RBP Physical Characteristics Form	✓
Water Quality Data	\checkmark
RBP Habitat Form	✓
RBP Benthic Form	\checkmark
Benthic Identification Sheet	N/A – Lack of habitat
Wolman Pebble Count	\checkmark
RiverMorph Data Sheet	\checkmark
USM Form (Virginia Only)	\checkmark
Longitudinal Profile and Cross Sections	✓

Spread I Stream S-CC14 (Timber Mat Crossing) Pittslyvania County



Photo Type: US VIEW Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking W upstream, MV




Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking E upstream, MV

Spread I Stream S-CC14 (Timber Mat Crossing) Pittslyvania County



Photo Type: LB CL Location, Orientation, Photographer Initials: In stream looking S at left streambank, MV



Photo Type: RB CL Location, Orientation, Photographer Initials: In stream looking N at right streambank, MV.

Spread I Stream S-CC14 (Timber Mat Crossing) Pittslyvania County



Photo Type: US COND Location, Orientation, Photographer Initials: Upstream at LOD looking W upstream, MV.




Photo Type: DS VIEW Location, Orientation, Photographer Initials: Upstream at LOD looking E downstream, MV.

L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Template Forms\Photo Document Template.docx

DEQ Permit #21-0416

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mour	ntain Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	36.905329 Lon.	-79.471492	WEATHER:	Sunny	DATE:	August 24, 2021
IMPACT STREAM/SITE ID (watershed size (acreage), u		S-CC14	; 15.9 ac		MITIGATION STREAM CLASS/SITE ID . (watershed size (acreage), unaltered				Comments:	
STREAM IMPACT LENGTH:	20 FORM OF MITIGATION	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	Lon.		PRECIPITATION PAST 48 HRS:	Yes	Mitigation Length:	
Column No. 1- Impact Existing	Condition (Debit)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation Projected at Post Completion (Credit)	Five Years	Column No. 4- Mitigation Projec Post Completion (Cr		Column No. 5- Mitigation Proje	ected at Maturity (Credit)
Stream Classification:	Intermittent	Stream Classification:			Stream Classification:	0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Sic	ope 4.63	Percent Stream Channel Sic	pe		Percent Stream Channel Slope	0	Percent Stream Channel Slo	pe O	Percent Stream Channe	I Slope 0
HGM Score (attach da	ata forms):	HGM Score (attach o	data forms):		HGM Score (attach data for	is):	HGM Score (attach dat	a forms):	HGM Score (attach	n data forms):
	Average		Average			Average		Average		Averag
Hydrology Biogeochemical Cycling Habitat	0.26 0.26 0.13	Hydrology Biogeochemical Cycling Habitat	0		Hydrology Biogeochemical Cycling Habitat	0	Hydrology Biogeochemical Cycling Habitat	0	Hydrology Biogeochemical Cycling Habitat	0
PART I - Physical, Chemical and I		PART I - Physical, Chemical and	d Biological Indicators		PART I - Physical, Chemical and Biologi	cal Indicators	PART I - Physical, Chemical and B	iological Indicators	PART I - Physical, Chemical a	nd Biological Indicators
	Points Scale Range Site Score		Points Scale Range Site Score		Points Scale	Range Site Score		Pointe Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams classification	ins)	PHYSICAL INDICATOR (Applies to all streams of	classifications)	PHYSICAL INDICATOR (Applies to all street	ams classifications)
USEPA RBP (High Gradient Data Sheet)		USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet	t)
1. Epifaunal Substrate/Available Cover	0-20 15	1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover 0-20			0-20	1. Epifaunal Substrate/Available Cover	0-20
2. Embeddedness 3. Velocity/ Depth Regime	0-20 6	2. Pool Substrate Characterization 3. Pool Variability	0-20		2. Embeddedness 0.20 3. Velocity/ Depth Regime 0.20		2. Embeddedness 3. Velocity/ Depth Regime	0-20	2. Embeddedness 3. Velocity/ Depth Regime	0-20
4. Sediment Deposition	0-20 4	4. Sediment Deposition	0-20		4. Sediment Deposition 0-20			0-20	4. Sediment Deposition	0-20
5. Channel Flow Status	0-20 0.4 11	5. Channel Flow Status	0-20		5. Channel Flow Status 0-20		5. Channel Flow Status	0-20	5. Channel Flow Status	0-20
5. Channel Alteration	0-20 0-1 16	6. Channel Alteration	0-20 0-1		6. Channel Alteration 0-20	0-1	6. Channel Alteration	0-20 0-1	6. Channel Alteration	0-20 0-1
. Frequency of Riffles (or bends)	0.20 5	7 Channel Sinuosity	0-20		7. Frequency of Riffles (or bends) 0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
3. Bank Stability (LB & RB)	0-20 10	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB) 0-20			0-20	8. Bank Stability (LB & RB)	0-20
9. Vegetative Protection (LB & RB)	0-20 16	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB) 0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20
10. Riparian Vegetative Zone Width (LB & RB)	0-20 14	10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB) 0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB) 0-20
Total RBP Score	Marginal 103	Total RBP Score	Poor 0		Total RBP Score Po	vr O	Total RBP Score	Poor 0	Total RBP Score	Poor 0
Sub-Total	0.515	Sub-Total	0		Sub-Total	0	Sub-Total	0	Sub-Total	0
CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermittent and Pere	nial Streams)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)	CHEMICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)
WDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (Gene	eral)
Specific Conductivity		Specific Conductivity			Specific Conductivity		Specific Conductivity		Specific Conductivity	
	0-90 128.1		0-90		0.90			0-90		0-90
100-199 - 85 points										
н		рн			рн	0.1	рн		рн	
6.0-8.0 = 80 points	0-80 7.15		5-90 0-1		5-90	0.1		5-90		5-90
00		DO			DO		00		00	
	10-30 3.7		10-30		10-30			10-30		10-30
<5.0 = 10 points	•		10-00					10-00		10-30
Sub-Total	0.875	Sub-Total	0		Sub-Total	0	Sub-Total	0	Sub-Total	0
BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intermittent and	erennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermit	tent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Inte	ermittent and Perennial Streams)
AD/ Charge Condition Index (MD/CON		MOL Chargen Constitues Index (MOLCON)			MD/ Charge Constitues Index (MD/CCD)		MOV Observer Constitution Index (MR (CON		MR/ Change Condition Index Station	
WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
0	0-100 0-1		0-100 0-1		0-100	0-1		0-100 0-1	ll ll	0-100 0-1
U Sub-Total	0	Sub-Total	0		Sub-Total	0	Sub-Total	0	Sub-Total	0
PART II - Index and U	nit Score	PART II - Index and	Unit Score		PART II - Index and Unit Sco	e	PART II - Index and Uni	it Score	PART II - Index an	d Unit Score
						-				
Index	Linear Feet Unit Score	Index	Linear Feet Unit Score		Index Linear	Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Sc

20 9.11666667

0.456

										Versi	on 10-20-1
			High-C					ppalachi	a		
				Field I	Data She	et and C	alculat	-			
	ment Team:								M Northing:		
Pr	oject Name:			SMENT S-C	C14		_	Longitude/U	-		
	Location:	Pittslyvania					_	Sar	npling Date:	8-24-21	
S	AR Number:	S-CC14	Reach	Length (ft):	60	Stream Ty	/pe: Int	ermittent Strea	m		-
	Top Strata:	Sh	rub/Herb Str	oto	(dotormino)	d from noroo		od in \/)		
	Tup Strata.	51		ala	(determined	a nom perce		ed in V _{CCANOP}	Y)		
Site	and Timing:	Project Site				-	Before Pro	ject			-
ample	e Variables	1 4 in stroa	m channol					-			
1	V _{CCANOPY}	Average pe equidistant	ercent cover	the stream.	Measure o	nly if tree/sa	pling cove	asure at no fev r is at least 20 .)			Not Used <20%
	List the per	cent cover n	neasuremen	ts at each p	oint below:						
	0										
2	V _{embed}	along the st and area su following ta the bed is c Embedded	tream. Sele urrounding th ble. If the be composed of	ct a particle ne particle th ed is an artifi bedrock, us	from the bec at is covere icial surface ie a rating so	d. Before mo d by fine sec , or compose core of 5.	oving it, de diment, and ed of fine s	than 30 rough termine the p d enter the rat rediments, use ed from Platts,	ercentage of ing accordin e a rating sco	the surface g to the ore of 1. If	
		1983)	1								at least
		Rating 5	Rating Des		overed curr	ounded or h	uriod by fi	ne sediment (or bodrock)		30 point
		5 4						by fine sediment (
		3	· · · · ·					d by fine sedin			
		2						d by fine sedin			
	list the reti	1			covered, su	rounded, or	buried by	fine sediment	(or artificial	surface)	
	3		point below: 1	1	1	1	1	1	1	1	ľ
	3	3	3	1	1	1	1	1	1	1	
		-	-								
3	Enter partic	along the st le size in inc	tream; use th	ne same poi earest 0.1 ir	nts and parti nch at each i	icles as use	d in V _{EMBEE}	han 30 roughl ^{5.} hould be cour			0.29 in
	4.00	3.50	0.08	0.08	0.08	0.08	0.08	0.08	8.00	0.08	
	3.25	2.50	2.50	0.08	0.50	0.08	0.75	0.80	0.08	0.75	
4	V _{BERO}							of feet of erod total erosion fo			17 %
			Left Bank:	5	ft		Right Ban	k: 5	ft		
mple	e Variables		-		-			annel (25 feet		-	
5	V _{LWD}	reach. Ente	-	er from the e	entire 50'-wic	le buffer and	l within the	ches in length channel, and			0.0
6	V _{TDBH}		h of trees (n cm) in diame		/ if V _{CCANOPY}		-	s: t least 20%).		t least 4	Not Use
		List the dbh stream belo	ow:	ents of indivi	dual trees (a	at least 4 in)	within the	buffer on eac	h side of the		
			Left Side					Right Side			
	0					0					

7	V _{SNAG}		snags (at lea m, and the a		<i>,</i> .			nter number	of snags or	each side	0.0
			Left Side:	(0		Right Side:	()		
8								83.3			
			Left Side:	3	5		Right Side:	1	5		

	V _{SRICH}	in the talles	t stratum. C	Check all exc	tic and inva	sive species	reach. Che present in a	•	•		0.00
	feet and the subindex will be calculated from the Group 1 = 1.0					ese data. Group 2 (-1.0)					
	Acer rubru			Magnolia tri	inetala		Ailanthus ai	-	2 (-1.0)	Lonicera jap	onica
	Acer sacch			Nyssa sylva			Albizia julibi			Lonicera tat	
	Aesculus f			Oxydendrum			Alliaria petic			Lotus cornic	
	Asimina tri			Prunus ser						Lythrum sal	
	Betula alleg			Quercus ali			Alternanthe philoxeroide			Microstegium	
	Betula lent			Quercus an			Aster tatario			Paulownia t	
				Quercus im			Cerastium f			Polygonum c	
	Carya alba			·						Pueraria mo	
	Carya glab			Quercus pr			Coronilla va				
	Carya ovai			Quercus ru			Elaeagnus u			Rosa multifl	
	Carya ova			Quercus ve			Lespedeza			Sorghum ha	-
	Cornus flo			Sassafras a			Lespedeza			Verbena bra	asiliensis
	Fagus grai			Tilia americ +			Ligustrum ob				
		Fraxinus americana 🗌 Tsuga canadensis				Ligustrum s	inense				
	Liriodendror			Ulmus ame	ricana						
	Magnolia a	acuminata									
amn	lo Variablos	0	Species in	-	1" x 40" or	1m x 1m) in	the ripariar	3	Species in		ach hank
-		10-11 within should be p Average pe	at least 8 solaced roug	subplots (40 hly equidist of leaves, st	tantly along	each side or each	-	n/ buffer zor n. dy debris <4	e within 25	feet from ea	
he fo	our subplots	10-11 within should be p Average pe	at least 8 s blaced roug prcent cover clude. Enter	subplots (40 hly equidist of leaves, st	tantly along	each side or each	of the stream aterial. Woo er at each su	n/ buffer zor n. dy debris <4	e within 25	feet from ea	
ne fo	our subplots	10-11 within should be p Average pe	at least 8 s blaced roug prcent cover clude. Enter	subplots (40 hly equidist of leaves, st the percent	tantly along	each side or each	of the stream aterial. Woo er at each su	n/buffer zor n. dy debris <- bplot.	e within 25	feet from ea	ach bank 4.17 %
ne fo 10	Dur subplots V _{DETRITUS}	10-11 within should be p Average pe long are inc 0	at least 8 s placed roug rcent cover slude. Enter Left 15	subplots (40 hly equidist of leaves, st the percent Side 5	antly along ticks, or othe cover of the	each side of er organic ma detrital laye	of the stream aterial. Woo er at each su Right 0	n/buffer zor n. dy debris <4 oplot. : Side 5	e within 25	feet from ea	
he fo	our subplots	10-11 within should be p Average pe long are inc 0 Average pe woody stem	a at least 8 s placed roug rcent cover clude. Enter Left 15 rcentage co as at least 4	subplots (40 hly equidist of leaves, st the percent Side 5 ver of herba " dbh and 36	tantly along ticks, or othe cover of the ceous vege " tall. Becau	each side of er organic ma detrital laye 0 tation (meas se there ma	of the stream aterial. Woo er at each sui Right	n/buffer zor n. dy debris <4 oplot. : Side 5 ee cover is 4 layers of gr	e within 25 4" diameter a <20%). Do <i>i</i> ound cover	feet from ea and <36" not include vegetation	
he fo 10	Dur subplots V _{DETRITUS}	10-11 within should be p Average pe long are inc 0 Average pe woody stem	a t least 8 s placed roug prcent cover clude. Enter Left 15 rccentage co ns at least 4 s up through	subplots (40 hly equidist of leaves, st the percent Side 5 ver of herba " dbh and 36 n 200% are a	tantly along ticks, or othe cover of the ceous vege " tall. Becau	each side of er organic ma detrital laye 0 tation (meas se there ma	of the stream aterial. Woo er at each sul Right 0 sure only if tro ay be several cent cover of	n/buffer zor n. dy debris <4 oplot. : Side 5 ee cover is 4 layers of gr	e within 25 4" diameter a <20%). Do <i>i</i> ound cover	feet from ea and <36" not include vegetation	4.17 %
ne fo 10	Dur subplots V _{DETRITUS}	10-11 within should be p Average pe long are inc 0 Average pe woody stem	a t least 8 s placed roug prcent cover clude. Enter Left 15 rccentage co ns at least 4 s up through	subplots (40 hly equidist of leaves, st the percent Side 5 ver of herba dbh and 36 a 200% are a	tantly along ticks, or othe cover of the ceous vege " tall. Becau	each side of er organic ma detrital laye 0 tation (meas se there ma	of the stream aterial. Woo er at each sul Right 0 sure only if tro ay be several cent cover of	n/buffer zor n. dy debris <4 bplot. : Side 5 ee cover is layers of gr	e within 25 4" diameter a <20%). Do <i>i</i> ound cover	feet from ea and <36" not include vegetation	4.17 %
ne fo 10	Dur subplots V _{DETRITUS}	10-11 within should be p Average pe long are inc 0 Average pe woody stem percentage	at least 8 s placed roug rcent cover clude. Enter Left 15 rcentage co ns at least 4 s up through	subplots (40 hly equidist of leaves, st the percent Side 5 ver of herba " dbh and 36 n 200% are a	tantly along ticks, or othe cover of the ceous vege " tall. Becau	each side of er organic ma detrital laye 0 tation (meas se there ma nter the perc	of the stream aterial. Woo er at each su Right 0 sure only if tre ay be several cent cover of Right	n/buffer zor n. dy debris <4 oplot. Side 5 ee cover is 4 layers of gr ground veg	e within 25 4" diameter a <20%). Do <i>i</i> ound cover	feet from ea and <36" not include vegetation	4.17 %
ne fc 10	V _{DETRITUS}	10-11 within should be p Average pe long are inc 0 Average pe woody stem percentage	a t least 8 s placed roug prcent cover clude. Enter Left 15 rcentage cc ns at least 4 s up through Left 85	subplots (40 hly equidist of leaves, st the percent Side 5 wer of herba dbh and 36 a 200% are a Side 95	tantly along ticks, or othe cover of the ceous vege " tall. Becau accepted. E	each side of er organic ma detrital laye 0 tation (meas se there ma nter the perc	of the stream aterial. Woo er at each su Right 0 sure only if tre ay be several cent cover of Right	n/buffer zor n. dy debris <4 oplot. Side 5 ee cover is 4 layers of gr ground veg	e within 25 4" diameter a <20%). Do <i>i</i> ound cover	feet from ea and <36" not include vegetation	4.17 %
ne fc 10	V _{DETRITUS}	10-11 within should be p Average pe long are inc 0 Average pe woody stem percentage 100 2 within the	at least 8 s placed roug rcent cover clude. Enter 15 rcentage co as at least 4 s up through Left 85 entire catc	subplots (40 hly equidist of leaves, st the percent Side 5 wer of herba dbh and 36 a 200% are a Side 95	antly along ticks, or othe cover of the ceous vege " tall. Becau accepted. E	each side of er organic ma detrital layer 0 tation (meas see there ma nter the pero	of the stream aterial. Woo er at each su Right 0 sure only if tre ay be several cent cover of Right	n/buffer zor n. dy debris <4 oplot. Side 5 ee cover is 4 layers of gr ground veg	e within 25 4" diameter a <20%). Do <i>i</i> ound cover	feet from ea and <36" not include vegetation	4.17 %
10 11 11 11 11 11 11 11 11 11 11 11 11 1	V _{DETRITUS} V _{HERB}	10-11 within should be p Average pe long are inc 0 Average pe woody stem percentage 100 2 within the	at least 8 s placed roug rcent cover clude. Enter Left 15 rcentage co as at least 4 s up through Left 85 entire catc	subplots (40 hly equidist of leaves, st the percent Side 5 ver of herba " dbh and 36 n 200% are a Side 95 hment of th	antly along ticks, or othe cover of the ceous vege " tall. Becau accepted. E e stream. for watershe	each side of er organic ma detrital layer 0 tation (meas neer the perconduction 100	of the stream aterial. Woo er at each su Right 0 sure only if tre ay be several cent cover of Right	n/buffer zor n. dy debris <4 oplot. Side 5 ee cover is 4 layers of gr ground veg	e within 25 4" diameter a <20%). Do <i>i</i> ound cover	feet from ea and <36" not include vegetation	4.17 %
ne fc 10 11	VDETRITUS	10-11 within should be p Average pe long are inc 0 Average pe woody stem percentage 100 2 within the	at least 8 s placed roug rcent cover clude. Enter Left 15 rcentage co s at least 4 s up through Left 85 entire catc verage of R Land	subplots (40 hly equidist of leaves, st the percent Side 5 wer of herba " dbh and 36 n 200% are a Side 95 hment of th cunoff Score	antly along ticks, or othe cover of the ceous vege " tall. Becau accepted. E e stream. for watershe	each side of er organic ma detrital layer 0 tation (meas neer the perconduction 100	of the stream aterial. Woo er at each su Right 0 sure only if tre ay be several cent cover of Right	n/buffer zor n. dy debris <4 oplot. Side 5 ee cover is 4 layers of gr ground veg	e within 25 4" diameter a <20%). Do <i>i</i> ound cover etation at ea	feet from ea and <36" not include vegetation ach subplot.	4.17 % 96 %
ne fo 10 11	VHERB	10-11 within should be p Average pe long are inc 0 Average pe woody stem percentage 100 2 within the Weighted A	at least 8 s placed roug rcent cover clude. Enter Left 15 rcentage cons at least 4 s up through Left 85 entire catc verage of R Land	subplots (40 hly equidist of leaves, st the percent Side 5 wer of herba " dbh and 36 n 200% are a Side 95 hment of th cunoff Score Use (Choos	antly along ticks, or othe cover of the ceous vege " tall. Becau accepted. E e stream. for watershe	each side of er organic ma detrital layer 0 tation (meas neer the perconduction 100	of the stream aterial. Woo er at each su Right 0 sure only if tre ay be several cent cover of Right	n/buffer zor n. dy debris <4 oplot. : Side 5 ee cover is - layers of gr ground veg : Side 95	e within 25 4" diameter a <20%). Do <i>r</i> ound cover letation at ea	feet from ea and <36" not include vegetation ach subplot.	4.17 % 96 % 0.42 Runnin Percer (not >10

 S-CC14
 Notes:

 Variable
 Value
 VSI

 Variable
 VSI
 Land Cover Analysis was completed using the 2019 National Land Cover Database (NLCD), from Landsat satellite imagery and other supplementary datasets.

 VccANOPY
 Not Used, <20%</td>
 Not Used

 Not Used
 Not Used
 *Percentages in catchment values have been rounded to the nearest full number.

Open space (pasture, lawns, parks, etc.), grass cover <50%

Open space (pasture, lawns, parks, etc.), grass cover >75%

▼

▼

▼ ▼ 0.1

0.3

1

48

52

100

V _{EMBED}	1.5	0.28	*Percentages in catchment values have been rounded to the nearest full number.
V _{SUBSTRATE}	0.29 in	0.15	
V _{BERO}	17 %	0.99	
V _{LWD}	0.0	0.00	
V _{TDBH}	Not Used	Not Used	
V _{SNAG}	0.0	0.10	
V _{SSD}	83.3	1.00	
V _{SRICH}	0.00	0.00	
	4.2 %	0.05	
V _{HERB}	96 %	1.00	
V _{WLUSE}	0.42	0.44	

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for $V_{CCANOPY}$ (\geq 20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP STREAM ASSESSMENT S-CC14		
Location: Pittslyvania		
Sampling Date: 8-24-21	Project Site	Before Project
Subclass for this SAR:		
Intermittent Stream		

Uppermost stratum present at this SAR: Shrub/Herb Strata SAR number: S-CC14

Functional Results Summary: Enter Res

Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.26
Biogeochemical Cycling	0.26
Habitat	0.13

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	1.50	0.28
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.29	0.15
V _{BERO}	Total percent of eroded stream channel bank.	16.67	0.99
V _{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	83.33	1.00
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	4.17	0.05
V _{HERB}	Average percent cover of herbaceous vegetation.	95.83	1.00
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.42	0.44

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET #	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY

WEATHER CONDITIONS	Now Past 24 hours Has there been a heavy rain in the last 7 days? Yes Storm (heavy rain) rain (steady rain) showers (intermittent) % Air Temperature0 C % %cloud cover clear/sunny
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) LOD Timber ma
	yp de Ly
	LO Stream 60ft x 1.5ft
	Out
STREAM CHARACTERIZATION	Stream Subsystem Perennial Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Mixture of origins Swamp and bog Catchment Areakm ²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse Forest Commercial Field/Pasture Industrial Agricultural Other Residential Indicate the dominant type and record the domin Trees Shrubs Dominant species present	Grasses Herbaceous
INSTREAM FEATURES	Estimated Reach Length m Estimated Stream Width m Sampling Reach Area ² Area in km² (m²x1000) km² Estimated Stream Depth m Surface Velocity m/sec (at thalweg) m/sec	Canopy Cover Partly open Partly shaded Shaded High Water Mark m Proportion of Reach Represented by Stream Morphology Types Riffle% Run% Riffle% Run% Channelized Yes No Dam Present Yes No
LARGE WOODY DEBRIS AQUATIC VEGETATION	LWDm² Density of LWDm²/km² (LWD/ reac Indicate the dominant type and record the domin Rooted emergent Rooted submergent Floating Algae Attached Algae Dominant species present	ant species present Rooted floating Free floating
WATER QUALITY	Temperature0 C Specific Conductance Dissolved Oxygen pH Turbidity WQ Instrument Used	Water Odors Normal/None Sewage Petroleum Chemical Fishy Other Water Surface Oils Slick Slick Sheen Globs Flecks None Other Turbidity (if not measured) Clear Slightly turbid Opaque Stained Other
SEDIMENT/ SUBSTRATE	Odors Petroleum Normal Sewage Petroleum Chemical Anaerobic None Other	Deposits Sludge Sawdust Paper fiber Sand Relict shells Other Lpoking at stones which are not deeply embedded, are the undersides black in color? Yes No

INC	DRGANIC SUBSTRATE (should add up to			ORGANIC SUBSTRATE Co (does not necessarily add				
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic % Composit Sampling A				
Bedrock Boulder > 256 mm (10")			Detritus	sticks, wood, coarse plant				
				materials (CPOM)				
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic				
Gravel	2-64 mm (0.1"-2.5")			(FPOM)				
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments				
Silt	0.004-0.06 mm							
Clay	< 0.004 mm (slick)							

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET #	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted iı	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
Iram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	ı Category	
Parameter	Optimal	Suboptimal	Marginal	Poor
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
 SCORE 8. Bank Stability (score each bank) Note: determine left or right side by facing downstream. SCORE (LB) SCORE (RB) 9. Vegetative Protection (score each bank) 	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score _____

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION	
STATION #	_ RIVERMILE	STREAM CLASS	
LAT	LONG	RIVER BASIN	
STORET #		AGENCY	
INVESTIGATORS			LOT NUMBER
FORM COMPLETED	BY	DATE TIME	REASON FOR SURVEY
HABITAT TYPES	Indicate the percentage of Cobble% Sn Submerged Macrophytes	ags% Vegetated B	anks% Sand%)%
SAMPLE COLLECTION	Indicate the number of jab	lected? wading fi ps/kicks taken in each habitat ty lags Vegetated B	anks Sand
GENERAL COMMENTS			

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County:	Pittsylvania	Stream ID:	S-CC14
Stream Name:	UNT to Cherrystone Creek		
HUC Code:	03010105	Basin:	Banister
Survey Date:	8/24/2021		
Surveyors:	AJ VM		
Type:	Representative / Riffle		

			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	•		0.00	0.00
	Very Fine	.062125		•		0.00	0.00
	Fine	.12525		•	50	50.00	50.00
	Medium	.255	S A N D	▲ ▼	40	40.00	90.00
	Coarse	.50-1.0		▲ ▼		0.00	90.00
.0408	Very Coarse	1.0-2		•		0.00	90.00
.0816	Very Fine	2 -4		▲ ▼		0.00	90.00
.1622	Fine	4 -5.7		▲ ▼		0.00	90.00
.2231	Fine	5.7 - 8		▲ ▼		0.00	90.00
.3144	Medium	8 -11.3		▲ ▼		0.00	90.00
.4463	Medium	11.3 - 16	G R A V E L	▲ ▼		0.00	90.00
.6389	Coarse	16 -22.6		▲ ▼		0.00	90.00
.89 - 1.26	Coarse	22.6 - 32		▲ ▼		0.00	90.00
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼		0.00	90.00
1.77 -2.5	Vry Coarse	45 - 64		▲ ▼	4	4.00	94.00
2.5 - 3.5	Small	64 - 90		▲ ▼	3	3.00	97.00
3.5 - 5.0	Small	90 - 128	COBBLE	▲ ▼	3	3.00	100.00
5.0 - 7.1	Large	128 - 180	COBBLE	▲ ▼		0.00	100.00
7.1 - 10.1	Large	180 - 256		▲ ▼		0.00	100.00
10.1 - 14.3	Small	256 - 362		▲ ▼		0.00	100.00
14.3 - 20	Small	362 - 512		▲ ▼		0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	▲ ▼		0.00	100.00
40 - 80	Large	1024 -2048]	▲ ▼		0.00	100.00
80 - 160	Vry Large	2048 -4096]	▲ ▼		0.00	100.00
	Bedrock		BDRK	▲ ▼		0.00	100.00
				Totals:	100		
	Total Tally:						

Reach Name: Sample Name:	S-CC14	ntative	tone Creek		
Size (mm)	т0	т#	ITEM %	СИМ %	
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	0 50 40 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0.00 0.00 50.00 40.00 0.	0.00	
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Boulder (%) Boulder (%) Bedrock (%)	0. 0. 0. 72 12 0 90 4 6 0 0	21 25 46 .67			

Total Particles = 100.

	;	Strear		tream Method	lology for use	in Virginia				
				able channels cla			al			
Project #	Project Name (App		Locality	Cowardin Class.	нис	Date	SAR #	Impact Length	Impact Factor	
22865.06	Mountain Valley Pipelin Valley Pipeline,		Pittslyvania	R4	03010105	8/24/21	S-CC14	20	1	
Nam	e(s) of Evaluator(s)	Stream Name	e and Informa	tion				SAR Length		
	AJ VM	UNT to Cherr	rystone Creek	r				77		
Channel C	ondition: Assess the cross-sect	ion of the stream a								
	Optimal	Subo	ptimal	Conditional Catego	ginal	P	oor	Sev	ere	
	Very little incision or active erosion; 80- 100% stable banks. Vegetative surface		Slightly incised, few areas of active erosion or unprotected banks. Majority			laterally unstab	cised. Vertically / le. Likely to widen	Deeply incised (or excavated), vertical/lateral instability. Severe r incision, flow contained within the banks.		
Channel Condition	protection or natural rock, prominent (80-100%). AND/OR Stable point bars, bankfull benches are present. Access to their original floodplain or fully developed wide bankfull benches. Mid channel bars and transverse bars few. Transient sediment deposition covers less than 10% of bottom.	Vegetative protec prominent (60 Depositional feat stability. The bar channels are well d has access to bankf developed flo portions of the r sediment covers 1	table (60-80%). tion or natural rock .80%) AND/OR tures contribute to hkfull and low flow efined. Stream likely full benches,or newly odplains along reach. Transient 0-40% of the stream tom.	Erosion may be pri both banks. Vegel 40-60% of banks. S vertical or under 40-60% Sediment transient, comb Deposition that co may be forming/p shaped channels protection on > 40 depositional featur	ver bank slopes. esent on 40-60% of tative protection on streambanks may be ercut. AND/OR may be temporary / ibute instability, ntribute to stability, ntribute to stability, resent. AND/OR V- s have vegetative % of the banks and es which contribute ability.	vertical. Erosion p banks. Vegetativ on 20-40% of banl to prevent erosion. the stream is cov Sediment is tem nature, and contr AND/OR V-sha vegetative protect 40% of the banks	i both banks are near resent on 60-80% of e protection present s, and is insufficient AND/OR 60-80% of rered by sediment. obving to instability. ped channels have pand stable sediment n is absent.	Streambed below av majority of banks Vegetative protecti than 20% of banks erosion. Obvious present. Erosion/raw AND/OR Aggradin	erage rooting depth, vertical/undercut. ion present on less is, is not preventing s bank sloughing / banks on 80-100%. g channel. Greater n bed is covered by uting to instability. channels and/or	CI
Scores	3	2	.4	:	2	1	.6	1	I	2.40
	BUFFERS: Assess both bank's				measurements of	length & width m				
	BUFFERS: Assess both bank's Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas.	Con Subo	nditional Cate ptimal	gory	measurements of ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.	-	ay be acceptable) OOT Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable	NOTES>>		
RIPARIAN	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained	baditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh si 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30%	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained	P High Poor: Lawns mowed, and maintained areas, no-till cropland; actively grazed pasture, sparsely vegetatec non-maintained area, recently seeded and stabilized, or other comparable	ay be acceptable) OOT Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable	NOTES>>		
RIPARIAN	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	tow Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.	P High Poor: Lawns mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetatec non-maintained area, recently seeded and stabilized, or other comparable condition.	ay be acceptable) OOT Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.	NOTES>>		
Riparian Buffers Scores Delineate ripa Determine squ Enter the % R	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas.	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating leng	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cala	gory High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	P High Poor: Lawns mowed, and maintained areas, sparsely vegetatec non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6	A be acceptable)	NOTES>>		
Riparian Buffers Scores Delineate ripa Determine squ Enter the % R	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas. 1.5 rian areas along each stream bank uare footage for each by measuring tiparian Area and Score for each rip	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating leng	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cala	gory High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	P High Poor: Lawns mowed, and maintained areas, sparsely vegetatec non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6	ay be acceptable) OOT Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100		ores*0.01)/2	
Riparian Buffers Scores Delineate ripa Determine squ Enter the % R Right Bank	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas. 1.5 rian areas along each stream bank uare footage for each by measuring tiparian Area and Score for each rip % Riparian Area>	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating leng	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cala	gory High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	P High Poor: Lawns mowed, and maintained areas, sparsely vegetatec non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6	ay be acceptable) OOT Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100	NOTES>> CI= (Sum % RA * So Rt Bank CI >	ores*0.01)/2 0.85	CI
RIPARIAN Riparian Buffers Scores Delineate ripa Determine squ Enter the % R	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas. 1.5 rian areas along each stream bank uare footage for each by measuring tiparian Area and Score for each rip % Riparian Area> % Riparian Area> 100% Score > % Riparian Area> 0.85	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating leng	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cala	gory High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	P High Poor: Lawns mowed, and maintained areas, sparsely vegetatec non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6	ay be acceptable)	CI= (Sum % RA * Sc		
RIPARIAN Riparian Buffers Scores Delineate ripa Determine squ Enter the % R Right Bank Left Bank	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas. 1.5 rian areas along each stream bank uare footage for each by measuring tiparian Area and Score for each rip % Riparian Area> 100% Score > 0.85 % Riparian Area> 100% % Riparian Area> 100%	Cor Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating leng arian category in th	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cate blocks below.	Gory Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 ition Scores using culators are provid	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors. ed for you below.	P High Poor: Lawns mowed, and maintained areas, snurseries; no-till cropland; actively grazed pasture, sparsely vegetatec non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % Blocks	ay be acceptable) OOF Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lost, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100% 100%	CI= (Sum % RA * So Rt Bank CI > Lt Bank CI >	0.85 0.85	CI
RIPARIAN Riparian Buffers Scores Delineate ripa Determine squ Enter the % R Right Bank Left Bank	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas. 1.5 rian areas along each stream bank uare footage for each by measuring tiparian Area and Score for each rip % Riparian Area> 100% Score > 0.85 % Riparian Area> 100% % Riparian Area> 100%	Cor Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating leng arian category in th	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Calk he blocks below.	Gory Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 ition Scores using culators are provid	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors. ed for you below.	P High Poor: Lawns mowed, and maintained areas, snurseries; no-till cropland; actively grazed pasture, sparsely vegetatec non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % Blocks	ay be acceptable) OOF Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lost, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100% 100%	CI= (Sum % RA * So Rt Bank CI > Lt Bank CI >	0.85 0.85	CI
Riparian Buffers Scores Delineate ripa Determine squ Enter the % R Right Bank Left Bank INSTREAN mplexes, stabl	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas. 1.5 rian areas along each stream bank uare footage for each by measuring tiparian Area and Score for each rip % Riparian Area> 100% Score > 0.85 % Riparian Area> 100% % Riparian Area> 100%	Cor Subo		gory High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 ition Scores using culators are provid culators are provid culat	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors. led for you below. stable substrate; ginal ments are typically of the reach and are	P High Poor: Lawns mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetatec non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % Blocks of Blocks o	ay be acceptable) oor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100% 100% 100% Stable; undercut coor stable, Habitat cally present in less	CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > banks; root mats; S	0.85 0.85	CI
Riparian Buffers Scores Delineate ripa Determine squ Enter the % R Right Bank Left Bank Left Bank INSTREAM omplexes, stabl Instream Habitat/ Available	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas. 1.5 rian areas along each stream bank uare footage for each by measuring tiparian Area and Score for each rip % Riparian Area> 100% Score > 0.85 % AlbITAT: Varied substrate size e features. Optimal Habitat elements are typically present in	Cor Subo	Aditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cate blocks below.	gory Mary High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 ition Scores using ulators are provid ulators ulators are provid ulators ulators are provid ulators u	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors. led for you below. stable substrate; I ginal ments are typically of the reach and are	P High Poor: Lawns mowed, and maintained areas, snurseries; no-till cropland; actively grazed pasture, sparsely vegetatec non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % Blocks Blocks blocks P Habitat element lacking or are elements are typi than 10%	ay be acceptable) COOP Low Poor: Impervious surfaces, mine spoil lands, Idenuide surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100% 100% 100% State sums Riparian equal subsection 100% State subsection Stat	CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > banks; root mats; S	0.85 0.85 AV; riffle/pool	CI

Reach R3-R4 File: C:\Users\dan.weidenhof\Documents\Documents\VA Stream Sampling\0 QAQC SUBMITTALS\QAQC working 1st submittal\Ready for Submittal\20211020 Submittal\Submitted 20211012\S-CC14_20211006KEH\9. S-CC14_USM_MVP_20211006KEH.xlsx

Project #	Project Name (App	licant)	Locality	Cowardin Class.	HUC	Date	SAR #	Impact Length	Impact Factor	
22865.06	Mountain Valley Pipeline Valley Pipeline, L	•	Pittslyvania	R4	03010105	8/24/21	S-CC14	20	1	
. CHANNEL	ALTERATION: Stream crossin	gs, riprap, concret	te, gabions, or con	crete blocks, strai	ghtening of chann	el, channelization	, embankments, s	poil piles, constrictio	ons, livestock	
			Conditiona	I Category				NOTES>>		
	Negligible	Mi	nor		erate 60 - 80% of reach	Sev	vere			
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	the channel alterations listed in the parameter guidelines.	the channel alterations listed in the parameter guidelines.	of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	by any of the chan in the parameter g 80% of banks sh riprap, o	of reach is disrupted nel alterations listed guidelines AND/OR lored with gabion, r cement.			CI
Scores	1.5	1.3	1.1	0.9	0.7	-	.5			1.50
	REACH	CONDITION	INDEX and S	STREAM CO	NDITION UN	ITS FOR TH	IS REACH			
OTE: The Cls a	nd RCI should be rounded to 2 decir	nal places. The Cl	R should be round	ed to a whole num	ber.		THE REACI	H CONDITION IN	DEX (RCI) >>	1.25
						RCI= (Sum o	f all Cl's)/5, exce	ept if stream is ep	hemeral RCI = (F	Riparian C
							COMPENSA	TION REQUIRE	MENT (CR) >>	25
							CR = RC			




 $\label{eq:CAPTION} \mbox{CAPTION}. \mbox{ Assessment is limited to areas within the temporary ROW}.$

DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER

File: C:\Users\dan.weidenhofDocuments\Documents\VA Stream Sampling\0 QAQC SUBMITTALS\QAQC working 1st submittal\Ready for Submittal\20211020 Submittal\Submitted 20211012\S-CC14_20211006KEH\9. S-CC14_USM_MVP_20211006KEH.xlsx



CL STAKEOUT POINTS: S-CC14 CROSS SECTION B (PIPE CL)				
PRE-CROSSING			POST-CROSSING	
NORTHING	EASTING	ELEV	VERT.	HORZ.
			DIFF.	DIFF.
13403716.52	2087182.25	847.13		
13403717.74	2087177.62	843.06		
13403718.21	2087176.01	843.03		
13403718.18	2087174.90	843.17		
13403719.21	2087168.58	846.16		
	PR NORTHING 13403716.52 13403717.74 13403718.21 13403718.18	PRE-CROSSING NORTHING EASTING 13403716.52 2087182.25 13403717.74 2087177.62 13403718.21 2087176.01 13403718.18 2087174.90	PRE-CROSSING NORTHING EASTING ELEV 13403716.52 2087182.25 847.13 13403717.74 2087177.62 843.06 13403718.21 2087176.01 843.03 13403718.18 2087174.90 843.17	PRE-CROSSING POST-CR NORTHING EASTING VERT. 13403716.52 2087182.25 847.13 13403717.74 2087177.62 843.06 13403718.21 2087176.01 843.03 13403718.18 2087174.90 843.17



