Reach S-CD1 (Pipeline ROW) Perennial Spread I Franklin County, Virginia

Data	Included	
Photos	\checkmark	
SWVM Form	\checkmark	
FCI Calculator and HGM Form	N/A – Perennial stream	
RBP Physical Characteristics Form	\checkmark	
Water Quality Data	N/A –Low flow	
RBP Habitat Form	\checkmark	
RBP Benthic Form	\checkmark	
Benthic Identification Sheet	N/A – Low flow and no Riffles	
Wolman Pebble Count	\checkmark	
RiverMorph Data Sheet	\checkmark	
USM Form (Virginia Only)	\checkmark	
Longitudinal Profile and Cross Sections	\checkmark	

No flow – no WQI or benthic samples.

Spread I Stream S-CD1 (Pipeline ROW) Franklin County



Photo Type: US VIEW Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking N upstream, DW



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking S downstream, DW

Spread I Stream S-CD1 (Pipeline ROW) Franklin County



Photo Type: LB CL Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking W at right streambank, DW



Photo Type: RB CL Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking E at left streambank, DW

Spread I



Photo Type: DS VIEW Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking S downstream, DW

L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Template Forms\Photo Document Template.docx

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountai	n Valley Pipeline		COORDINATES: acimal Degrees)	Lat.	37.047765	Lon.	-79.897636	WEATHER:		Su
IMPACT STREAM/SITE II (watershed size {acreage			S-CD1; Spread	I; Franklin Co	unty		MITIGATION STREAM CLA (watershed size {a	SS./SITE ID AND creage}, unaltered or im				
STREAM IMPACT LENGTH:	104	FORM OF MITIGATION:	RESTORATION (Levels I-III)		OORDINATES: ecimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		
Column No. 1- Impact Existin	ng Condition (De	ebit)	Column No. 2- Mitigation Existing C	condition - Base	eline (Credit)		Column No. 3- Mitigatio Post Comp	on Projected at Five letion (Credit)	e Years	Column No. 4- Mitigation Pr Post Completion		Years
Stream Classification:	Per	ennial	Stream Classification:				Stream Classification:		0	Stream Classification:		0
Percent Stream Channel S	Slope	2.44	Percent Stream Channel St	ope			Percent Stream Chanr	el Slope	0	Percent Stream Channel	Slope	
HGM Score (attach	data forms):		HGM Score (attach	data forms):			HGM Score (at	tach data forms):		HGM Score (attach	data forms):	
		Average			Average				Average			A
Hydrology			Hydrology				Hydrology			Hydrology		
Biogeochemical Cycling		0	Biogeochemical Cycling		0		Biogeochemical Cycling		0	Biogeochemical Cycling		
Habitat			Habitat		- v		Habitat		- ·	Habitat		
PART I - Physical, Chemical an	d Biological Ind	icators	PART I - Physical, Chemical an	d Biological In	dicators		PART I - Physical, Chemi	al and Biological	Indicators	PART I - Physical, Chemical an	d Biological I	ndicators
	Points Scale Range	Site Score		Points Scale Range	Site Score			Points Scale Rar	nge Site Score		Points Scale R	tange -
PHYSICAL INDICATOR (Applies to all stream	ns classifications)	•	PHYSICAL INDICATOR (Applies to all streams	classifications)	•		PHYSICAL INDICATOR (Applies to all st	reams classifications)		PHYSICAL INDICATOR (Applies to all strea	ms classification	s)
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data She	et)		USEPA RBP (High Gradient Data Sheet)	1	
1. Epifaunal Substrate/Available Cover	0-20	20	1. Epifaunal Substrate/Available Cover	0-20			1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness	0-20	5	2. Pool Substrate Characterization	0-20			2. Embeddedness	0-20		2. Embeddedness	0-20	
Velocity/ Depth Regime	0-20	5	Pool Variability	0-20			Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20	10	4. Sediment Deposition	0-20			 Sediment Deposition 	0-20		4. Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0-1	16	5. Channel Flow Status	0-20 0-1			5. Channel Flow Status	0-20 0-	1	5. Channel Flow Status	0-20	0-1
6. Channel Alteration	0-20	20	6. Channel Alteration	0-20			6. Channel Alteration	0-20		6. Channel Alteration	0-20	
7. Frequency of Riffles (or bends)	0-20	1	7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	9	8. Bank Stability (LB & RB)	0-20			Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	20	9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	17	10. Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB & F			10. Riparian Vegetative Zone Width (LB & RB)		
Total RBP Score Sub-Total	Suboptimal	123 0.615	Total RBP Score Sub-Total	Poor	0		Total RBP Score Sub-Total	Poor	0	Total RBP Score Sub-Total	Poor	_
CHEMICAL INDICATOR (Applies to Intermitte	tent and Perennial S		CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial S	treams)		CHEMICAL INDICATOR (Applies to Inte	mittent and Perennial	Streams)	CHEMICAL INDICATOR (Applies to Intermit	tent and Perenn	ial Stream
WVDEP Water Quality Indicators (Generation	al)	-	WVDEP Water Quality Indicators (General))			WVDEP Water Quality Indicators (Ge	neral)		WVDEP Water Quality Indicators (Generation)	ral)	
Specific Conductivity			Specific Conductivity				Specific Conductivity			Specific Conductivity		
100-199 - 85 points	0-90			0-90				0-90			0-90	
nH			pH				nH			nH		
511	0-1			0-1				0.	1	pri		0-1
5.6-5.9 = 45 points	0-80			5-90				5-90			5-90	
DO		30	DO		0		DO			DO		
	10-30			10-30				10-30			10-30	
	10-50			10-50				10-00			10-50	
Sub-Total			Sub-Total		0		Sub-Total		0	Sub-Total		
BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennia	al Streams)	BIOLOGICAL INDICATOR (Applies to Intermit	tent and Perennia	l Streams)		BIOLOGICAL INDICATOR (Applies to	ntermittent and Pere	nnial Streams)	BIOLOGICAL INDICATOR (Applies to Inte	rmittent and Pe	rennial St
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		
0	0-100 0-1			0-100 0-1				0-100 0-			0-100	0-1
Sub-Total		0	Sub-Total	•	0		Sub-Total		0	Sub-Total		
PART II - Index and	Unit Score		PART II - Index and	Unit Score			PART II - Inde	c and Unit Score		PART II - Index and	Unit Score	

PART II - Index and Unit Score				
Index	Linear Feet	Unit Score		
0.708	104	73.58		

PART II - Index and U	Jnit Score	
Index	Linear Feet	Unit Score
0	0	0

PART II - Index and Unit Score			
Index	Linear Feet	Unit Score	
0	0	0	

PART II - Index and Unit Score			
Index	Linear Feet	Unit Score	
0	0	0	

	DATE			
	DATE:	Au	igust 2	7, 2021
	Comments:			
	Mitigation Length:			
	Column No. 5 Mittaction Desired			- 414)
	Column No. 5- Mitigation Projecte		0	eait)
	Percent Stream Channel SI	one		0
	HGM Score (attach da):	
				Average
1	Hydrology			
	Biogeochemical Cycling			0
	Habitat			
	PART I - Physical, Chemical and	Biologica	Indica	tors
		Points Scale	Range	Site Score
		Points acale	Hunge	
	PHYSICAL INDICATOR (Applies to all streams			
	USEPA RBP (High Gradient Data Sheet)	classificatio		
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	classificatio		
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness	classificatio		
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime	0-20 0-20 0-20		
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition	0-20 0-20 0-20 0-20 0-20		
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status	0-20 0-20 0-20 0-20 0-20 0-20		
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	ons)	
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends)	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	ons)	
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	ons)	
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB)	0-20 0-20	ons)	
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB)	0-20 0-20	ons) 0-1	
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 0-20	ons) 0-1	0
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB)	Classificatic 0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-2	0-1 Or	0
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General)	classification 0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-2	0-1 Or	0
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Riparian Vegetative Zone Ve	classification 0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-2	0-1 Or	0
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General)	0-20 0-20 0-20 <td>0-1 Or</td> <td>0</td>	0-1 Or	0
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General Specific Conductivity	0-20 0-20	0-1	0
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Riparian Vegetative Zone Vegetativ	0-20 0-20 0-20 <td>0-1</td> <td>0 0 0 ams)</td>	0-1	0 0 0 ams)
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Riparian Vegetative Zone Ve	classification 0-20 0-	0-1 nial Stre	0 0 ams)
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Riparian Vegetative Zone Vegetativ	classification 0-20 0-	0-1 nial Stre	0 0 ams)
	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Riparian Vegetative Zone Vidth (LB & RB) 10. Rip	classification 0-20 0-	0-1 nial Stre	0 0 ams)

PART II - Index and Unit Score			
Index	Linear Feet	Unit Score	
0	0	0	

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET #	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY	

WEATHER CONDITIONS	Now Past 24 hours Has there been a heavy rain in the last 7 days? Yes Storm (heavy rain) rain (steady rain) showers (intermittent) % cloud cover clear/sunny Air Temperature0 C
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) Pipel
	ROW Timber Mat
STREAM CHARACTERIZATION	Stream Subsystem Tidal Stream Type Perennial Intermittent Tidal Warmwater Stream Origin Catchment Area km² Glacial Spring-fed Mixture of origins Non-glacial montane Mixture of origins Km²

Shallow but very muddy, sink when stepped in. Pipe over top by timber mat

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse Forest Commercial Field/Pasture Industrial Agricultural Other Residential Indicate the dominant type and record the dominant Trees Shrubs	Grasses Herbaceous
INSTREAM FEATURES	Dominant species present	Canopy Cover Partly open Partly shaded Shaded High Water Mark m Proportion of Reach Represented by Stream Morphology Types Riffle % Run % Pool % Channelized Yes No No Dam Present Yes No
LARGE WOODY DEBRIS	LWDm ² Density of LWDm ² /km ² (LWD/ reac	:h area)
AQUATIC VEGETATION	Indicate the dominant type and record the domin Rooted emergent Floating Algae Rooted submergent Attached Algae Dominant species present Portion of the reach with aquatic vegetation	Rooted floating Free floating
WATER QUALITY Not enough water to sample	Temperature0 C Specific Conductance Dissolved Oxygen pH Turbidity WQ Instrument Used	Water Odors Normal/None Sewage Petroleum Chemical Fishy Other Water Surface Oils Slick Slick Sheen Globs None Other Turbidity (if not measured) Clear Clear Slightly turbid Turbid Opaque Stained Other
SEDIMENT/ SUBSTRATE	Odors Petroleum Normal Sewage Petroleum Chemical Anaerobic None Other	Deposits Paper fiber Sand Sludge Sawdust Paper fiber Sand Relict shells Other Hooking at stones which are not deeply embedded, are the undersides black in color? Yes No

INORGANIC SUBSTRATE COMPONENTS (should add up to 100%)			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)		
Substrate Diameter % Composition in Type Sampling Reach		Substrate Type	Characteristic % Composition in Sampling Area		
Bedrock			Detritus	sticks, wood, coarse plant	
Boulder	> 256 mm (10")			materials (CPOM)	
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2.5")			(FPOM)	
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments	
Silt	0.004-0.06 mm				
Clay	< 0.004 mm (slick)				

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET #	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY			

	Habitat		Condition	ı Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment. Gravel, cobble, and boulder particles are 50- fine sediment.					
ted i	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).				
uram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	1 Category				
Parameter	Optimal	Suboptimal	Marginal	Poor			
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
 SCORE 8. Bank Stability (score each bank) Note: determine left or right side by facing downstream. SCORE (LB) SCORE (RB) 9. Vegetative Protection (score each bank) 	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.				
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
SCORE(LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total Score _____

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION					
STATION #	_ RIVERMILE	STREAM CLASS					
LAT	LONG	RIVER BASIN					
STORET #		AGENCY					
INVESTIGATORS			LOT NUMBER				
FORM COMPLETED	BY	DATE TIME	REASON FOR SURVEY				
HABITAT TYPES	Indicate the percentage of Cobble% Sn Submerged Macrophytes	ags% Vegetated B	anks% Sand%)%				
SAMPLE COLLECTION	Indicate the number of jab	lected? wading fi ps/kicks taken in each habitat ty lags Vegetated B	anks Sand				
GENERAL COMMENTS							

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

Basin:

County:Franklin CountyStream Name:UNT to Blackwater RiverHUC Code:03010101Survey Date:8/27/2021Surveyors:JM, DWType:Representative

Stream ID: S-CD1

Upper Roanoke

PEBBLE COUNT PARTICLE % Cum Inches Millimeters Particle Total # Item % Count Silt/Clay <.062 . S/C 40 40.00 40.00 • .062-.125 Very Fine 0.00 40.00 • .125-.25 Fine ۲ 0.00 40.00 -.25-.5 Medium ۲ SAND 40.00 0.00 -Coarse .50-1.0 ۸ 40.00 0.00▼ .04-.08 Very Coarse 1.0-2 ۸ 0.00 40.00 • .08 -.16 Very Fine 2 - 4 ٠ 0.0040.00 • .16 - .22 Fine 4 - 5.7 ۸ 0.00 40.00 • .22 - .31 Fine 5.7 - 8 ۸ 0.00 40.00 • 8 - 11.3 .31 - .44 Medium ۸ 40.00 0.00• .44 - .63 Medium 11.3 - 16 GRAVEL 0.00 40.00 • .63 - .89 16 - 22.6 Coarse 2 2.00 42.00 -.89 - 1.26 22.6 - 32 Coarse ۲ 5 5.00 47.00 • 1.26 - 1.77 32 - 45 Vry Coarse ۲ 7 54.00 7.00 -1.77 -2.5 Vry Coarse 45 - 64 ۸ 12.00 66.00 12 -2.5 - 3.5 Small 64 - 90 ٠ 16.00 82.00 16 • 3.5 - 5.0 Small 90 - 128 10 10.00 92.00 • COBBLE 5.0 - 7.1 128 - 180 Large ۲ 5 5.00 97.00 • 180 - 256 7.1 - 10.1 Large ۸ 3 3.00 100.00 -10.1 - 14.3 Small 256 - 362 ۸ 0.00 100.00 • 14.3 - 20 Small 362 - 512 ۸ 0.00100.00 • 20 - 40 Medium 512 - 1024 ٠ BOULDER 0.00 100.00 • 40 - 80 1024 - 2048 Large 0.00 100.00 • 80 - 160 Vry Large 2048 - 4096 0.00 100.00 • ۸ Bedrock **BDRK** 100.00 0.00-Totals: 100 Total Tally:

**

River Name: Reach Name: Sample Name: Survey Date:	UNT to Blackwa S-CD1 Representative 08/27/2021			
Size (mm)	тот #	ITEM %	CUM %	
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	$\begin{array}{c} 40\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0$	40.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 12.00 12.00 16.00 10.00 5.00 3.00 0.00	40.00 40.00 40.00 40.00 40.00 40.00 40.00 40.00 40.00 40.00 40.00 40.00 40.00 42.00 47.00 54.00 66.00 82.00 92.00 97.00 100.00 100.00 100.00 100.00 100.00	
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Gravel (%) Boulder (%) Bedrock (%)	0.03 0.05 37.57 97.6 159.2 256 40 0 26 34 0 0			

Total Particles = 100.


			Strean	Unified St	ream Method						
Duelest #	Duct	t Norse (A		For use in wadea	ble channels cla Cowardin				Impact	Impact	
Project #		t Name (App alley Pipelin	,	Locality	Class.	HUC	Date	SAR #	Length	Factor	
22865.06		ey Pipeline, I		Franklin County	R3	03010101	8/27/2021	S-CD1	104	1	
Name	Name(s) of Evaluator(s) Stream Na			e and Informa	ation				SAR Length		
			S-CD1; Spre	ad I; Franklin	County				104		
Channel C	Condition: Asse	ess the cross-sec	tion of the stream	and prevailing co	ndition (erosion, a	ggradation)					
			•		Conditional Catego	ry	D	oor	- Cou	/ere	
Channel	Very little incision o 100% stable bal surface protectio	r active erosion; 80 nks. Vegetative	Slightly incised, fr	ew areas of active cted banks. Majority table (60-80%).	Often incised, but I	ginal ess than Severe or stable than Severe wer bank sjopes.	Overwidened/in laterally unstabl	cised. Vertically / e. Likely to widen of both banks are	Deeply incised vertical/lateral inc	(or excavated),	
condition	prominent (80-100 bankfull benches a to their original f developed wide bar channel bars and tr Transient sedimen less than 10	re present. Access loodplain or fully hkfull benches. Mid ransverse bars few. t deposition covers	prominent (60 Depositional feat stability. The bar channels are wel likely has acc benches,or ne portions of the r sediment covers	tion or natural rock =80%) AND/OR tures contribute to http://www.com/or/and/or and/or/and/or/and/or/and/or/and/or/and/or/and/or/and/or/and/or/and/or/and/or/and/or/and/or/and/or/and/or/and/or	both banks. Veget 40-60% of banks. be vertical or un 40-60% Sediment i transient, contri Deposition that co may be forming/pr shaped channels protection on > 40 ^o	may be temporary / ibute instability. ntribute to stability, esent. AND/OR V- s have vegetative % of the banks and es which contribute	banks. Vegetative on 20-40% of bank to prevent erosion the stream is covy Sediment is temp nature, and contri AND/OR V-shap vegetative protect 40% of the banks ²	sion present on 60- protection present s, and is insufficient . AND/OR 60-80% ered by sediment. orary / transient in buting to instability, wed channels have ion is present on > and stable sediment in is absent.	t Vegetative protecti than 20% of banks erosion. Obvious present. Erosion/ 100%. AND/OR A than 80% of stream deposition, contrib	vertical/undercut. ion present on less s, is not preventing s bank sloughing /raw banks on 80- ggrading channel. h bed is covered by uiting to instability. channels and/or	CI
Scores	3	3	2	.4	2	2	1	.6	1	1	2.40
RIPARIAN	N BUFFERS: /		Con	ditional Cate	gory		-		NOTES>>		
RIPARIAN	N BUFFERS: #		Con	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches)	gory Marg High Marginal: Non-maintained, dense herbaceous	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas	-	may be acceptab	-		
	Opt	imal > 3 inches) present, o canopy cover. within the riparian	Con Subo High Suboptimal: Riparian areas with tree stratum	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum	gory Marg High Marginal: Non-maintained,	ginal Low Marginal: Non-maintained, dense herbaceous vegetation,	Pe High Poor: Lawns mowed, and maintained areas, nurseries; no-till	DOT Low Poor: Impervious	NOTES>>		
Riparian Buffers	Cpt Tree stratum (dbh > with > 60% tree Wetlands located are	imal > 3 inches) present, o canopy cover. within the riparian ras.	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh -3 inches) present, with <30% tree canopy cover with maintained understory Low	Provide a state of the second state of the sec	Dor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low	NOTES>>		
Riparian	Cpt Tree stratum (dbh > with > 60% tree Wetlands located are	imal > 3 inches) present, o canopy cover. within the riparian	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cultover (dense vegetation).	High Marginal: Non-maintained, dense herbaccous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory	Provide a construction of the second	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.	NOTES>>		
Riparian Buffers Scores Delineate ripa Determine sq low.	Opti Tree stratum (dbh = with > 60% tree Wetlands located are United to the strategy of the st	imal > 3 inches) present, canopy cover. within the riparian as. .5 each stream bank ach by measuring	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cat or estimating leng	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Cono gth and width. Ca	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85	ginal Low Marginal: Non-maintained, dense herbaccous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh -3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors.	Provide a second state of the second second state of the second	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian	NOTES>>		
Riparian Buffers Scores Delineate ripa Determine sq ow. Enter the % F	Opti Tree stratum (dbh : with > 60% tree Wetlands located are	imal > 3 inches) present, canopy cover. within the riparian as. .5 each stream bank ach by measuring	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cat or estimating leng	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Cono gth and width. Ca	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85	ginal Low Marginal: Non-maintained, dense herbaccous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh -3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors.	Provide a second state of the second second state of the second	Dor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5	NOTES>>		
Riparian Buffers Scores Delineate ripa Determine sq w. Enter the % F	Opti Tree stratum (dbh = with > 60% tree Wetlands located are Vetlands located are arian areas along e uare footage for ex Riparian Area and s	imal 3 inches) present, canopy cover. within the riparian as. 5 ach by measuring Score for each rip	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Car or estimating leng arian category in	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Cono gth and width. Ca the blocks below.	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85	ginal Low Marginal: Non-maintained, dense herbaccous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh -3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors.	Provide a second state of the second second state of the second	Dor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100	NOTES>>		
Riparian Buffers Scores Delineate ripa Determine sq w. Enter the % F	Copt Tree stratum (dbh = with > 60% tree Wetlands located are Vetlands located are 1. 1. Arian areas along e uare footage for ea Riparian Area and : % Riparian Areas	imal > 3 inches) present, a canopy cover. within the riparian rias. 5 sach stream bank ach by measuring Score for each rip 15% 0.75	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Car or estimating lenge arian category in 60% 0.6	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Cono gth and width. Ca the blocks below. 25%	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85	ginal Low Marginal: Non-maintained, dense herbaccous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh -3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors.	Provide a second state of the second second state of the second	Door Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100	NOTES>>	-	
Riparian Buffers Scores Delineate ripa Determine sq ow. Enter the % F ight Bank	Opti Tree stratum (dbh > with > 60% tree Wetlands located are Wetlands located are interpret of the strategy of the str	imal 3 inches) present, a canopy cover. within the riparian rias. 5 ach stream bank ach by measuring Score for each rip 15% 0.75 20%	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Car or estimating lenge arian category in 60% 0.6	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Cono gth and width. Ca the blocks below. 25%	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85	ginal Low Marginal: Non-maintained, dense herbaccous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh -3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors.	Provide a second state of the second second state of the second	Dor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100	NOTES>> Cl= (Sum % RA * Sc Rt Bank Cl >	0.60	CI
Riparian Buffers Scores Delineate ripa Determine sq w. Enter the % F ight Bank	Copt Tree stratum (dbh > with > 60% tree Wetlands located are Wetlands located are 1. Arian areas along e uare footage for ex- Riparian Area and % Riparian Area> Score > % Riparian Area>	imal 3 inches) present, canopy cover. within the riparian ras. 5 ach stream bank ach by measuring Score for each rig 15% 0.75 20% 0.5	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) ro 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Car or estimating leng arian category in 60% 0.6	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Cono gth and width. Ca the blocks below. 25% 0.5	High Marginal: Non-maintained, dense herbaccous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors. ided for you	Provide a second	Door Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100%	NOTES>> Cl= (Sum % RA * Sc Rt Bank Cl > Lt Bank Cl >	0.60 0.70	<u>CI</u> 0.65
Riparian Buffers Scores Delineate ripa Determine sq w. Enter the % F ight Bank	Opti Tree stratum (dbh > with > 60% tree Wetlands located are Wetlands located are 1. Arian areas along e uare footage for ex- itarian Areas and 3 % Riparian Areas Score > % Riparian Areas Score > M HABITAT: VA	imal 3 inches) present, a canopy cover. within the riparian ras. 5 5 5 5 5 5 5 5 5 5 5 5 5	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) ro 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Car or estimating leng arian category in 60% 0.6	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Cono gth and width. Ca the blocks below. 25% 0.5	High Marginal: Non-maintained, dense herbaccous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors. ided for you	Provide a second	Door Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100%	NOTES>> Cl= (Sum % RA * Sc Rt Bank Cl >	0.60 0.70	
Riparian Buffers Scores Delineate ripa Determine sq w. Enter the % F ight Bank	Copt Tree stratum (dbh > with > 60% tree Wetlands located are Wetlands located are 1. Arian areas along e uare footage for ex- Riparian Area and % Riparian Area> Score > % Riparian Area>	imal 3 inches) present, a canopy cover. within the riparian ras. 5 5 5 5 5 5 5 5 5 5 5 5 5	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) ro 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Car or estimating leng arian category in 60% 0.6	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Cono gth and width. Ca the blocks below. 25% 0.5	Marg High Marginal: Non-maintained, Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer or a tree layer (dbh > 3 inches) present, with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors. ided for you	Provide a second	Door Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100%	NOTES>> CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > cut banks; root mat	0.60 0.70	
Riparian Buffers Scores Delineate ripa Determine sq ow. Enter the % F ight Bank Left Bank	Opti Tree stratum (dbh > with > 60% tree Wetlands located are Wetlands located are In Trian areas along e uare footage for ex- score > % Riparian Area Score > % Riparian Area> Score > M HABITAT: V. exes, stable feature	imal 3 inches) present, a canopy cover. within the riparian ras. 5 5 5 5 5 5 5 5 5 5 5 5 5	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Ca or estimating leng arian category in 60% 0.6 80% 0.75 zes, water velocity	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Cono gth and width. Ca the blocks below. 25% 0.5	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 dtion Scores using loculators are provi	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors. ided for you	Provide and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % I Blocks e	Door Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100%	NOTES>> Cl= (Sum % RA * Sc Rt Bank Cl > Lt Bank Cl >	0.60 0.70	
Riparian Buffers Scores Delineate ripa Determine sq ow. Enter the % F Light Bank Left Bank INSTREAN INSTREAN INSTREAM Habitat/ Available	Copti Tree stratum (dbh > with > 60% tree Wetlands located are Vetlands located are 1. Trian areas along e uare footage for ea Riparian Areas and s % Riparian Areas Score > % Riparian Areas Score > M HABITAT: V. exes, stable feature Opti Habitat elements a	imal > 3 inches) present, c canopy cover. within the riparian as. .5 ach by measuring Score for each rig 15% 0.75 20% 0.5 aried substrate si es. imal re typically present	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cat or estimating leng arian category in 1 60% 0.6 80% 0.75 zes, water velocity Stable habitat eler present in 30-50%	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Cono gth and width. Ca the blocks below. 25% 0.5 vand depths; woo Conditiona ptimal ments are typically 6 of the reach and	gory Marg Marg High Marginal: Non-maintained, dense herbaccous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 dition Scores using loculators are provi dy and leafy debri al Category Marg Stable habitat eler present in 10-30%	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understorv LOW 0.75 g the descriptors. ided for you s; stable substrate ginal ments are typically 6 of the reach and	Pre- High Poor: Lawns mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetatec non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % I Blocks of legits blocks of legits Blocks of legits Blocks of legits Blocks of legits Blocks of legits Blocks of leg	Dor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100% 100% Series; shade; under Dor	NOTES>> CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > cut banks; root mat	0.60 0.70	
Riparian Buffers Scores Delineate ripa Determine sq ow. Enter the % F Right Bank Left Bank	Opti Tree stratum (dbh > with > 60% tree Wetlands located are Wetlands located are In Trian areas along e uare footage for ex- tiparian Area and 1 % Riparian Area> Score > % Riparian Area> Score > M HABITAT: V. exes, stable feature Opti	imal > 3 inches) present, c canopy cover. within the riparian as. .5 ach by measuring Score for each rig 15% 0.75 20% 0.5 aried substrate si es. imal re typically present	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Car or estimating leng arian category in 60% 0.6 80% 0.75 zees, water velocity Stable habitat eleg present in 30-50% are adequate for	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Cono gth and width. Ca the blocks below. 25% 0.5 v and depths; woo Conditiona ptimal ments are typically	gory Marg Marg High Marginal: Non-maintained, dense herbaccous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 dition Scores using loculators are provi dy and leafy debri al Category Marg Stable habitat eler present in 10-30%	ginal Low Marginal: Non-maintained, dense hetbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors. ided for you	Prevention of the set	Door Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lost, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100% 100% ass; shade; under poor s listed above are	NOTES>> CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > cut banks; root mat	0.60 0.70	

Project #	Mountain Valley Pipeline (Mountain		Locality	Cowardin Class.	HUC	Date	SAR #	Impact length	Impact Factor	
22865.06			Franklin County	R3	03010101	8/27/2021	S-CD1	104	1	
. CHANNEI	L ALTERATION: Stream crossi	ngs, riprap, concr			traightening of cha	annel, channelizati			rictions, livestock	
	Negligible	Mi		al Category	erate	Sev		NOTES>>		
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	of the channel alterations listed in the parameter guidelines.	the channel alterations listed in the parameter guidelines.	of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered	is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered	Greater than 80% o by any of the chanr in the parameter g 80% of banks sh riprap, or	ael alterations listed uidelines AND/OR ored with gabion, cement.			CI
Scores	1.5 REACH C	1.3 ONDITION I	1.1 NDEX and S	0.9 STREAM CO	0.7 NDITION UN	0. IITS FOR TH				1.30
OTE: The Cls a	and RCI should be rounded to 2 dec							CONDITION INI	DEX (RCI) >>	1.11
						RCI= (Sum of		ept if stream is ep	· /	Riparian
							COMPENSAT	TION REQUIREM	MENT (CR) >>	115




DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER



CL ST	CL STAKEOUT POINTS: S-CD1 CROSS SECTION B (PIPE CL)										
	PR	E-CROSSING		POST-C	ROSSING						
	NORTHINC	EASTING		VERT.	HORZ.						
PT. LOC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.						
TS-L	13453835.79	1962013.32	1059.50								
BS-L	13453835.69	1962014.45	1057.68								
THW	13453835.61	1962016.46	1057.57								
BS-R	13453835.44	1962018.55	1057.84								
TS-R	13453835.23	1962020.67	1059.49								



SURVEY NOTES:

1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on March 7, 2018.


2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.


3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).

4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.

5. All section views shown are left to right facing downstream.

6. Cross-section B shot at location of pipe centerline (based on best professional judgement).





LEGEND

