Baseline Assessment – Stream Attributes

Reach S-CD6 (Pipeline ROW) Perennial Spread I Franklin County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A –slope less than 4%
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A –No Riffles
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	✓
Longitudinal Profile and Cross Sections	✓



Location, Orientation, Photographer Initials: Downstream at ROW/LOD on right bank looking W upstream, DW



Location, Orientation, Photographer Initials: Downstream at ROW/LOD on left bank looking W upstream, DW



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking E downstream, DW



Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking S at right streambank, DW



Photo Type: RB CL Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking N at left streambank, DW



Photo Type: US COND Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking W upstream, DW




Photo Type: LB DS VIEW
Location, Orientation, Photographer Initials: Upstream at ROW/LOD on left bank looking E downstream, DW



Photo Type: RB DS VIEW
Location, Orientation, Photographer Initials: Upstream at ROW/LOD on right bank looking E downstream, DW

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountai	in Valley Pipeline	ley Pipeline IMPACT COORDINATES: L (in Decimal Degrees)		at. 37.057584 Lon79.913921		WEATHER:	WEATHER: Sunny		August	28, 2021
IMPACT STREAM/SITE ID (watershed size {acreage},			S-CD6;	14387 ac		MITIGATION STREAM CLASS./SITE ID (watershed size (acreage), unaltered				Comments:		
STREAM IMPACT LENGTH:	77	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Column No. 1- Impact Existing	Condition (Debi	it)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation Projected a Post Completion (Credit)	t Five Years	Column No. 4- Mitigation Proje Post Completion (C		Column No. 5- Mitigation Projecte	ed at Maturity (C	Credit)
Stream Classification:	Peren	nnial	Stream Classification:			Stream Classification:	0	Stream Classification:	0	Stream Classification:	(0
Percent Stream Channel Slo	оре	-0.88	Percent Stream Channel Slo	оре		Percent Stream Channel Slope	0	Percent Stream Channel Slo	ope 0	Percent Stream Channel Slo	оре	0
HGM Score (attach da	nta forms):		HGM Score (attach o	data forms):		HGM Score (attach data for	ms):	HGM Score (attach da	ata forms):	HGM Score (attach da	nta forms):	
Hudrala mu		Average	Hudralagu	Average		Hydrology	Average	Hydralogy	Average	Hudrala mi		Average
Hydrology Biogeochemical Cycling Habitat		0	Hydrology Biogeochemical Cycling Habitat	0		Hydrology Biogeochemical Cycling Habitat	0	Hydrology Biogeochemical Cycling Habitat	0	Hydrology Biogeochemical Cycling Habitat		0
PART I - Physical, Chemical and	Biological Indica	ators	PART I - Physical, Chemical and	d Biological Indicators		PART I - Physical, Chemical and Biolog	ical Indicators	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	Biological Indic	cators
	Points Scale Range	Site Score		Points Scale Range Site Score		Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all streams classificated)	ions)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover		45	USEPA RBP (Low Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover			USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 0-20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0.00	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0.00	
Epilauriai Substrate/Available Cover Embeddedness	0-20 0-20	10	Pool Substrate Characterization	0-20 0-20		1. Epifaunal Substrate/Available Cover 0-20 2. Embeddedness 0-20		Epilauriai Substrate/Available Cover Embeddedness	0-20 0-20	Embeddedness	0-20	
Velocity/ Depth Regime	0-20	2	3. Pool Variability	0-20		3. Velocity/ Depth Regime 0-20		3. Velocity/ Depth Regime	0-20	3. Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20	16	Sediment Deposition	0-20		4. Sediment Deposition 0-20		Sediment Deposition	0-20	Sediment Deposition	0-20	
5. Channel Flow Status 6. Channel Alteration	0-20 0-20 0-1	15 20	Channel Flow Status Channel Alteration	0-20 0-20 0-1		5. Channel Flow Status 0-20 6. Channel Alteration 0-20	0-1	Channel Flow Status Channel Alteration	0-20 0-20 0-1	Channel Flow Status Channel Alteration	0-20 0-20	
7. Frequency of Riffles (or bends)	0-20	1	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends) 0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	18	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB) 0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	16	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB) 0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	18	10. Riparian Vegetative Zone Width (LB & RB)	0-20		Riparian Vegetative Zone Width (LB & RB) 0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score	Suboptimal	131	Total RBP Score	Poor 0		Total RBP Score Po	oor 0	Total RBP Score	Poor 0	Total RBP Score	Poor	0
Sub-Total	Į.	0.655	Sub-Total	0		Sub-Total	0	Sub-Total	0	Sub-Total		0
CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Stre	eams)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermittent and Pere	ennial Streams)	CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermittent	t and Perennial St	reams)
WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General)		
Specific Conductivity			Specific Conductivity	0		Specific Conductivity		Specific Conductivity		Specific Conductivity	•	
<=99 - 90 points	0-90	77.2		0-90		0-90			0-90		0-90	
pH			PΗ			pH		рН		pH		
	0-80	6.68		5-90 0-1		5-90	0-1		5-90 0-1		5-90 0-1	
6.0-8.0 = 80 points	1 0 00	0.00	20	0.00		0.00		20	0.00	20	0 00	
DO			ВО			DO		DO		DO		
>5.0 = 30 points	10-30	8.79		10-30		10-30			10-30		10-30	
Sub-Total		1	Sub-Total	0		Sub-Total	0	Sub-Total	0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermitt	ent and Perennial S	Streams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intermittent and	Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	ttent and Perenn	ial Streams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
0	0-100 0-1			0-100 0-1		0-100	0-1		0-100 0-1		0-100 0-1	
Sub-Total		0	Sub-Total	0		Sub-Total	0	Sub-Total	0	Sub-Total		0
PART II - Index and U	nit Score		PART II - Index and	Unit Score		PART II - Index and Unit Sco	re	PART II - Index and Ur	nit Score	PART II - Index and U	nit Score	
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index Linea	r Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Score
0.828	77	63.7175	0	0 0		0	0	0	0 0	0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME		LOCATION				
STATION #	RIVERMILE	STREAM CLASS				
LAT	LONG	RIVER BASIN				
STORET#		AGENCY				
INVESTIGATORS						
FORM COMPLETED BY		DATE	REASON FOR SURVEY			

WEATHER CONDITIONS SITE LOCATION/MAP	Now%	storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny	Past 24 hours % ne areas sam	Has there been a heavy rain in the last 7 days? Yes No Air Temperature0 C Other pled (or attach a photograph)
	10		5-	CD7 PHE
				*
	LOAD	Timber 1	MA	
STREAM CHARACTERIZATION	Stream Sub Perennial Stream Orig Glacial Non-glacia Swamp an	Intermittent Tic gin Spring-fe al montane Mixture		Stream Type Coldwater Warmwater Catchment Areakm ²

Shrub, brush, grass on banks of stream

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field/ Agric	Pasture Industria	rcial	Local Watershed NPS Pollution No evidence □ Some potential sources Obvious sources Local Watershed Erosion None Moderate Heavy				
RIPARIA VEGETA (18 meter	TION	Trees	SI SI	hrubs	Ominant species present Grasses Herbaceous				
INSTREA FEATURI		Estimat Estimat Samplin Area in Estimat	ed Reach Length ed Stream Width g Reach Area km² (m²x1000) ed Stream Depth Velocity m	m m m² km²	Canopy Cover Partly open Partly shaded Shaded High Water Markm Proportion of Reach Represented by Stream Morphology Types Riffle % Run% Pool% Channelized Yes No Dam Present Yes No				
LARGE V DEBRIS	VOODY		of LWDm	n ² /km ² (LWD/	reach area)				
AQUATION VEGETA		Roote Floati Domin a	e the dominant type and d emergent Re ng Algae At unt species present of the reach with aquat	ooted submerge tached Algae					
WATER (QUALITY	Specific Dissolve pH Turbidi	cature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Chemical Fishy Other				
SEDIMENT/ SUBSTRATE Odors Norma Chemi Other Oils Absen					Relict shells Other	_			
INC	ORGANIC SUBS		COMPONENTS 00%)		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)				
Substrate Type	Diamete	er	% Composition in Sampling Reach	Substrate Type	Characteristic % Composition in Sampling Area				
Bedrock Boulder	> 256 mm (10")			Detritus	sticks, wood, coarse plant materials (CPOM)				
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-2			Muck-Mud	black, very fine organic (FPOM)				
Sand	0.06-2mm (gritt	y)		Marl	grey, shell fragments				

Silt

Clay

0.004-0.06 mm

< 0.004 mm (slick)

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY			

	Habitat		Condition	ı Category						
	Parameter	Optimal	Suboptimal	Marginal	Poor					
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.					
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).					
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
ng reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
Parameters to	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS		LOT NUMBER			
FORM COMPLETED BY	DATETIME	REASON FOR SURVEY			
HADITAT TYPES Indicate the percentage of	and habitat type present				

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Franklin County Stream ID: S-CD6

Stream Name: Little Creek

HUC Code: 03010101 Basin: Upper Roanoke

Survey Date: 8/28/2021 Surveyors: JM, DW, CB Type: Representative

T 1	D + D TI CI E		LE COUNT	ъ .: т	700 . 1 . 11	I T. O.	0/ C
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	A	0	0.00	0.00
	Very Fine	.062125		A	6	6.00	6.00
	Fine	.12525		•	0	0.00	6.00
	Medium	.255	SAND	A	0	0.00	6.00
	Coarse	.50-1.0		•	10	10.00	16.00
.0408	Very Coarse	1.0-2		•	0	0.00	16.00
.0816	Very Fine	2 -4		•	0	0.00	16.00
.1622	Fine	4 -5.7		•	0	0.00	16.00
.2231	Fine	5.7 - 8		•	2	2.00	18.00
.3144	Medium	8 -11.3		-	5	5.00	23.00
.4463	Medium	11.3 - 16	GRAVEL	*	6	6.00	29.00
.6389	Coarse	16 -22.6		*	9	9.00	38.00
.89 - 1.26	Coarse	22.6 - 32		-	10	10.00	48.00
1.26 - 1.77	Vry Coarse	32 - 45		^	5	5.00	53.00
1.77 -2.5	Vry Coarse	45 - 64		^	12	12.00	65.00
2.5 - 3.5	Small	64 - 90		^	9	9.00	74.00
3.5 - 5.0	Small	90 - 128		^	7	7.00	81.00
5.0 - 7.1	Large	128 - 180	COBBLE	^	4	4.00	85.00
7.1 - 10.1	Large	180 - 256		^	5	5.00	90.00
10.1 - 14.3	Small	256 - 362		A	2	2.00	92.00
14.3 - 20	Small	362 - 512	1	A	0	0.00	92.00
20 - 40	Medium	512 - 1024	BOULDER	A	0	0.00	92.00
40 - 80	Large	1024 -2048	1	A	0	0.00	92.00
80 - 160	Vry Large	2048 -4096	7	A	0	0.00	92.00
	Bedrock		BDRK	A	8	8.00	100.0
				Totals:	100		

RIVERMORPH PARTICLE SUMMARY

River Name: Little Creek
Reach Name: S-CD6
Sample Name: Representativ
Survey Date: 08/28/2021 S-CD6 Representative 08/28/2021

Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	0 6 0 0 10 0 0 0 2 5 6 9 10 5 12 9 7 4 5 2 0 0 0 8	0.00 6.00 0.00 0.00 0.00 0.00 0.00 2.00 5.00 6.00 9.00 10.00 5.00 12.00 9.00 7.00 4.00 5.00 2.00 0.00 0.00	0.00 6.00 6.00 16.00 16.00 16.00 18.00 23.00 29.00 38.00 48.00 53.00 65.00 74.00 81.00 85.00 90.00 92.00 92.00 92.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	1 20.4 37.2 167 Bedrock Bedrock 0 16 49 25 2		

Total Particles = 100.

Stream Assessment Form (Form 1) Unified Stream Methodology for use in Virginia le channels classified as intermittent or perennial Cowardin **Impact** Impact Project # **Project Name (Applicant)** Locality HUC SAR# Date Class Length Factor Mountain Valley Pipeline (Mountain Franklin 22865.06 R3 03010101 8/28/2021 S-CD6 77 1 Valley Pipeline, LLC) County Stream Name and Information SAR Length Name(s) of Evaluator(s) JM, DW, CB Little Creek 77 1. Channel Condition: Assess the cross-section of the stream and prevailing condition (erosion, aggradation) Optimal Suboptimal Poor Severe Marginal Slightly incised, few areas of active Often incised, but less than Severe o Very little incision or active erosion; 80 Overwidened/incised. Vertically / Deeply incised (or excavated), 100% stable banks. Vegetative surfact protection or natural rock, prominent sion or unprotected banks. Majorit of banks are stable (60-80%). Poor, Banks more stable than Seve laterally unstable. Likely to wide vertical/lateral instability. Sever or Poor due to lower bank slop cision, flow contained within the banks Majority of both banks are ne Channel 80-100%), AND/OR Stable point bars Vegetative protection or natural rock Erosion may be present on 40-60% of vertical. Erosion present on 60-80% of Streambed below average rooting depth Condition banks. Vegetative protection present on 20-40% of banks, and is insufficient bankfull benches are present. Access to their original floodplain or fully prominent (60-80%) AND/OR Depositional features contribute to both banks. Vegetative protection on 40-60% of banks. Streambanks may be majority of banks vertical/undercut. Vegetative protection present on less eveloped wide bankfull benches. Mid stability. The bankfull and low flow vertical or undercut. AND/OR o prevent erosion. AND/OR 60-80% of than 20% of banks, is not preventing channel bars and transverse bars few Transient sediment deposition covers nannels are well defined. Stream like has access to bankfull benches,or -60% Sediment may be temporary transient, contribute instability. the stream is covered by sediment. Sediment is temporary / transient in erosion. Obvious bank sloughing sent. Erosion/raw banks on 80-100% nature, and contributing to instability. AND/OR V-shaped channels have vegetative protection is present on > AND/OR Aggrading channel. Greater than 80% of stream bed is covered by deposition, contributing to instability. less than 10% of bottom. newly developed floodplains along Deposition that contribute to stability portions of the reach. Transient sediment covers 10-40% of the may be forming/present. AND/OR Vshaped channels have vegetative stream bottom protection on > 40% of the banks and 40% of the banks and stable sedimen Multiple thread channels and/or depositional features which contribute deposition is absent subterranean flow to stability. CI 3 2.4 3.00 Scores 2 1 NOTES>> 2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable) NOTES>> **Conditional Category** Optimal Suboptimal Marginal Poor Low Marginal: Non-maintained, ligh Poor: Lawns mowed, and High Suboptimal Low Suboptimal High Marginal: dense herbaceous naintained areas Low Poor: Riparian areas with Riparian areas wit Non-maintained egetation, riparia nurseries: no-till Impervious ee stratum (dbh > ree stratum (dbh : surfaces, mine dense herbaceou reas lacking shrub cropland; actively 3 inches) present, with 30% to 60% 3 inches) present, Tree stratum (dbh > 3 inches) present vegetation with and tree stratum grazed pasture. spoil lands, Riparian with 30% to 60% with > 60% tree canopy cover. Wetlands located within the riparian hay production, oonds, open wate parsely vegetated non-maintained either a shrub lay enuded surfaces tree canopy cove and containing tree canopy cover and a maintained **Buffers** or a tree layer (dbl row crops, active areas. > 3 inches) If present, tree area, recently feed lots, trails, or both herbaceous nderstory. Recer present, with <30% stratum (dbh >3 seeded and other comparable and shrub layers o a non-maintained tree canopy cover inches) present, abilized, or othe conditions vegetation). with <30% tree comparable understory. canopy cover with maintained condition. understory High High Low Low High Low 1.5 0.85 0.75 0.6 0.5 Scores 1.2 1.1 Delineate riparian areas along each stream bank into Condition Categories and Condition Scores using the descriptors. Ensure the sums Determine square footage for each by measuring or estimating length and width. Calculators are provided for you below of % Riparian Enter the % Riparian Area and Score for each riparian category in the blocks below Blocks equal 100 % Riparian Area> 50% 50% 100% Right Bank Score > 0.75 0.5 CI= (Sum % RA * Scores*0.01)/2 % Riparian Area> 70% 30% 100% Rt Bank CI > 0.63 CI Left Bank Score > 0.5 0.6 0.53 0.58 3. INSTREAM HABITAT: Varied substrate sizes, water velocity and depths; woody and leafy debris; stable substrate; low embeddeness; shade; undercut banks; root mats; SAV; riffle/pool complexes, sta **Conditional Category** NOTES>> Instream Optimal Suboptimal Marginal Poor Habitat/ Stable habitat elements are typically Habitat elements listed above are ments are typically Available Habitat elements are typically presen present in 30-50% of the reach and are resent in 10-30% of the reach and are lacking or are unstable. Habitat in greater than 50% of the reach adequate for maintenance of adequate for maintenance of nents are typically present in less than 10% of the reach. Cover populations. populations.

Scores

1.5

0.9

1.2

0.5

Stream Gradient

High / Low

CI

1 20

Stream Impact Assessment Form Page 2									
Project #	Project Name (App	licant)	Locality	Cowardin Class.	нис	Date	SAR#	Impact Length	Impact Factor
22865.06	Mountain Valley Pipeline Valley Pipeline, L	•	Franklin County	R3	03010101	8/28/2021	S-CD6	77	1
4. CHANNEL ALTERATION: Stream crossings, riprap, concrete, gabions, or concrete blocks, straightening of channel, channelization, embankments, spoil piles, constrictions, livestock Conditional Category NOTES>>									
	Negligible	nor Moderate			Sev	ere	NOTES		
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	the channel	40 - 60% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not	is disrupted by any of the channel	Greater than 80% o by any of the chann in the parameter g 80% of banks sh riprap, or	nel alterations listed uidelines AND/OR ored with gabion,		
				recovered.	recovered.				

NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number.

THE REACH CONDITION INDEX (RCI) >> 1.26

RCI= (Sum of all Cl's)/5, except if stream is ephemeral RCI = (Riparian Cl/2)

COMPENSATION REQUIREMENT (CR) >>


CR = RCI X L_I X IF




CAPTION. Assessment is limited to areas within the temporary ROW.


DESCRIBE	PROPOSED	IMPACT:

PROVIDED UNDER SEPARATE COVER







CL STAKEOUT POINTS: S-CD6 CROSS SECTION B (PIPE CL)									
	PR	E-CROSSING		POST-C	ROSSING				
PT. LOC.	NORTHING	EASTING	ELEV	VERT.	HORZ.				
TS-L	13457372.76	1957196.05	1024.14						
BS-L	13457366.71	1957204.87	1016.22						
THW	13457356.09	1957223.64	1015.17						
BS-R	13457346.68	1957238.59	1016.25						
TS-R	13457336.59	1957251.93	1023.62						




SURVEY NOTES:


- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on August 30, 2018.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. All section views shown are left to right facing downstream.
- 6. Cross-section B shot at location of pipe centerline (based on best professional judgement).







NOTE: ALL SECTIONS VIEWS SHOWN FACING LEFT TO RIGHT FACING DOWNSTREAM.



PENDING CROSSING

PHOTO TAKEN LOOKING

WSSI 2' C.I. Topo

Computer File Name:

C:\WSSI-L\22865.03\Spread I Work Dwgs 22865_03 S-I MP 254-267 Sheets.dwg

EJC NAS PFS

Sheet #

1 of 1

Approved

PRE-CROSSING PHOTOS

Wetland

262.