# **Baseline Assessment – Stream Attributes**

## Revisit

\*Additional field visits were attempted on 1/27/2022. Water Quality and Benthic data were not collected due to low flow conditions

# Reach S-D1-INT (Timber Mat Crossing) \* Intermittent Spread I Pittsylvania County, Virginia

Data	Included
Photos	<b>√</b> *
SWVM Form	<b>√</b> *
FCI Calculator and HGM Form	<b>√</b> *
RBP Physical Characteristics Form	<b>√</b> *
Water Quality Data	N/A – Low Flow
RBP Habitat Form	<b>√</b> *
RBP Benthic Form	N/A – Low Flow
Benthic Identification Sheet	N/A – Low Flow
Wolman Pebble Count	<b>√</b> *
RiverMorph Data Sheet	<b>√</b> *
USM Form (Virginia Only)	✓
Longitudinal Profile and Cross Sections	N/A – Under timber mat bridge

# Spread I Stream S-D1-INT (Pipeline ROW) Pittsylvania County



Photo Type: LESS THAN 10 FEET OFF LOD Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking NE upstream, RAH



Photo Type: LESS THAN 10 FEET OFF LOD
Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking NE upstream, RAH

# Spread I Stream S-D1-INT (Pipeline ROW) Pittsylvania County



Photo Type: LESS THAN 10 FEET OFF LOD Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking NE upstream, RAH




Photo Type: LESS THAN 10 FEET OFF LOD Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking NE upstream, RAH

# Spread I Stream S-D1-INT (Timber Mat) Pittsylvania County



Photo Type: DS VIEW Location, Orientation, Photographer Initials: Downstream view of LOC looking W, SB



Location, Orientation, Photographer Initials: Upstream view of Timber Matt Bridge looking E, SB

# Spread I Stream S-D1-INT (Timber Mat) Pittsylvania County



Photo Type: LB CL Location, Orientation, Photographer Initials: Standing on LB looking at RB looking SE, SB



Photo Type: RB CL Location, Orientation, Photographer Initials: Standing on RB looking at LB looking NW, SB

Spread I Stream S-D1-INT (Timber Mat) Pittsylvania County



Location, Orientation, Photographer Initials: Downstream conditions outside of LOC looking W, SB

 $L: \c|22000s\c|22800\c|22865.06\c|Admin\c|05-ENVR\c|Field\c|Data\c|Spread\c|I\c|Field\c|Forms\c|S-D1-Int\c|Photo\c|Document\c|Template\c|V2.docx|$ 

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain Valley Pipeline		IMPACT COORDINATES: (in Decimal Degrees)	Lat.	36.964407	Lon.	-79.595841		WEATHER:		Sunny	DATE:	January 27,	, 2022	
IMPACT STREAM/SITE ID (watershed size {acreage}				S-D1-INT, Draina	ge Area= 15.39 ac		MITIGATION STREAM CLASS.I			N:				Comments:		
STREAM IMPACT LENGTH:	29	FORM MITIGAT		RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.			PRECIPITATION PAST 48 HRS:		0.00"	Mitigation Length:		
Column No. 1- Impact Existin	g Condition (De	ebit)		Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation Pr Post Completion		Years		Column No. 4- Mitigation Proje Post Completion (0		ars	Column No. 5- Mitigation Project	ed at Maturity (Cred	dit)
Stream Classification:	Inter	mittent		Stream Classification:	Intermittent		Stream Classification:	Inte	ermittent		Stream Classification:	Interm	ittent	Stream Classification:	Intermitte	ent
Percent Stream Channel S	lope	20.69		Percent Stream Channel Slo	ре		Percent Stream Channel S	оре	0		Percent Stream Channel Slo	ope	0	Percent Stream Channel S	lope	0
HGM Score (attach d	lata forms):			HGM Score (attach o	lata forms):		HGM Score (attach	data forms):			HGM Score (attach da	ata forms):		HGM Score (attach o	ata forms):	
		Average			Average				Average				Average			Average
Hydrology	0.22			Hydrology			Hydrology			1	Hydrology			Hydrology		
Biogeochemical Cycling	0.17	0.14666667		Biogeochemical Cycling	0		Biogeochemical Cycling		0		Biogeochemical Cycling		0	Biogeochemical Cycling		0
Habitat	0.05			Habitat			Habitat				Habitat			Habitat		
PART I - Physical, Chemical and	l Biological Indi	cators		PART I - Physical, Chemical and	Biological Indicators		PART I - Physical, Chemical ar	nd Biological Inc	dicators		PART I - Physical, Chemical and I	Biological Indic	ators	PART I - Physical, Chemical and	Biological Indicato	ors
	Points Scale Range	Site Score			Points Scale Range Site Score			Points Scale Range	Site Score			Points Scale Range	Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	s classifications)			PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all stream	classifications)	
USEPA RBP (High Gradient Data Sheet)				USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		
Epifaunal Substrate/Available Cover	0-20	0		Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20			Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness	0-20	20		Pool Substrate Characterization	0-20		2. Embeddedness	0-20			2. Embeddedness	0-20		2. Embeddedness	0-20	
3. Velocity/ Depth Regime	0-20	0		3. Pool Variability	0-20		3. Velocity/ Depth Regime	0-20		-	3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20	
Sediment Deposition     Channel Flow Status	0-20	0		Sediment Deposition     Channel Flow Status	0-20		Sediment Deposition     Channel Flow Status	0-20		-	Sediment Deposition     Channel Flow Status	0-20		Sediment Deposition     Channel Flow Status	0-20	
6. Channel Alteration	0-20 0-1	20		6. Channel Alteration	0-20 0-20 0-1		6. Channel Alteration	0-20 0-20		1	6. Channel Alteration	0-20 0-20 0-1		6. Channel Alteration	0-20 0-1	
7. Frequency of Riffles (or bends)	0-20	0		7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		1	7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	2		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		1	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	8		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		1	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	12		10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score	Marginal	64		Total RBP Score	Poor 0		Total RBP Score	Poor	0		Total RBP Score	Poor	0	Total RBP Score	Poor	0
Sub-Total		0.32		Sub-Total	0		Sub-Total	·	0		Sub-Total		0	Sub-Total		0
CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial S	reams)		CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermitter	t and Perennial Str	reams)		CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial Str	eams)	CHEMICAL INDICATOR (Applies to Intermitte	it and Perennial Stream	ns)
WVDEP Water Quality Indicators (General Specific Conductivity	l)			WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General Specific Conductivity	)			WVDEP Water Quality Indicators (General) Specific Conductivity	)		WVDEP Water Quality Indicators (General Specific Conductivity	)	
Specific Conductivity	T			Specific Conductivity			Specific conductivity	T			Specific conductivity			Specific Conductivity		
100-199 - 85 points	0-90				0-90			0-90				0-90			0-90	
рН		45		рН			рН				рН			рН		
5.6-5.9 = 45 points	0-80				5-90 0-1			5-90 0-1				5-90 0-1			5-90 0-1	
DO		80		DO			DO				DO			DO		
	10-30				10-30			10-30				10-30			10-30	
0.1.7.1.1	10-30				10-00			10-00		1		10-30		0.1.7.1.1	10-00	
Sub-Total  BIOLOGICAL INDICATOR (Applies to Intermit	ttent and Perennial	Streams)		Sub-Total  BIOLOGICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)		Sub-Total  BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perenn	nial Streams)		Sub-Total  BIOLOGICAL INDICATOR (Applies to Interm	nittent and Perenn	ial Streams)	Sub-Total  BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennial	Streams)
WV Stream Condition Index (WVSCI)		/		WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		<del>-</del> ,	-	WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		
WV Stream Condition index (WVSCI)				WV Stream Condition index (WVSCI)			WV Stream Condition index (WVSCI)	T T			WW Stream Condition index (WVSCI)			WV Stream Condition index (WVSCI)		
0	0-100 0-1				0-100 0-1			0-100 0-1				0-100 0-1			0-100 0-1	
Sub-Total		0		Sub-Total	0		Sub-Total		0		Sub-Total		0	Sub-Total		0
PART II - Index and U	Jnit Score		]	PART II - Index and t	Jnit Score		PART II - Index and Unit Score			PART II - Index and Unit Score				PART II - Index and U	nit Score	
Index	Linear Feet	Unit Score		Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet   l	Unit Score
0.252	20	10 246667			0 0		0	•	•	1	0	0	0	0	•	0

Ver. 10-20-17

# FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V<sub>CCANOPY</sub> (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

**Project Name:** Mountain Valley Pipeline **Location:** Unt to Jonnikin Creek

Sampling Date: 1/27/2022 Project Site Before Project

**Subclass for this SAR:** 

Intermittent Stream

Uppermost stratum present at this SAR: SAR number: S-D1-INT

Shrub/Herb Strata

Functional Results Summary:

**Enter Results in Section A of the Mitigation Sufficiency Calculator** 

Function	Functional Capacity Index
Hydrology	0.22
Biogeochemical Cycling	0.17
Habitat	0.05

# Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V <sub>CCANOPY</sub>	Percent canpoy over channel.	Not Used, <20%	Not Used
$V_{\sf EMBED}$	Average embeddedness of channel.	1.33	0.22
V <sub>SUBSTRATE</sub>	Median stream channel substrate particle size.	0.08	0.04
$V_{BERO}$	Total percent of eroded stream channel bank.	171.88	0.15
$V_{LWD}$	Number of down woody stems per 100 feet of stream.	0.00	0.00
$V_{TDBH}$	Average dbh of trees.	Not Used	Not Used
$V_{SNAG}$	Number of snags per 100 feet of stream.	0.00	0.10
$V_{SSD}$	Number of saplings and shrubs per 100 feet of stream.	34.38	0.53
V <sub>SRICH</sub>	Riparian vegetation species richness.	0.00	0.00
V <sub>DETRITUS</sub>	Average percent cover of leaves, sticks, etc.	0.00	0.00
$V_{HERB}$	Average percent cover of herbaceous vegetation.	1.25	0.02
V <sub>WLUSE</sub>	Weighted Average of Runoff Score for Catchment.	0.39	0.41

Project Nam Location SAR Number Top Straft Site and Timin Inple Variable 1 V <sub>CCANOPY</sub> List the p 5 2 V <sub>EMBED</sub> List the r 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	cation: umber: Strata: Fiming: iables	Mountain V			Jata Sne	et and C	alculato	ſ					
List the r  List t	cation: umber: Strata: Fiming: iables								M Northing:				
SAR Number Top Strate Site and Timin Imple Variable 1 VCCANOPY  List the part of the part	Strata:  Fiming:  iables			ne			_ L	-	TM Easting:		3		
List the results to t	Strata:  Fiming:  iables			1 tl- /ft).	00	Otro or To			npling Date:	1/2//2022			
List the results t	Γiming: iables '			Length (ft):	32	Stream Ty		mittent Strea					
List the r  List the r  Vecanopy  List the r  S  Vember  List the r  1  1  1  1  1  1  3  Vsubstra  Enter parasphalt of 0.08  0.08  0.08  0.08  0.08  VBERO  The parasphalt of 0.08  VBERO  The parasphalt of 0.08  VBERO	iables '		rub/Herb Str	ата	(determine	a from perce	ent calculate		PY)				
List the r  S  V <sub>EMBED</sub> List the r  S  V <sub>EMBED</sub> List the r  1  1  1  1  1  1  0.08  0.08  0.08  0.08  0.08  V <sub>BERO</sub> The results of the re	ANOPY						Before Proje	ct			<b>—</b>		
List the p  5  2 V <sub>EMBED</sub> List the r  1 1 1 1 1 3 V <sub>SUBSTRA</sub> Enter pa asphalt of 0.08 0.08 0.08 0.08 0.08 4 V <sub>BERO</sub>			m channel ercent cover	over chann	al by trac ar	nd capling o	eanony Mor	sure at no f	fower than 1	0 roughly			
List the r 1 1 1 1 1 3 V <sub>SUBSTRA</sub> Enter pa asphalt c 0.08 0.08 0.08 0.08 4 V <sub>BERO</sub>	equidistant points along the stream. Measure only if tree/sapling cover is at least 20%. (If less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.)  the percent cover measurements at each point below:												
List the r  1 1 1 1 1 3 V <sub>SUBSTRA</sub> Enter pa asphalt of 0.08 0.08 0.08 0.08 0.08 4 V <sub>BERO</sub>	5												
List the r  1 1 1 1 1 3 V <sub>SUBSTRA</sub> Enter pa asphalt of 0.08 0.08 0.08 0.08 0.08 4 V <sub>BERO</sub>						.,							
1 1 1 1 1 3 V <sub>SUBSTRA</sub> Enter pa asphalt of 0.08 0.08 0.08 0.08 0.08 4 V <sub>BERO</sub>	_	along the si surface and according to rating score	Average embeddedness of the stream channel. Measure at no fewer than 30 roughly equidistant points long the stream. Select a particle from the bed. Before moving it, determine the percentage of the urface and area surrounding the particle that is covered by fine sediment, and enter the rating coording to the following table. If the bed is an artificial surface, or composed of fine sediments, use a ating score of 1. If the bed is composed of bedrock, use a rating score of 5.										
1 1 1 1 1 3 V <sub>SUBSTRA</sub> Enter pa asphalt of 0.08 0.08 0.08 0.08 0.08 4 V <sub>BERO</sub>		Embeddedr Minshall 19	ness rating f 983)	for gravel, c	obble and b	oulder parti	cles (rescale	ed from Plat	ts, Megahar	n, and			
1 1 1 1 1 3 V <sub>SUBSTRA</sub> Enter pa asphalt of 0.08 0.08 0.08 0.08 0.08 4 V <sub>BERO</sub>		Rating 5	Rating Des		overed our	rounded or	buried by fi	ne sedimont	t (or hedrool	<u> </u>			
1 1 1 1 1 3 V <sub>SUBSTRA</sub> Enter pa asphalt of 0.08 0.08 0.08 0.08 0.08 4 V <sub>BERO</sub>		4					d, or buried		•	Ŋ			
1 1 1 1 1 3 V <sub>SUBSTRA</sub> Enter pa asphalt of 0.08 0.08 0.08 0.08 0.08 4 V <sub>BERO</sub>	ļ	3	26 to 50 pe	rcent of sur	face covere	d, surround	ed, or buried	by fine sec	liment				
1 1 1 1 1 3 V <sub>SUBSTRA</sub> Enter pa asphalt of 0.08 0.08 0.08 0.08 0.08 4 V <sub>BERO</sub>		<u>2</u> 1				-	ed, or buried by			al surface)			
1 1 1 1 1 3 V <sub>SUBSTRA</sub> Enter pa asphalt of 0.08 0.08 0.08 0.08 0.08 4 V <sub>BERO</sub>	the rati	ngs at each	•										
1 1 1 3 V <sub>SUBSTRA</sub> Enter pa asphalt of 0.08 0.08 0.08 0.08 0.08 4 V <sub>BERO</sub>		1	1	1	1	1							
1 1 3 V <sub>SUBSTRA</sub> Enter pa asphalt c 0.08 0.08 0.08 0.08 4 V <sub>BERO</sub>	1	1	1	3	3	1							
Enter pa asphalt of 0.08 0.08 0.08 0.08 0.08 0.08 0.08 VBERO		1	1	1	4	1							
Enter pa asphalt of 0.08 0.08 0.08 0.08 4 V <sub>BERO</sub>	1	1	1 2	2	2	1							
Enter pa asphalt of 0.08 0.08 0.08 0.08 4 V <sub>BERO</sub>	CTDATE	Median stre		•	particle size		at no fewer t	han 30 roug	hlv equidist	ant points			
0.08 0.08 0.08 V <sub>BERO</sub>	nalt or c	0.08	0.0 in, sand 0.08	or finer par	1.00	8 in): 0.08	w (bedrock :	siloulu be co	Junieu as 98	9 III,			
0.08 0.08 V <sub>BERO</sub>		0.08	0.08	3.00 2.00	1.00 0.08	0.08							
0.08 4 V <sub>BERO</sub> mple Variable 5 V <sub>LWD</sub>		0.08	0.08	0.08	0.08	0.08							
mple Variable	.08	2.00	0.08	0.08	0.08	0.08							
5 V <sub>LWD</sub>		-	ent of eroded e total perce to 200%. Left Bank:	entage will b		d If both ba		ded, total er			172 9		
6 V <sub>TDBH</sub>		stream read	down woody ch. Enter th et of stream	e number fr	om the entir llated.	e 50'-wide b		ithin the cha			0.0		
			oh of trees (r				ng cover is a	t least 20%)	). Trees are	at least 4	Not Us		
	inches (10 cm) in diameter. Enter tree DBHs in inches.  List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of the stream below:												
	Left Side Right Side												
7 V <sub>SNAG</sub>				aat 4" dbb a	nd 36" tall)	per 100 fee	t of stream	Enter numb	er of snags	on each			
- SNAG		Number of	snags (at le	ast 4 non 2			J Jann.						
			snags (at le stream, and			•	lculated.				0.0		
8 V <sub>SSD</sub>			stream, and	the amount	per 100 fee	•			n		0.0		
330		side of the	- '	the amount	per 100 fee	et will be ca	Right Side:		0 stream (mea	asure only	0.0		

9	V <sub>SRICH</sub>	Group 1 in	arian vegetation species richness per 100 feet of stream reach. Check all species present from up 1 in the tallest stratum. Check all exotic and invasive species present in all strata. Species 0.00 ness per 100 feet and the subindex will be calculated from these data.										
			p 1 = 1.0	ing the subi	ndex will be	calculated	from these a		2 (-1.0)				
7	Acer rubrui			Magnolia ti	ripetala		Ailanthus a	-	<u> </u>	Lonicera ja	ponica		
	Acer sacch	arum		Nyssa sylv	atica		Albizia julibi	rissin		Lonicera ta	tarica		
	Aesculus fl	ava		Oxydendrum	n arboreum		Alliaria petio	olata		Lotus corni	culatus		
	Asimina tril	oba		Prunus ser	rotina		Alternanthe			Lythrum sa	licaria		
	Betula alleg			Quercus al	lba	_	philoxeroide		<u></u>	Microstegium vimineu			
	Betula lenta			Quercus co			Aster tatario		Paulownia tomento				
	Carya alba			Quercus in			Cerastium t			Polygonum c			
	Carya glab		IJ IJ	Quercus pu			Coronilla va			Pueraria me Rosa multif			
	Carya oval Carya ovat			Quercus ve			Elaeagnus ur Lespedeza			alepense			
	Cornus flor			Sassafras			Lespedeza			Verbena br	-		
	Fagus grar			Tilia americ			Ligustrum ob						
	Fraxinus aı			Tsuga can	adensis		Ligustrum s	sinense			ļ		
	Liriodendron	tulipifera		Ulmus ame	ericana								
	Magnolia a	cuminata											
		2	Species in	Group 1				2	Species in	Group 2			
			•	•					•	•			
_						-	) in the ripar ach side of t		zone within	25 feet from	m each		
10	V <sub>DETRITUS</sub>						material. Wo		<4" diamete	er and <36"	0.00.0/		
		long are inc			nt cover of th	e detrital la	ayer at each s	-		•	0.00 %		
		0	Left 0	Side		0	Right 0	Side					
		0	0			0	U						
11	$V_{HERB}$						asure only if there may b						
		vegetation	percentages				Enter the per				1 %		
		each subpl		Sido			Dight	Cido		1			
		5	0	Side	Left Side Right Side								
						0	0						
Sample	e Variable 1	2 within the		chment of t	the stream.	0	U						
Sample 12	e Variable 1		entire cate		the stream.		0				0.39		
			entire cate				U				0.39		
			e entire cate	Runoff Score		ned:	0		Runoff Score	% in Catchment	Running Percent		
	V <sub>WLUSE</sub>	Weighted A	e entire cate Average of F Land	Runoff Score	e for watersh	ned:	0		Score	ment	Running Percent (not >100)		
	V <sub>WLUSE</sub> Forest and n	Weighted A	e entire cate Average of F Land 50% ground	Runoff Score Use (Choos	e for watersh	ned:			Score 0.5	ment 10	Running Percent (not >100)		
	V <sub>WLUSE</sub> Forest and n	Weighted A ative range (<	e entire cate Average of F Land 50% ground 75% ground	Use (Choos	e for watersh	ned:		▼	0.5 1	ment 10 14	Running Percent (not >100) 10 24		
	Forest and n Forest and n Impervious a	ative range ( <a "="" 10.100="" doi.org="" href="https://doi.org/10.25/20/20/20/20/20/20/20/20/20/20/20/20/20/&lt;/td&gt;&lt;td&gt;e entire cate Average of F  Land  50% ground  75% ground  lots, roofs, di&lt;/td&gt;&lt;td&gt;Use (Choos cover) cover) riveways, etc)&lt;/td&gt;&lt;td&gt;e for watersh&lt;/td&gt;&lt;td&gt;ned:&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;b&gt;*&lt;/b&gt;&lt;/td&gt;&lt;td&gt;0.5&lt;br&gt;1&lt;br&gt;0&lt;/td&gt;&lt;td&gt;ment 10 14 10&lt;/td&gt;&lt;td&gt;Running&lt;br&gt;Percent&lt;br&gt;(not &gt;100)&lt;br&gt;10&lt;br&gt;24&lt;br&gt;34&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;/th&gt;&lt;td&gt;Forest and n Forest and n Impervious a&lt;/td&gt;&lt;td&gt;ative range (&lt; ative range (&gt; areas (parking d areas (bare&lt;/td&gt;&lt;td&gt;e entire cate Average of F  Land  50% ground  75% ground  lots, roofs, di soil, no veget&lt;/td&gt;&lt;td&gt;Use (Choos&lt;br&gt;cover)&lt;br&gt;cover)&lt;br&gt;riveways, etc)&lt;/td&gt;&lt;td&gt;e for watersh&lt;/td&gt;&lt;td&gt;ned:&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;b&gt;▼&lt;/b&gt;&lt;/td&gt;&lt;td&gt;0.5&lt;br&gt;1&lt;br&gt;0&lt;/td&gt;&lt;td&gt;ment 10 14 10 0&lt;/td&gt;&lt;td&gt;Running&lt;br&gt;Percent&lt;br&gt;(not &gt;100)&lt;br&gt;10&lt;br&gt;24&lt;br&gt;34&lt;br&gt;34&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;/th&gt;&lt;td&gt;Forest and n Forest and n Impervious a Newly grade Open space&lt;/td&gt;&lt;td&gt;ative range (&lt;&lt;br&gt;ative range (&gt;&lt;br&gt;areas (parking&lt;br&gt;d areas (bare&lt;br&gt;(pasture, lawn&lt;/td&gt;&lt;td&gt;Land 50% ground 75% ground lots, roofs, di soil, no veget&lt;/td&gt;&lt;td&gt;Use (Choose cover) cover) riveways, etc) ration or pave&lt;/td&gt;&lt;td&gt;e for watersh&lt;/td&gt;&lt;td&gt;ned:&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;b&gt;*&lt;/b&gt; &lt;b&gt;*&lt;/b&gt; &lt;b&gt;*&lt;/b&gt;&lt;/td&gt;&lt;td&gt;0.5&lt;br&gt;1&lt;br&gt;0&lt;br&gt;0&lt;br&gt;0&lt;/td&gt;&lt;td&gt;ment 10 14 10 0 0&lt;/td&gt;&lt;td&gt;Running Percent (not &gt;100)  10  24  34  34  34&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;/th&gt;&lt;td&gt;Forest and n Forest and n Impervious a Newly grade Open space&lt;/td&gt;&lt;td&gt;ative range (&lt; ative range (&gt; areas (parking d areas (bare&lt;/td&gt;&lt;td&gt;Land 50% ground 75% ground lots, roofs, di soil, no veget&lt;/td&gt;&lt;td&gt;Use (Choose cover) cover) riveways, etc) ration or pave&lt;/td&gt;&lt;td&gt;e for watersh&lt;/td&gt;&lt;td&gt;ned:&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;b&gt;▼&lt;/b&gt;&lt;/td&gt;&lt;td&gt;0.5&lt;br&gt;1&lt;br&gt;0&lt;/td&gt;&lt;td&gt;ment 10 14 10 0&lt;/td&gt;&lt;td&gt;Running&lt;br&gt;Percent&lt;br&gt;(not &gt;100)&lt;br&gt;10&lt;br&gt;24&lt;br&gt;34&lt;br&gt;34&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;/th&gt;&lt;td&gt;Forest and n Forest and n Impervious a Newly grade Open space&lt;/td&gt;&lt;td&gt;ative range (&lt;&lt;br&gt;ative range (&gt;&lt;br&gt;areas (parking&lt;br&gt;d areas (bare&lt;br&gt;(pasture, lawn&lt;/td&gt;&lt;td&gt;Land 50% ground 75% ground lots, roofs, di soil, no veget&lt;/td&gt;&lt;td&gt;Use (Choose cover) cover) riveways, etc) ration or pave&lt;/td&gt;&lt;td&gt;e for watersh&lt;/td&gt;&lt;td&gt;ned:&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;b&gt;*&lt;/b&gt; &lt;b&gt;*&lt;/b&gt; &lt;b&gt;*&lt;/b&gt;&lt;/td&gt;&lt;td&gt;0.5&lt;br&gt;1&lt;br&gt;0&lt;br&gt;0&lt;br&gt;0&lt;/td&gt;&lt;td&gt;ment 10 14 10 0 0&lt;/td&gt;&lt;td&gt;Running Percent (not &gt;100)  10  24  34  34  34&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;Forest and n Forest and n Impervious a Newly grade Open space&lt;/th&gt;&lt;th&gt;ative range (&lt;&lt;br&gt;ative range (&gt;&lt;br&gt;areas (parking&lt;br&gt;d areas (bare&lt;br&gt;(pasture, lawn&lt;/th&gt;&lt;th&gt;Land 50% ground 75% ground lots, roofs, di soil, no veget&lt;/th&gt;&lt;th&gt;Use (Choose cover) cover) riveways, etc) ration or pave&lt;/th&gt;&lt;th&gt;e for watersh&lt;/th&gt;&lt;th&gt;ned:&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;&lt;b&gt;*&lt;/b&gt; &lt;b&gt;*&lt;/b&gt; &lt;b&gt;*&lt;/b&gt; &lt;b&gt;*&lt;/b&gt;&lt;/th&gt;&lt;th&gt;0.5&lt;br&gt;1&lt;br&gt;0&lt;br&gt;0&lt;br&gt;0&lt;/th&gt;&lt;th&gt;ment 10 14 10 0 0&lt;/th&gt;&lt;th&gt;Running&lt;br&gt;Percent&lt;br&gt;(not &gt;100)&lt;br&gt;10&lt;br&gt;24&lt;br&gt;34&lt;br&gt;34&lt;br&gt;34&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;/th&gt;&lt;td&gt;Forest and n Forest and n Impervious a Newly grade Open space Open space&lt;/td&gt;&lt;td&gt;ative range (&lt;&lt;br&gt;ative range (&gt;&lt;br&gt;areas (parking&lt;br&gt;d areas (bare&lt;br&gt;(pasture, lawn&lt;/td&gt;&lt;td&gt;Land 50% ground 75% ground lots, roofs, di soil, no veget&lt;/td&gt;&lt;td&gt;Use (Choose cover) cover) riveways, etc) ration or pave&lt;/td&gt;&lt;td&gt;e for watersh&lt;/td&gt;&lt;td&gt;ned:&lt;/td&gt;&lt;td&gt;Not&lt;/td&gt;&lt;td&gt;~&lt;br&gt;~&lt;br&gt;~&lt;br&gt;~&lt;/td&gt;&lt;td&gt;0.5&lt;br&gt;1&lt;br&gt;0&lt;br&gt;0&lt;br&gt;0&lt;/td&gt;&lt;td&gt;ment 10 14 10 0 0&lt;/td&gt;&lt;td&gt;Running&lt;br&gt;Percent&lt;br&gt;(not &gt;100)&lt;br&gt;10&lt;br&gt;24&lt;br&gt;34&lt;br&gt;34&lt;br&gt;34&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;12&lt;/th&gt;&lt;td&gt;Forest and n Forest and n Impervious a Newly grade Open space Open space&lt;/td&gt;&lt;td&gt;ative range (&lt;a href=" https:="">ative range (<a href="https://doi.org/">ative range (&gt;ative range (&gt;areas (bare (pasture, lawn))))))))))))))))))))))))))))))))))))</a></a>	Land 50% ground 75% ground lots, roofs, di soil, no veget	Cover)  cover)  riveways, etc)  ration or pave  grass cover  grass cover	er Analysis	was comp	Not pleted using	▼     ▼     ▼     ▼     ▼     ■	0.5 1 0 0 0.1 0.3	ment  10  14  10  0  0  66	Running Percent (not >100)  10  24  34  34  100  Database		
12 V	Forest and n Forest and n Impervious a Newly grade Open space Open space	ative range (< ative range (> ative range (> areas (parking d areas (bare (pasture, lawn (pasture, lawn	e entire cate Average of F  Land  50% ground  75% ground  lots, roofs, di soil, no veget as, parks, etc.) as, parks, etc.)	Cover)  Cover  Cover	er Analysis rom Landsa	was compat satellite	Not	tes:	Score  0.5  1  0  0  0.1  0.3  National Lapplementar	ment  10  14  10  0  0  66  and Cover I y datasets.	Running Percent (not >100)  10  24  34  34  100  Database		
12 V <sub>C</sub>	Forest and n Forest and n Impervious a Newly grade Open space Open space	ative range ( <a href="https://doi.org/10.1001/j.com/">ative range (<a href="https://doi.org/">ative range (&gt;ative range (&gt;ative</a></a>	Land 50% ground 75% ground lots, roofs, di soil, no veget s, parks, etc.) VSI	Cover)  Cover)  Cover)  Cover)  Cation or pave  Caragina Grass cover	er Analysis rom Landsad boundarie	was compat satellite	Not pleted using imagery and	tes: the 2019 d other suld delineat	Score  0.5  1  0  0.1  0.3  National Lapplementared stream	ment  10  14  10  0  0  66  and Cover I y datasets. impacts.	Running Percent (not >100)  10  24  34  34  100  Database		
12 V <sub>C</sub> V <sub>E</sub>	Forest and n Forest and n Impervious a Newly grade Open space Open space S-l ariable CANOPY MBED	ative range ( <a href="https://doi.org/10.1001/j.com/">ative range (<a href="https://doi.org/">ative range (&gt;ative range (&gt;areas (parking dareas (bare (pasture, lawn (pastu</a></a>	Land 50% ground 75% ground lots, roofs, di soil, no veget s, parks, etc.) VSI Not Used	Cover)  Cover)  Cover)  Cover)  Cation or pave  Caragina Grass cover	er Analysis rom Landsad boundarie	was compat satellite	Not pleted using imagery and sed off of fie	tes: the 2019 d other suld delineat	Score  0.5  1  0  0.1  0.3  National Lapplementared stream	ment  10  14  10  0  0  66  and Cover I y datasets. impacts.	Running Percent (not >100)  10  24  34  34  100  Database		
12 V V V V V V V V V V V V V V V V V V V	Forest and n Forest and n Impervious a Newly grade Open space Open space S-l ariable CANOPY MBED UBSTRATE	ative range ( <a href="https://doi.org/10.08">ative range (<a href="https://doi.org/10.08">ative range (&gt;ative rang</a></a>	Land 50% ground 75% ground lots, roofs, di soil, no veget s, parks, etc.) VSI Not Used 0.22 0.04	Cover)  Cover)  Cover)  Cover)  Cation or pave  Caragina Grass cover	er Analysis rom Landsad boundarie	was compat satellite	Not pleted using imagery and sed off of fie	tes: the 2019 d other suld delineat	Score  0.5  1  0  0.1  0.3  National Lapplementared stream	ment  10  14  10  0  0  66  and Cover I y datasets. impacts.	Running Percent (not >100)  10  24  34  34  100  Database		
12 V V <sub>C</sub> V <sub>E</sub> V <sub>S</sub> V <sub>B</sub>	Forest and n Forest and n Impervious a Newly grade Open space Open space Open space Canopy MBED UBSTRATE ERO	ative range ( <a href="https://doi.org/10.10">ative range (&gt;ative range (</a>	Land 50% ground 75% ground lots, roofs, di soil, no veget s, parks, etc.) VSI Not Used 0.22 0.04 0.15	Cover)  Cover)  Cover)  Cover)  Cation or pave  Caragina Grass cover	er Analysis rom Landsad boundarie	was compat satellite	Not pleted using imagery and sed off of fie	tes: the 2019 d other suld delineat	Score  0.5  1  0  0.1  0.3  National Lapplementared stream	ment  10  14  10  0  0  66  and Cover I y datasets. impacts.	Running Percent (not >100)  10  24  34  34  100  Database		
V	Forest and n Forest and n Impervious a Newly grade Open space Open space Open space Upen space CANOPY MBED UBSTRATE ERO WD	ative range ( <a href="ative-range">ative range (<a href="ative-range">ative range (&gt;areas (parking d areas (bare (pasture, lawn (pasture, lawn (pasture, lawn (pasture, lawn (pasture, lawn 1.3))  D1-INT  Value  Not Used, &lt;20%  1.3  0.08 in  172 %  0.0</a></a>	Land 50% ground 75% ground lots, roofs, di soil, no veget is, parks, etc.) VSI Not Used 0.22 0.04 0.15 0.00	Cover)  Cover)  Cover)  Cover)  Cation or pave  Caragina Grass cover	er Analysis rom Landsad boundarie	was compat satellite	Not pleted using imagery and sed off of fie	tes: the 2019 d other suld delineat	Score  0.5  1  0  0.1  0.3  National Lapplementared stream	ment  10  14  10  0  0  66  and Cover I y datasets. impacts.	Running Percent (not >100)  10  24  34  34  100  Database		
V	Forest and n Forest and n Impervious a Newly grade Open space Open space Open space Upen space CANOPY MBED UBSTRATE ERO WD DBH	ative range ( <a href="ative-range">ative range (<a href="ative-range">ative range (&gt;ative range (&gt;areas (parking d areas (bare (pasture, lawn))))))))))))))))))))))))))))))))))))</a></a>	Land 50% ground 75% ground lots, roofs, di soil, no veget is, parks, etc.) VSI Not Used 0.22 0.04 0.15 0.00 Not Used	Cover)  Cover)  Cover)  Cover)  Cation or pave  Caragina Grass cover	er Analysis rom Landsad boundarie	was compat satellite	Not pleted using imagery and sed off of fie	tes: the 2019 d other suld delineat	Score  0.5  1  0  0.1  0.3  National Lapplementared stream	ment  10  14  10  0  0  66  and Cover I y datasets. impacts.	Running Percent (not >100)  10  24  34  34  100  Database		
V	Forest and n Forest and n Impervious a Newly grade Open space Open space Open space CANOPY MBED UBSTRATE ERO WD DBH NAG	ative range ( <a href="ative-range">ative range (<a href="ative-range">ative range (&gt;areas (parking d areas (bare (pasture, lawn (pasture, lawn (pasture, lawn (pasture, lawn (pasture, lawn 1.3))  D1-INT  Value  Not Used, &lt;20%  1.3  0.08 in  172 %  0.0</a></a>	Land 50% ground 75% ground lots, roofs, di soil, no veget is, parks, etc.) VSI Not Used 0.22 0.04 0.15 0.00	Cover)  Cover)  Cover)  Cover)  Cation or pave  Caragina Grass cover	er Analysis rom Landsad boundarie	was compat satellite	Not pleted using imagery and sed off of fie	tes: the 2019 d other suld delineat	Score  0.5  1  0  0.1  0.3  National Lapplementared stream	ment  10  14  10  0  0  66  and Cover I y datasets. impacts.	Running Percent (not >100)  10  24  34  34  100  Database		
V	Forest and n Forest and n Impervious a Newly grade Open space Open space Open space CANOPY MBED UBSTRATE ERO WD DBH NAG	ative range ( <a href="ative-range">ative range (<a href="ative-range">ative range (&gt;ative range (&gt;areas (parking d areas (bare (pasture, lawn))))))))))))))))))))))))))))))))))))</a></a>	Land 50% ground 75% ground lots, roofs, di soil, no veget is, parks, etc.) VSI Not Used 0.22 0.04 0.15 0.00 Not Used	Cover)  Cover)  Cover)  Cover)  Cation or pave  Caragina Grass cover	er Analysis rom Landsad boundarie	was compat satellite	Not pleted using imagery and sed off of fie	tes: the 2019 d other suld delineat	Score  0.5  1  0  0.1  0.3  National Lapplementared stream	ment  10  14  10  0  0  66  and Cover I y datasets. impacts.	Running Percent (not >100)  10  24  34  34  100  Database		
V	Forest and n Forest and n Impervious a Newly grade Open space Open space Open space CANOPY MBED UBSTRATE ERO WD DBH NAG	ative range ( <a (="" range="" trive="">a tive range (&gt;a tive</a>	Land 50% ground 75% ground lots, roofs, di soil, no veget is, parks, etc.) VSI Not Used 0.22 0.04 0.15 0.00 Not Used 0.10	Cover)  Cover)  Cover)  Cover)  Cation or pave  Caragina Grass cover	er Analysis rom Landsad boundarie	was compat satellite	Not pleted using imagery and sed off of fie	tes: the 2019 d other suld delineat	Score  0.5  1  0  0.1  0.3  National Lapplementared stream	ment  10  14  10  0  0  66  and Cover I y datasets. impacts.	Running Percent (not >100)  10  24  34  34  100  Database		
V	Forest and n Forest and n Impervious a Newly grade Open space Open space Open space  CANOPY MBED UBSTRATE ERO WD DBH NAG SD	ative range ( <a (="" range="" tive="">a tive range (&gt;a tive</a>	Land 50% ground 75% ground lots, roofs, di soil, no veget is, parks, etc.) VSI Not Used 0.22 0.04 0.15 0.00 Not Used 0.10 0.53	Cover)  Cover)  Cover)  Cover)  Cation or pave  Caragina Grass cover	er Analysis rom Landsad boundarie	was compat satellite	Not pleted using imagery and sed off of fie	tes: the 2019 d other suld delineat	Score  0.5  1  0  0.1  0.3  National Lapplementared stream	ment  10  14  10  0  0  66  and Cover I y datasets. impacts.	Running Percent (not >100)  10  24  34  34  100  Database		
V	Forest and n Forest and n Impervious a Newly grade Open space Open space Open space  CANOPY MBED UBSTRATE ERO WD DBH NAG SD RICH	ative range ( <a con<="" content="" of="" th="" the="" transport=""><th>verage of F  Land  50% ground  75% ground  lots, roofs, di soil, no veget s, parks, etc.)  VSI  Not Used  0.22  0.04  0.15  0.00  Not Used  0.10  0.53  0.00</th><th>Cover)  Cover)  Cover)  Cover)  Cation or pave  Caragina Grass cover  Caragina Grass cover</th><th>er Analysis rom Landsad boundarie</th><th>was compat satellite</th><th>Not pleted using imagery and sed off of fie</th><th>tes: the 2019 d other suld delineat</th><th>Score  0.5  1  0  0.1  0.3  National Lapplementared stream</th><th>ment  10  14  10  0  0  66  and Cover I y datasets. impacts.</th><th>Running Percent (not &gt;100)  10  24  34  34  100  Database</th></a>	verage of F  Land  50% ground  75% ground  lots, roofs, di soil, no veget s, parks, etc.)  VSI  Not Used  0.22  0.04  0.15  0.00  Not Used  0.10  0.53  0.00	Cover)  Cover)  Cover)  Cover)  Cation or pave  Caragina Grass cover	er Analysis rom Landsad boundarie	was compat satellite	Not pleted using imagery and sed off of fie	tes: the 2019 d other suld delineat	Score  0.5  1  0  0.1  0.3  National Lapplementared stream	ment  10  14  10  0  0  66  and Cover I y datasets. impacts.	Running Percent (not >100)  10  24  34  34  100  Database		

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAMES-	D1-INT	LOCATION Pittsylvania County					
STATION#	RIVERMILE	STREAM CLASS Intermi	ttent				
LAT 36.964407	LONG -79.595841	RIVER BASIN Upper R	oanoke	▼			
STORET#		AGENCY VADEQ					
INVESTIGATORS	SB						
FORM COMPLETE	SB	DATE 1/27/2022 TIME 1/30 PM	REASON FOR SURVEY Ba	seline Assessment			
WEATHER CONDITIONS	rair   Showe   100 %   9/0	Past 24 hours m (heavy rain) n (steady rain) ers (intermittent) focloud cover clear/sunny	Has there been a heavy rain in  Yes √No  Air Temperature 1.1 0 C  Other	the last 7 days?			
SITE LOCATION/			D-INT  S-ID-INT  Loc				
STREAM CHARACTERIZAT	Stream Subsystem Perennial In Stream Origin Glacial Non-glacial monta Swamp and bog	☐Spring-fed	Stream Type  Coldwater  Warmwater  Catchment Area 0.06 km	m²			

Stream Reach was located under timber mat bridge and flows off site downstream.

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		✓ Fores Field	Pasture Industri ultural Other	rcial	Local Watershed NPS  ☑No evidence ☐ Son ☐ Obvious sources ☐ Local Watershed Erosi ☐None ☑Moderate	ne potential sources				
RIPARIA VEGETA (18 meter	TION	Trees	e the dominant type and S  ant species present Acer Re	hrubs	ominant species present ☐ Grasses ☐ He	rbaceous				
INSTREA FEATURI		Estimat Samplin Area in Estimat	km² (m²x1000)  ed Stream Depth  Velocity  NA m	m m² km²	High Water Mark 0.3	Partly open				
LARGE V DEBRIS	VOODY	LWD Density	<u>0</u> m² of LWD <u>0</u> n	n²/km² <b>(LWD</b> /	reach area)					
AQUATIO VEGETA		Roote Floati	e the dominant type and demergent RA Allace Allace RA of the reach with aquat	d record the dominant species present Rooted submergent						
WATER QUALITY (DS, US)	<b>'</b>	Specific Dissolve pH N/A Turbidi	rature NA 0 C Conductance NA ed Oxygen NA ty NA trument Used NA			Chemical  Other   Globs Flecks				
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Absen	ical Anaerobic	Petroleum None	— Εροking at stones whic are the undersides blac	□Paper fiber □Sand Other □ h are not deeply embedded, k in color?				
INC		STRATE (	COMPONENTS		ORGANIC SUBSTRATE C					
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area				
Bedrock Boulder	> 256 mm (10")	)	0	Detritus	sticks, wood, coarse plant materials (CPOM)	0				
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-2		0	Muck-Mud	black, very fine organic (FPOM)	0				
Sand	0.06-2mm (gritt		0	Marl	grey, shell fragments					
Silt	0.004-0.06 mm	J)	50	17,10011	5.0, onen nagments	0				
Clay	< 0.004-0.00 mm (sli	ck)	50	†						

Water Quality was not collected due to no flow.

# HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAMES-D1-INT	LOCATION Pittsylvania County					
STATION # RIVERMILE	STREAM CLASS Intermittent					
LAT <u>36.964407</u> LONG <u>-79.595841</u>	RIVER BASIN Upper Roanoke					
STORET#	AGENCY VADEQ					
INVESTIGATORSSB						
FORM COMPLETED BY SB	DATE 1/27/2022 TIME 1:30 PM AM PM	REASON FOR SURVEY Baseline Assessment				

	Habitat		Condition	Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
ı sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted ir	SCORE 20 ▼	20 19 18 17 16	5 4 3 2 1 0					
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).			
aram	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
A B	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	SCORE 2 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

Notes: Stream reach under the bridge is extremly unstable and actively erroding at headcut transition from ephemeral to intermitent.

# HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category							
	Parameter	Optimal	Suboptimal	Marginal	Poor						
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.						
	SCORE 20▼	20 19 18 17 16	1								
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.						
amp	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank)  Note: determine left or right side by facing dewestrang.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.						
eva	SCORE 1	Left Bank 10 9	8 7 6	5 4 3	2 1 0						
to be	SCORE 1	Right Bank 10 9	8 7 6	5 4 3	2 1 0						
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.						
	SCORE 4	Left Bank 10 9	8 7 6	5 4 3	2 1 0						
	SCORE 4	Right Bank 10 9	8 7 6	5 4 3	2 1 0						
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.						
	SCORE 6	Left Bank 10 9	8 7 6	5 4 3	2 1 0						
	SCORE 6	Right Bank 10 9	8 7 6	5 4 3	2 1 0						

Total Score 64

Notes: Stream reach under the bridge is extremely unstable and actively eroding at head-cut transition from ephemeral to intermittent.

# BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

Filamentous Algae	STREAM NAMES-	TREAM NAMES-D1-INT								LOCATION Pittsylvania County								
NVESTIGATORS   S	STATION #	R	IVE	RMI	LE_		STREAM C	LASS I	nter	mitte	ent							▼
Notestinatorial by SB	LAT 36.964407	_ L	ONO	J -79.5	95841		RIVER BA	SIN Up	per	Roa	nok	е						▼
The common	STORET#						AGENCY \	AGENCY VADEQ										
HABITAT TYPES	INVESTIGATORSS	В						LOT NUMBER										
Cobble   Submerged Macrophytes   Submerged Macrophyt	FORM COMPLETED	ЭBY	S	В							I	REAS	SON FOR SURVEY B	aselin	e A	sses	ssm	ent
How were the samples collected?	HABITAT TYPES		Cob	ble_		%	Snags%	ΠĪV	eget	ated	Bani	ks		%				
How were the samples collected?	SAMPLE	G	ear	used		D-fi	ame kick-net			ther								
Indicate the number of jabs/kicks taken in each habitat type.	COLLECTION						_											
Cobble   Submerged Macrophytes   Other   Other		∥ н	. –								fror	n ban	k Ifrom boa	t				
QUALITATIVE LISTING   OF AQUATIC BIOTA   Indicate estimated abundance:   0 = Absent/Not Observed,   1 = Rare,   2 = Common,   3 = Abundant,   4 = Dominant			Cob	ble			Snags	$\square V$	eget	ated	Ban	ks	Sand )					
QUALITATIVE LISTING OF AQUATIC BIOTA   Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 =		В	en	thic	S I	not	collected du	e to r	าด	flo	W C	on	ditions.					
Periphyton	COMMENTS																	
Periphyton																		
Periphyton																		
FIELD OBSERVATIONS OF MACROBENTHOS   Indicate estimated abundance:   O   1   2   3   4     Anisoptera   O   1   2   3   4     Ephemeroptera   O   1   2   3   4     Tirpbellaria   O   1   2   3   4   Coleoptera   O   1   2   3   4   Other   O   1   2   3   4     Espoda   O   1   2   3   4   Empididae   O   1   2   3   4   E	Indicate estimated Dominant					0 = 2	Absent/Not Obser	ved, 1				= C	ommon, 3= Abuno				3	4
Porifera   0   1   2   3   4   Anisoptera   0   1   2   3   4   Hydrozoa   0   1   2   3   4   Hemiptera   0   1   2   3   4   Hirudinea   0   1   2   3   4   Lepidoptera   0   1   2   3   4   Lepidoptera   0   1   2   3   4   Amphipoda   0   1   2   3   4   Empididae   0   1   2   3   4   Amphipoda   0   1   2   3   4   Empididae   0   1   2   3	Filamentous Algae					0	1 2 3 4		Ma	croi	nve	rtebr	ates	0	1	2	3	4
Porifera   O   1   2   3   4   Anisoptera   O   1   2   3   4   Ephemeroptera   O   1   2   3   4   Anisoptera   O   1   2   3   4   Ephemeroptera   O   1   2   3   4   Anisoptera   O   1   2   3   4   Ephemeroptera   O   1   2   3   4   Anisoptera   O   1   2   3   4   Ephemeroptera   O   1   2   3   4   Anisoptera   O   1   2   3   4   Ephemeroptera   O   1   2   3   4   Anisoptera   O   1   2   3   4   Ephemeroptera   O   1   2   3   4   Anisoptera   O   1   2   3   4   Ephemeroptera   O   1   2   3   4   Anisoptera	Macrophytes					0	1 2 3 4		Fis	h				0	1	2	3	4
Hydrozoa         0         1         2         3         4         Zygoptera         0         1         2         3         4         Ephemeroptera         0         1         2         3         4           Platyhelminthes         0         1         2         3         4         Hemiptera         0         1         2         3         4           Turbellaria         0         1         2         3         4         Coleoptera         0         1         2         3         4           Hirudinea         0         1         2         3         4         Lepidoptera         0         1         2         3         4           Oligochaeta         0         1         2         3         4         Corydalidae         0         1         2         3         4           Amphipoda         0         1         2         3         4         Empididae         0         1         2         3         4           Decapoda         0         1         2         3         4         Empididae         0         1         2         3         4           Gastropoda         0	Indicate estimated	d ab	und	anc	e:	0 = org	Absent/Not Obse anisms), 3= Abun	dant (	>10	org	anis	sms)	, 4 = Dominant (>:	50 or	gan	nism		
Platyhelminthes         0         1         2         3         4         Hemiptera         0         1         2         3         4         Trichoptera         0         1         2         3         4           Turbellaria         0         1         2         3         4         Coleoptera         0         1         2         3         4           Hirudinea         0         1         2         3         4         Lepidoptera         0         1         2         3         4           Oligochaeta         0         1         2         3         4         Corydalidae         0         1         2         3         4           Amphipoda         0         1         2         3         4         Empididae         0         1         2         3         4           Decapoda         0         1         2         3         4         Empididae         0         1         2         3         4           Gastropoda         0         1         2         3         4         Tabinidae         0         1         2         3         4           Bivalvia         0 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>							_											
Turbellaria 0 1 2 3 4 Coleoptera 0 1 2 3 4 Hirudinea 0 1 2 3 4 Lepidoptera 0 1 2 3 4 Coleoptera 0 1 2 3 4 Coleopte			•						•						•			
Hirudinea 0 1 2 3 4 Lepidoptera 0 1 2 3 4 Oligochaeta 0 1 2 3 4 Sialidae 0 1 2 3 4 Isopoda 0 1 2 3 4 Corydalidae 0 1 2 3 4 Amphipoda 0 1 2 3 4 Tipulidae 0 1 2 3 4 Decapoda 0 1 2 3 4 Empididae 0 1 2 3 4 Simuliidae 0 1 2 3 4 Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4							_		-				*		•			
Oligochaeta         0         1         2         3         4         Sialidae         0         1         2         3         4           Isopoda         0         1         2         3         4         Corydalidae         0         1         2         3         4           Amphipoda         0         1         2         3         4         Tipulidae         0         1         2         3         4           Decapoda         0         1         2         3         4         Empididae         0         1         2         3         4           Gastropoda         0         1         2         3         4         Tabinidae         0         1         2         3         4           Bivalvia         0         1         2         3         4         Tabinidae         0         1         2         3         4			_						_				Other	0	1	2	3	4
Isopoda       0       1       2       3       4       Corydalidae       0       1       2       3       4         Amphipoda       0       1       2       3       4       Tipulidae       0       1       2       3       4         Decapoda       0       1       2       3       4       Empididae       0       1       2       3       4         Gastropoda       0       1       2       3       4       Simuliidae       0       1       2       3       4         Bivalvia       0       1       2       3       4       Tabinidae       0       1       2       3       4			-						-									
Amphipoda       0       1       2       3       4       Tipulidae       0       1       2       3       4         Decapoda       0       1       2       3       4       Empididae       0       1       2       3       4         Gastropoda       0       1       2       3       4       Simuliidae       0       1       2       3       4         Bivalvia       0       1       2       3       4       Tabinidae       0       1       2       3       4	_		_						_									
Decapoda       0       1       2       3       4       Empididae       0       1       2       3       4         Gastropoda       0       1       2       3       4       Simuliidae       0       1       2       3       4         Bivalvia       0       1       2       3       4       Tabinidae       0       1       2       3       4	_		_				•											
Gastropoda 0 1 2 3 4 Simuliidae 0 1 2 3 4 Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4			_				_	-	_									
Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4			_					-										
			_						_									
	שואמואומ	U	1		3	4	Culcidae	0	1	2	3	4						

# WOLMAN PEBBLE COUNT FORM

Pittslyvania County: Stream ID: S-D1-INT

Stream Name: UNT to Jonnikin Creek

Survey Date: 1/27/2022

SB

Surveyors: Type: Representative Bankfull

PEBBLE COUNT								
Inches	PARTICLE	Millimeters		Particle	Total #	Item %	% Cum	
	Silt/Clay	< .062	S/C	<b>*</b>	39	39.00	39.00	
	Very Fine	.062125		<b>-</b>	1	1.00	40.00	
	Fine	.12525		<b>A</b>	2	2.00	42.00	
	Medium	.255	SAND	<b>A</b>	2	2.00	44.00	
	Coarse	.50-1.0		<b>A</b>	26	26.00	70.00	
.0408	Very Coarse	1.0-2		<b>A</b>	1	1.00	71.00	
.0816	Very Fine	2 -4		<b>-</b>	5	5.00	76.00	
.1622	Fine	4 -5.7	]	<b>A</b>	4	4.00	80.00	
.2231	Fine	5.7 - 8	GRAVEL	<b>^</b>	5	5.00	85.00	
.3144	Medium	8 -11.3		<b>^</b>	1	1.00	86.00	
.4463	Medium	11.3 - 16		<b>^</b>	5	5.00	91.00	
.6389	Coarse	16 -22.6		<b>^</b>	0	0.00	91.00	
.89 - 1.26	Coarse	22.6 - 32		<b>^</b>	2	2.00	93.00	
1.26 - 1.77	Vry Coarse	32 - 45		<b>^</b>	4	4.00	97.00	
1.77 -2.5	Vry Coarse	45 - 64		<b>A</b>	0	0.00	97.00	
2.5 - 3.5	Small	64 - 90		<b>A</b>	1	1.00	98.00	
3.5 - 5.0	Small	90 - 128	COBBLE	<b>A</b>	1	1.00	99.00	
5.0 - 7.1	Large	128 - 180		<b>A</b>	0	0.00	99.00	
7.1 - 10.1	Large	180 - 256		•	0	0.00	99.00	
10.1 - 14.3	Small	256 - 362		•	0	0.00	99.00	
14.3 - 20	Small	362 - 512		<b>A</b>	1	1.00	100.00	
20 - 40	Medium	512 - 1024	BOULDER	•	0	0.00	100.00	
40 - 80	Large	1024 -2048		•	0	0.00	100.00	

80 - 160	Vry Large	2048 -4096		<b>A</b>	0	0.00	100.00
	Bedrock		BDRK	<b>A</b>	0	0.00	100.00
				Totals	100		
	Total Tally:						

### RIVERMORPH PARTICLE SUMMARY

River Name: UNT to Jonnikin Creek
Reach Name: S-D1-INT
Sample Name: Representative Bankfull
Survey Date: 01/27/2022

Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	39 1 2 2 2 6 1 5 4 5 1 5 0 2 4 0 1 1 0 0 0 0	39.00 1.00 2.00 2.00 26.00 1.00 5.00 4.00 5.00 0.00 2.00 4.00 0.00 1.00 1.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	39.00 40.00 42.00 44.00 70.00 71.00 76.00 80.00 85.00 86.00 91.00 91.00 93.00 97.00 97.00 99.00 99.00 99.00 99.00 100.00 100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.03 0.06 0.62 7.54 38.5 511.98 39 32 26 2		

Total Particles = 100.

### Stream Assessment Form (Form 1) Unified Stream Methodology for use in Virginia e channels classified as intermittent or perennial Cowardin **Impact** Impact Project # Project Name (Applicant) Locality HUC SAR# Date Class Length Factor Mountain Valley Pipeline (Mountain Pittsylvania 22865.06 R3 or R4 03010101 9/2/21 S-D1-INT 29 1 Valley Pipeline, LLC) Stream Name and Information SAR Length Name(s) of Evaluator(s) Spread I; UNT to Jonnikin Creek DW, RH, RC 29 1. Channel Condition: Assess the cross-section of the stream and prevailing condition (erosion, aggradation) Optimal Suboptimal Poor Severe Marginal Slightly incised, few areas of active Often incised, but less than Severe or Very little incision or active erosion; 80 Overwidened/incised. Vertically / Deeply incised (or excavated) 100% stable banks. Vegetative surfact protection or natural rock, prominent sion or unprotected banks. Majority of banks are stable (60-80%). vertical/lateral instability. Severe ision, flow contained within the bank Banks more stable than Severe laterally unstable. Likely to wid Majority of both ban Channel 80-100%). AND/OR Stable point bars Vegetative protection or natural rock Erosion may be present on 40-60% of vertical. Erosion present on 60-80% of Streambed below average rooting depth Condition bankfull benches are present. Access to their original floodplain or fully prominent (60-80%) AND/OR Depositional features contribute to both banks. Vegetative protection on 40-60% of banks. Streambanks may be banks. Vegetative protection present on 20-40% of banks, and is insufficient majority of banks vertical/undercut. Vegetative protection present on less leveloped wide bankfull benches. Mid stability. The bankfull and low flow vertical or undercut. AND/OR to prevent erosion. AND/OR 60-80% o than 20% of banks, is not preventing channel bars and transverse bars few. Transient sediment deposition covers less than 10% of bottom. 40-60% Sediment may be temporary transient, contribute instability. Deposition that contribute to stability, hannels are well defined. Stream like as access to bankfull benches,or new the stream is covered by sediment. Sediment is temporary / transient in erosion. Obvious bank sloughing sent. Erosion/raw banks on 80-100% developed floodplains along nature, and contributing to instability AND/OR Aggrading channel. Greater portions of the reach. Transient liment covers 10-40% of the stream may be forming/present. AND/OR V-shaped channels have vegetative AND/OR V-shaped channels have vegetative protection is present on > than 80% of stream bed is covered by deposition, contributing to instability. bottom protection on > 40% of the banks and 40% of the banks and stable sediment Multiple thread channels and/or depositional features which contribute deposition is absent subterranean flow to stability. CI Scores 3 2.4 1.6 2.40 NOTES>> 2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable) **Conditional Category** NOTES>> Optimal Suboptimal Marginal Poor Stream was not found in Low Marginal: Non-maintained High Poor: Lawns the field; however, riparian High Suboptima Low Suboptimal Low Poor: High Marginal dense herbaceou maintained areas Riparian areas wi Riparian areas with buffer scores were egetation, ripariar reas lacking shrub Impervious surfaces, mine Non-maintained nurseries: no-till ree stratum (dbh ree stratum (dbh : nse herbaceo cropland; actively assigned based on best 3 inches) present 3 inches) present Tree stratum (dbh > 3 inches) present vegetation with and tree stratum grazed pasture, spoil lands. professional judgement Riparian with 30% to 60% with 30% to 60% hay production, onds, open wate If present, tree either a shrub laye or a tree layer (dbl parsely vegetated non-maintained with > 60% tree canopy cover. nuded surfaces tree canopy cove and containing bot tree canopy cover and a maintained **Buffers** Wetlands located within the riparian row crops, active areas. > 3 inches) area, recently feed lots, trails, o herbaceous and understory. Recer cutover (dense resent, with <30% stratum (dbh >3 seeded and other comparable shrub layers or a inches) present, with <30% tree stabilized, or othe conditions tree canopy cover non-maintained vegetation). comparable understory. canopy cover with maintained condition. understory. High Low High Low High Low 1.5 0.85 0.5 Scores 1.2 1.1 0.75 0.6 Delineate riparian areas along each stream bank into Condition Categories and Condition Scores using the descriptors Ensure the sums Determine square footage for each by measuring or estimating length and width. Calculators are provided for you below of % Riparian Enter the % Riparian Area and Score for each riparian category in the blocks below Blocks equal 100 % Riparian Area> 15% 45% 100% Right Bank Score > 0.5 1.5 CI= (Sum % RA \* Scores\*0.01)/2 % Riparian Area> 75% 5% 20% 100% Rt Bank CI > 0.97 CI Left Bank 1.11 Score > 0.6 0.5 1.26 3. INSTREAM HABITAT: Varied substrate sizes, water velocity and depths; woody and leafy debris; stable substrate; low embededness; shade; undercut banks; root mats; SAV; riffle/pool complexes, stable features **Conditional Category** NOTES>> Instream Optimal Suboptimal Marginal Poor Habitat/ Stable habitat elements are typically Available labitat elements are typically present resent in 30-50% of the reach and are esent in 10-30% of the reach and ar lacking or are unstable. Habitat greater than 50% of the reach adequate for maintenance of adequate for maintenance of nents are typically present in less than 10% of the reach. Cover populations. populations Stream Gradient

Scores

1.5

1.2

0.9

0.5

High

1 20

Stream Impact Assessment Form Page 2									
Project #	Project Name (App	licant)	Locality	Cowardin Class.	нис	Date	SAR#	Impact Length	Impact Factor
22865.06	Mountain Valley Pipeline Valley Pipeline, L	•	Pittsylvania	R3 or R4	03010101	9/2/21	S-D1-INT	29	1
4. CHANNEL ALTERATION: Stream crossings, riprap, concrete, gabions, or concrete blocks, straightening of channel, channelization, embankments, spoil piles, constrictions, livestock									
			Conditiona	al Category				NOTES>>	
	Negligible	Mir	nor		erate	Se	vere		
				40 - 60% of reach is disrupted by any	60 - 80% of reach is disrupted by any				
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	the channel		of the channel alterations listed in the parameter guidelines. If	of the channel	by any of the chan in the parameter of 80% of banks sh	of reach is disrupted nel alterations listed guidelines AND/OR lored with gabion, or cement.		

REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH

NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number.

THE REACH CONDITION INDEX (RCI) >> 1.24

RCI= (Sum of all Cl's)/5, except if stream is ephemeral RCI = (Riparian Cl/2)

COMPENSATION REQUIREMENT (CR) >>

> 36

 $CR = RCI X L_I X IF$ 

**INSERT PHOTOS:** 



CAPTION. Assessment is limited to areas within the temporary ROW.

DESCRIB	F PROF	POSED	ΙΜΡΔ	CT:

PROVIDED UNDER SEPARATE COVER