Baseline Assessment - Stream Attributes

Reach S-D18 (Pipeline ROW) Ephemeral Spread I Franklin County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – Low flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Low flow
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: DS VIEW Location, Orientation, Photographer Initials: Downstream view of ROW looking SW, AW



Photo Type: US VIEW Location, Orientation, Photographer Initials: Upstream view of ROW looking NE, AW



Location, Orientation, Photographer Initials: Standing on LB looking at RB along stream centerline looking NW (stream does not cross pipe centerline), AW



Location, Orientation, Photographer Initials: Standing on RB looking at LB along stream centerline looking SE (stream does not cross pipe centerline), AW



Photo Type: DS COND

Location, Orientation, Photographer Initials: Downstream conditions at stream confluence with S-D20 (stream does not flow downstream outside of LOD) looking SW, AW

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		N	Iountain V	alley Pipeline		COORDINATES: cimal Degrees)	Lat.	37.06956	Lon.	-79.926213		WEATHER:		Sunny		DATE:	Augus	st 28, 2021
IMPACT STREAM/SITE II (watershed size (acreage).				Ş.	D18			MITIGATION STREAM CLA (watershed size (ac	ASS./SITE ID AND reage), unaltered or imp		V:					Comments:		
STREAM IMPACT LENGTH:	30	FORM MITIGAT		RESTORATION (Levels I-III)		OORDINATES: cimal Degrees)	Lat.		Lon.			PRECIPITATION PAST 48 HRS:		None		Mitigation Length:		
Column No. 1- Impact Existing	g Condition (Deb	it)		Column No. 2- Mitigation Existing C	ondition - Base	line (Credit)		Column No. 3- Mitigatio Post Compl	n Projected at Five letion (Credit)	Years		Column No. 4- Mitigation Proje Post Completion (6		ars		Column No. 5- Mitigation Projecte	d at Maturity	(Credit)
Stream Classification:	Epher	meral		Stream Classification:				Stream Classification:		0		Stream Classification:		0	Str	ream Classification:		0
Percent Stream Channel S	lope	4.33		Percent Stream Channel Si	оре			Percent Stream Chann	el Slope	0		Percent Stream Channel Sle	оре	0		Percent Stream Channel Sle	ope	0
HGM Score (attach d	data forms):			HGM Score (attach	data forms):			HGM Score (att	tach data forms):			HGM Score (attach da	ata forms):			HGM Score (attach da	ta forms):	
		Average				Average				Average				Average				Average
Hydrology Biogeochemical Cycling	0.16 0.15	0.13333333		Hydrology Biogeochemical Cycling		0		Hydrology Biogeochemical Cycling		0		Hydrology Biogeochemical Cycling		0		ydrology iogeochemical Cycling		0
Habitat PART I - Physical, Chemical and	0.09 d Biological Indic	ators		Habitat PART I - Physical, Chemical an	d Biological Inc	dicators		Habitat PART I - Physical, Chemic	cal and Biological I	ndicators		Habitat PART I - Physical, Chemical and	Biological Indi	cators	Ha	PART I - Physical, Chemical and I	Biological Ind	dicators
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Rang	ge Sita Score			Points Scale Range	Site Score			Points Scale Rang	nge Site Score
PHYSICAL INDICATOR (Applies to all stream	ns classifications)			PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all str	reams classifications)			PHYSICAL INDICATOR (Applies to all streams	s classifications)		PH	HYSICAL INDICATOR (Applies to all streams	classifications)	
USEPA RBP (High Gradient Data Sheet)				USEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data She				USEPA RBP (High Gradient Data Sheet)				SEPA RBP (High Gradient Data Sheet)		
Epifaunal Substrate/Available Cover	0-20	0		Epifaunal Substrate/Available Cover	0-20			Epifaunal Substrate/Available Cover	0-20			Epifaunal Substrate/Available Cover	0-20		1. 3	Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness	0-20	1		Pool Substrate Characterization	0-20			2. Embeddedness	0-20			2. Embeddedness	0-20			Embeddedness	0-20	
Velocity/ Depth Regime Sediment Deposition	0-20	0		Pool Variability Sediment Deposition	0-20			Velocity/ Depth Regime Sediment Deposition	0-20 0-20			Velocity/ Depth Regime Sediment Deposition	0-20			Velocity/ Depth Regime Sediment Deposition	0-20 0-20	-
Sediment Deposition Channel Flow Status	0.00	0		5. Channel Flow Status	0-20			Sediment Deposition Channel Flow Status	0-20			Sediment Deposition Channel Flow Status	0-20			Channel Flow Status	0-20	
6. Channel Alteration	0-20 0-1	19		6. Channel Alteration	0-20 0-1			6. Channel Alteration	0-20 0-	1		6. Channel Alteration	0-20 0-1			Channel Alteration	0-20 0-	-1
7. Frequency of Riffles (or bends)	0-20	0		7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20			7. Frequency of Riffles (or bends)	0-20			Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	1		8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20			Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	2		9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20			Vegetative Protection (LB & RB)	0-20		9. 1	Vegetative Protection (LB & RB)	0-20	1
 Riparian Vegetative Zone Width (LB & RB) 		15		10. Riparian Vegetative Zone Width (LB & RB)				 Riparian Vegetative Zone Width (LB & R 				10. Riparian Vegetative Zone Width (LB & RB)). Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score Sub-Total	Marginal	41 0.34166667		Total RBP Score Sub-Total	Poor	0		Total RBP Score Sub-Total	Poor	0		Total RBP Score Sub-Total	Poor	0		otal RBP Score	Poor	0
CHEMICAL INDICATOR (Applies to Intermitte				CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial St			CHEMICAL INDICATOR (Applies to Inter	mittent and Perennial			CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial S			HEMICAL INDICATOR (Applies to Intermittent	t and Perennial	
WVDEP Water Quality Indicators (Genera	al)			WVDEP Water Quality Indicators (General)	1			WVDEP Water Quality Indicators (Ge	neral)			WVDEP Water Quality Indicators (General	n		w	VDEP Water Quality Indicators (General)		
Specific Conductivity				Specific Conductivity				Specific Conductivity				Specific Conductivity				pecific Conductivity		
400 400 05 14	0-90				0-90				0-90				0-90				0-90	
100-199 - 85 points pH	-			pH	_			pH				pH			рΗ	1	_	
	0-80				5-90				5-90				5-90				5-90	4
5.6-5.9 = 45 points DO				00				DO.				DO.			0.0			
DO	10-30			50	10-30			50	10-30			<u> </u>	10-30		DC	,	10-30	
	10-30				10-30				10-30				10-30				10-30	
Sub-Total				Sub-Total		0		Sub-Total		0		Sub-Total		0		ub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennial	Streams)		BIOLOGICAL INDICATOR (Applies to Intermitt	ent and Perennial	Streams)		BIOLOGICAL INDICATOR (Applies to It		nnial Streams)		BIOLOGICAL INDICATOR (Applies to Interm	nittent and Pereni	nial Streams)		OLOGICAL INDICATOR (Applies to Intermi	ttent and Peren	ınial Streams)
WV Stream Condition Index (WVSCI)	0-100 0-1			WV Stream Condition Index (WVSCI)	0-100 0-1			WV Stream Condition Index (WVSCI)	0-100 0-			WV Stream Condition Index (WVSCI)	0-100 0-1		W	V Stream Condition Index (WVSCI)	0-100 0-	
0 Sub-Total	0-100	0		Sub-Total	0-100	0		Sub-Total	0-100	0		Sub-Total	0-100	0	Su	ub-Total	0-100	0
-			,												- Jose			
PART II - Index and U	Unit Score		1 1	PART II - Index and	Unit Score			PART II - Index	and Unit Score			PART II - Index and U	Init Score			PART II - Index and Ui	nit Score	
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Fee	t Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	et Unit Score
0.352	30	10.5625		0	0	0		0	0	0		0	0	0		0	0	0

Ver. 10-20-17

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: Mountain Valley Pipeline

Location: Franklin County

Sampling Date: 8/28/2021 Project Site Before Project

Subclass for this SAR:

Ephemeral Stream

Uppermost stratum present at this SAR: SAR number: S-D18

Shrub/Herb Strata

Functional Results Summary:

Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.16
Biogeochemical Cycling	0.15
Habitat	0.09

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	1.00	0.10
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.08	0.04
V_{BERO}	Total percent of eroded stream channel bank.	197.89	0.01
V_{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	263.16	1.00
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	48.75	0.59
V _{HERB}	Average percent cover of herbaceous vegetation.	42.50	0.57
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.30	0.32

			High-G		Headwat			•	a		
	Team:	AW, AO		i icia i	Jata One	et and o		∙ Latitude/UT	M Northing:	37.06956	
Pro	oject Name:		alley Pipelir	ne					_	-79.926213	3
	Location:	Franklin Co	ounty					San	npling Date:	8/28/2021	
SA	AR Number:	S-D18	Reach	Length (ft):	19	Stream Ty	/pe: Ephe	emeral Stream	1		▼
	Top Strata:	Sh	rub/Herb Str	ata	(determined	d from perce	ent calculate	d in V _{CCANO}	_{PY})		
Site	and Timing:	Project Site				•	Before Proje	ct			▼
Sample	Variables				el by tree ar	ad aanling a	nany Maa	aura at na f	auran than 1	O manualahu	
'	V _{CCANOPY}	equidistant 20%, enter	points along at least one	the stream value betw	. Measure een 0 and 1	only if tree/s	apling cove	r is at least :			Not Used, <20%
		cent cover r	neasuremer	nts at each p	point below:	ı	ı				1
	0										ł
2	V _{EMBED}	Average en	nbeddednes	s of the stre	am channel	l. Measure	at no fewer	than 30 rou	ahly equidis	tant points	
	LINGLE	surface and to the follow of 1. If the	d area surro ving table. I bed is comp	unding the p f the bed is posed of bed	from the be particle that in an artificial strock, use a	is covered b surface, or o rating score	y fine sedim composed of e of 5.	ent, and en f fine sedime	ter the rating ents, use a r	g according rating score	1.0
		Embeddedi Minshall 19		or gravel, c	obble and be	oulder partic	cles (rescale	d from Platt	s, Megahan	i, and	Measure at least
		Rating	Rating Des	•		annade 1 :	المساسية		/ou be -! !	-	30 points
		5 4			overed, surrice covered,					()	·
		3	26 to 50 pe	rcent of sur	face covered	d, surrounde	ed, or buried	by fine sed	iment		
		2			face covered covered, su					al acurfaca)	
	List the rati	1 nas at each	point below		covered, su	rrounded, o	r buried by i	ine seaimer	it (or artificia	ai suriace)]
	1	1	point poloti								1
	1	1									
	1	1									
	1										
3	1	Madian atre		l aubatrata r	particle size.	Magazira	t na fairear t	20 5015	blir om dalat	ant nainta	
	Enter partic	along the s	tream; use t ches to the i	he same po nearest 0.1	ints and par inch at each	ticles as use	ed in V _{EMBED}				0.08 in
			and or finer	particles as	0.08 in):						1
	0.08	0.08									
	0.08	0.08									
	0.08										
	0.08										
4	V_{BERO}		e total perce	entage will b	annel bank. e calculated	I If both bar		led, total er			198 %
Cample	e Variables	E Q within t	ho ontiro ri	narian/buff	or zono odi	noont to the	o stroom ob	annal (25 fe	ot from on	oh hank)	
5	V _{LWD}	Number of stream read	down woody	y stems (at l e number fr	east 4 inche om the entir lated.	es in diamete	er and 36 in ouffer and wi	ches in leng thin the cha	th) per 100	feet of	0.0
6	V_{TDBH}	inches (10	cm) in diam	eter. Enter	y if V _{CCANOP} , tree DBHs in ridual trees (_Y tree/saplin n inches.	g cover is a	t least 20%)	. Trees are	at least 4	Not Used
		the stream	below:	5, ,,,	11 000 (,				1
			Left Side					Right Side			
7	V _{SNAG}				nd 36" tall) p per 100 fee			Enter numb	er of snags	on each	0.0
8	V	Number of	Left Side:		oody stems	un to 4 inch	Right Side:) stream (mea	asure only if	
0	V _{SSD}	tree cover i		nter numbei	r of saplings						263.2

9	V _{SRICH}	Group 1 in	r 100 feet a	nd the subj		calculated f	rom these da	ata			
			p 1 = 1.0	ind the subh	IIGOX WIII DO		iom those de		2 (-1.0)		
1	Acer rubrui			Magnolia ti	ripetala		Ailanthus ai		[7]	Lonicera jaj	oonica
7	Acer sacch	narum		Nyssa sylv			Albizia julib	rissin		Lonicera ta	
_	Aesculus fl			Oxydendrun			Alliaria petio			Lotus cornic	
	Asimina trii			Prunus ser			,			Lythrum sa	
_	Betula alleg			Quercus al			Alternanthe philoxeroide		1.71	Microstegium	
_	_										
_	Betula lent			Quercus co			Aster tatario			Paulownia 1	
_	Carya alba			Quercus in		Cerastium fontanum				Polygonum o	
_	Carya glab		Ш	Quercus pi			Coronilla va	iria		Pueraria m	
	Carya ovalis Quercus rubra			ıbra		Elaeagnus ui	mbellata	✓	Rosa multif	lora	
	Carya ovat	a		Quercus ve	elutina		Lespedeza	bicolor		Sorghum ha	alepense
	Cornus flor	rida		Sassafras	albidum		Lespedeza	cuneata		Verbena br	asiliensis
	Fagus grar	ndifolia		Tilia ameri	cana		Ligustrum ob	tusifolium			
	Fraxinus a	mericana		Tsuga can	adensis	7	Ligustrum s	inense			
4	Liriodendron	tulipifera		Ulmus ame	ericana						
	Magnolia a	cuminata									
_											
		2	Species in	Group 1				4	Species in	Group 2	
		10.11 1111			4011 4011	4 4 1				0	
							in the ripari ch side of tl		one within	25 feet fron	n each
10	V _{DETRITUS}	•					naterial. Wo		<4" diamete	r and <36"	
	52111100						er at each s				48.75 %
			Left	Side			Right	Side] '	•
		80				100					
		10				5					
11	V_{HERB}						sure only if t there may b				
											43 %
	vegetation percentages up through 200% are accep each subplot.									-	
		each subple	ot.							_	
				Side			Right	Side]	
ample		20 30 2 within the	Left	chment of t	the stream.	90 30	Right	Side			
	e Variable 1	20 30 2 within the	Left	chment of t		30	Right	Side	Pupeff	9/ in Cataly	0.30 Running
		20 30 2 within the	Left e entire cate verage of R	chment of t		30 ned:	Right	Side	Runoff Score	% in Catch- ment	Running Percent
	V _{WLUSE}	20 30 2 within the	Left e entire cate verage of R Land	chment of t	e for watersh	30 ned:	Right	Side			Running Percent
	V _{WLUSE} Forest and r	20 30 2 within the Weighted A	Left e entire cato everage of R Land	Chment of t	e for watersh	30 ned:	Right	Side	Score 0.5	ment 20.5	Running Percent (not >100) 20.5
	Forest and r	20 30 2 within the Weighted A	Left e entire cato verage of R Land <50% ground	Use (Choos	e for watersh	30 ned:	Right	\\	0.5 1	20.5 6	Running Percent (not >100) 20.5 26.5
	Forest and r	20 30 2 within the Weighted A	Left e entire cato verage of R Land <50% ground	Use (Choos	e for watersh	30 ned:	Right	Side	Score 0.5	ment 20.5	Running Percent (not >100) 20.5
	Forest and r Forest and r Open space	20 30 2 within the Weighted A	Left Define cate Norage of R Land <50% ground >75% ground ns, parks, etc.	Chment of the Runoff Score Use (Choose I cover) I cover)	e for watersh	30 ned:	Right	\\	0.5 1	20.5 6	Running Percent (not >100) 20.5 26.5
	Forest and r Forest and r Open space	20 30 2 within the Weighted A	Left Define cate Norage of R Land <50% ground >75% ground ns, parks, etc.	Chment of the Runoff Score Use (Choose I cover) I cover)	e for watersh	30 ned:	Right	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	0.5 1 0.1	20.5 6 41.9	Running Percent (not >100) 20.5 26.5 68.4
	Forest and r Forest and r Open space	20 30 2 within the Weighted A	Left Define cate Norage of R Land <50% ground >75% ground ns, parks, etc.	Chment of the Runoff Score Use (Choose I cover) I cover)	e for watersh	30 ned:	Right	* * * * * * * * * * * * * * * * * * *	0.5 1 0.1	20.5 6 41.9	Running Percent (not >100) 20.5 26.5 68.4
	Forest and r Forest and r Open space	20 30 2 within the Weighted A	Left Define cate Norage of R Land <50% ground >75% ground ns, parks, etc.	Chment of the Runoff Score Use (Choose I cover) I cover)	e for watersh	30 ned:	Right	* * * * * * * * * * * * * * * * * * *	0.5 1 0.1	20.5 6 41.9	Running Percent (not >100) 20.5 26.5 68.4
	Forest and r Forest and r Open space	20 30 2 within the Weighted A	Left Define cate Norage of R Land <50% ground >75% ground ns, parks, etc.	Chment of the Runoff Score Use (Choose I cover) I cover)	e for watersh	30 ned:	Right	* * * * * * * * * * * * * * * * * * *	0.5 1 0.1	20.5 6 41.9	Running Percent (not >100) 20.5 26.5 68.4
	Forest and r Forest and r Open space	20 30 2 within the Weighted A	Left Define cate Norage of R Land <50% ground >75% ground ns, parks, etc.	Chment of the Runoff Score Use (Choose I cover) I cover)	e for watersh	30 ned:	Right	* * * * * * * * * * * * * * * * * * *	0.5 1 0.1	20.5 6 41.9	Running Percent (not >100) 20.5 26.5 68.4
	Forest and r Forest and r Open space Open space	20 30 2 within the Weighted A	Left Define cate Norage of R Land <50% ground >75% ground ns, parks, etc.	Chment of the Runoff Score Use (Choose I cover) I cover)	e for watersh	30 ned:	Right	* * * * * * * * * * * * * * * * * * *	0.5 1 0.1	20.5 6 41.9	Running Percent (not >100) 20.5 26.5 68.4
112	Forest and r Forest and r Open space Open space	20 30 2 within the Weighted A mative range (- native range (- native range (- native range (- native range (- native range (-	Left verage of R Land <50% ground >75% ground ns, parks, etc.;	Chment of the Change of the Ch	e for watersh se From Dro < <50% > >75%	30 ned:	Not	• es:	0.5 1 0.1 0.3	ment 20.5 6 41.9 31.6	Running Percent (not >100) 20.5 26.5 68.4 100
12 Va	Forest and r Forest and r Open space Open space	20 30 2 within the Weighted A weighted A water range (continue range (continu	Left e entire cate verage of R Land >75% ground ns, parks, etc.; ns, parks, etc.;	Chment of the Runoff Score Use (Choose I cover) I cover) I, grass cover I, grass cover	e for watersh se From Dro < <50% > >75% er Analysis	30 ned: p List)		• es:	0.5 1 0.1 0.3	ment 20.5 6 41.9 31.6 and Cover	Running Percent (not >100) 20.5 26.5 68.4 100
12 Va	Forest and r Forest and r Open space Open space	20 30 2 within the Weighted A mative range (- native range (- native range (- native range (- native range (- native range (-	Left verage of R Land <50% ground >75% ground ns, parks, etc.;	Use (Choose Cover) cover) cover) cover) , grass cover	e for watersh se From Dro < <50% > >75% er Analysis rom Lands; d boundarie	awas compat satellite es are bas	Not pleted using imagery an ed off of fie	es: I the 2019 d other su Id delineat	0.5 1 0.1 0.3 National L pplementaed stream	ment 20.5 6 41.9 31.6 and Cover ry datasets impacts.	Running Percent (not >100 20.5 26.5 68.4 100
Va Voc	Forest and r Forest and r Open space Open space	20 30 2 within the Weighted A mative range (contained range) (co	Left e entire cate verage of R Land >75% ground ns, parks, etc.; ns, parks, etc.;	Use (Choose Cover) cover) cover) cover) , grass cover	e for watersh se From Dro < <50% > >75% er Analysis rom Lands; d boundarie	awas compat satellite es are bas	Not oleted using imagery an	es: I the 2019 d other su Id delineat	0.5 1 0.1 0.3 National L pplementaed stream	ment 20.5 6 41.9 31.6 and Cover ry datasets impacts.	Running Percent (not >100 20.5 26.5 68.4 100
Va V _{CC} V _E	Forest and r Forest and r Open space Open space Sariable CANOPY MBED	20 30 2 within the Weighted A weighted A water range (constive range (constitution))) 3-D18 Value Not Used, <20% 1.0	Left Peentire cate Verage of R Land >75% ground ns, parks, etc. ns, parks, etc. VSI Not Used 0.10	Use (Choose Cover) cover) cover) cover) , grass cover	e for watersh se From Dro < <50% > >75% er Analysis rom Lands; d boundarie	awas compat satellite es are bas	Not pleted using imagery an ed off of fie	es: I the 2019 d other su Id delineat	0.5 1 0.1 0.3 National L pplementaed stream	ment 20.5 6 41.9 31.6 and Cover ry datasets impacts.	Running Percent (not >100 20.5 26.5 68.4 100
Va V _{CC} V _{EI} V _{SU}	Forest and r Forest and r Open space Open space Sariable CANOPY MBED UBSTRATE	20 30 2 within the Weighted A mative range (contained in the contained i	Left e entire cato everage of R Land <50% ground >75% ground ns, parks, etc.; ns, parks, etc.; VSI Not Used	Use (Choose Cover) cover) cover) cover) , grass cover	e for watersh se From Dro < <50% > >75% er Analysis rom Lands; d boundarie	awas compat satellite es are bas	Not pleted using imagery an ed off of fie	es: I the 2019 d other su Id delineat	0.5 1 0.1 0.3 National L pplementaed stream	ment 20.5 6 41.9 31.6 and Cover ry datasets impacts.	Running Percent (not >100 20.5 26.5 68.4 100
Va V _{CC} V _{EI} V _{SU}	Forest and r Forest and r Open space Open space Sariable CANOPY MBED	20 30 2 within the Weighted A weighted A water range (constive range (constitution))) 3-D18 Value Not Used, <20% 1.0	Left Peentire cate Verage of R Land >75% ground ns, parks, etc. ns, parks, etc. VSI Not Used 0.10	Use (Choose Cover) cover) cover) cover) , grass cover	e for watersh se From Dro < <50% > >75% er Analysis rom Lands; d boundarie	awas compat satellite es are bas	Not pleted using imagery an ed off of fie	es: I the 2019 d other su Id delineat	0.5 1 0.1 0.3 National L pplementaed stream	ment 20.5 6 41.9 31.6 and Cover ry datasets impacts.	Running Percent (not >100 20.5 26.5 68.4 100
Va V _{CC} V _{EI} V _{SU}	Forest and r Forest and r Open space Open space Copen space Upen space Upen space Upen space Upen space Upen space Upen space	20 30 2 within the Weighted A weighted A wative range (native range (native range (native range (native range ((pasture, lawn	Left Pentire cate Everage of R Land >75% ground ns, parks, etc.; ns, parks, etc.; VSI Not Used 0.10 0.04	Use (Choose Cover) cover) cover) cover) , grass cover	e for watersh se From Dro < <50% > >75% er Analysis rom Lands; d boundarie	awas compat satellite es are bas	Not pleted using imagery an ed off of fie	es: I the 2019 d other su Id delineat	0.5 1 0.1 0.3 National L pplementaed stream	ment 20.5 6 41.9 31.6 and Cover ry datasets impacts.	Running Percent (not >100 20.5 26.5 68.4 100
Va Vcc Vst Vst Vb	Forest and r Forest and r Open space Open space Canopy MBED UBSTRATE ERO	20 30 2 within the Weighted A mative range (- mative range (s) (pasture, lawn (pasture, lawn (pasture, lawn 10 0.08 in 198 % 0.0	Left Land Solverage of R Land Solverage of R Land Solverage of R Land Solverage of R Land Not ground Not, parks, etc. Not Used 0.10 0.04 0.01 0.00	Use (Choose Cover) cover) cover) cover) , grass cover	e for watersh se From Dro < <50% > >75% er Analysis rom Lands; d boundarie	awas compat satellite es are bas	Not pleted using imagery an ed off of fie	es: I the 2019 d other su Id delineat	0.5 1 0.1 0.3 National L pplementaed stream	ment 20.5 6 41.9 31.6 and Cover ry datasets impacts.	Running Percent (not >100 20.5 26.5 68.4 100
Va Vcc Vst Vst Vbt	Forest and r Forest and r Open space Open space Copen space Upen space Upen space Upen space Upen space Upen space Upen space	20 30 2 within the Weighted A mative range (: mative range (Left e entire cato verage of R Land <50% ground >75% ground ns, parks, etc.; ns, parks, etc.; VSI Not Used 0.10 0.04 0.01	Use (Choose Cover) cover) cover) cover) , grass cover	e for watersh se From Dro < <50% > >75% er Analysis rom Lands; d boundarie	awas compat satellite es are bas	Not pleted using imagery an ed off of fie	es: I the 2019 d other su Id delineat	0.5 1 0.1 0.3 National L pplementaed stream	ment 20.5 6 41.9 31.6 and Cover ry datasets impacts.	Running Percent (not >100 20.5 26.5 68.4 100
Va Vcc Vst Vst VLX VTT	Forest and r Forest and r Open space Open space Canopy MBED UBSTRATE ERO	20 30 2 within the Weighted A mative range (- mative range (s) (pasture, lawn (pasture, lawn (pasture, lawn 10 0.08 in 198 % 0.0	Left Land Solverage of R Land Solverage of R Land Solverage of R Land Solverage of R Land Not ground Not, parks, etc. Not Used 0.10 0.04 0.01 0.00	Use (Choose Cover) cover) cover) cover) , grass cover	e for watersh se From Dro < <50% > >75% er Analysis rom Lands; d boundarie	awas compat satellite es are bas	Not pleted using imagery an ed off of fie	es: I the 2019 d other su Id delineat	0.5 1 0.1 0.3 National L pplementaed stream	ment 20.5 6 41.9 31.6 and Cover ry datasets impacts.	Running Percent (not >100 20.5 26.5 68.4 100
Value	Forest and r Forest and r Open space Open space CANOPY MBED UBSTRATE ERO WD DBH NAG	20 30 2 within the Weighted A mative range (- mative range (Left Peentire cate Verage of R Land > 75% ground ns, parks, etc.; ns, parks, etc.; VSI Not Used 0.10 0.04 0.01 0.00 Not Used 0.10	Use (Choose Cover) cover) cover) cover) , grass cover	e for watersh se From Dro < <50% > >75% er Analysis rom Lands; d boundarie	awas compat satellite es are bas	Not pleted using imagery an ed off of fie	es: I the 2019 d other su Id delineat	0.5 1 0.1 0.3 National L pplementaed stream	ment 20.5 6 41.9 31.6 and Cover ry datasets impacts.	Running Percent (not >100) 20.5 26.5 68.4 100
Value	Forest and r Forest and r Open space Open space CANOPY MBED UBSTRATE ERO WD DBH NAG SD	20 30 2 within the Weighted A Mative range (- native range (: (pasture, lawn (pasture, lawn (pasture, lawn 10 0.08 in 198 % 0.0 Not Used 0.0 263.2	Left Peentire cate Verage of R Land >75% ground >75% ground ns, parks, etc. ns, parks, etc. VSI Not Used 0.10 0.04 0.01 0.00 Not Used 0.10 1.00	Use (Choose Cover) cover) cover) cover) , grass cover	e for watersh se From Dro < <50% > >75% er Analysis rom Lands; d boundarie	avas compat satellite es are bas	Not pleted using imagery an ed off of fie	es: I the 2019 d other su Id delineat	0.5 1 0.1 0.3 National L pplementaed stream	ment 20.5 6 41.9 31.6 and Cover ry datasets impacts.	Running Percent (not >100 20.5 26.5 68.4 100
Value V Start	Forest and r Forest and r Open space Open space Canopy MBED UBSTRATE ERO WD DBH NAG SD RICH	20 30 2 within the Weighted A weighted A mative range (- mative range (s) (pasture, law) (pas	Left Peentire cate Verage of R Land >75% ground ns, parks, etc. ns, parks, etc. VSI Not Used 0.10 0.00 Not Used 0.10 1.00 0.00	Use (Choose Cover) cover) cover) cover) , grass cover	e for watersh se From Dro < <50% > >75% er Analysis rom Lands; d boundarie	avas compat satellite es are bas	Not pleted using imagery an ed off of fie	es: I the 2019 d other su Id delineat	0.5 1 0.1 0.3 National L pplementaed stream	ment 20.5 6 41.9 31.6 and Cover ry datasets impacts.	Running Percent (not >100) 20.5 26.5 68.4 100
V3 VCI VSI VSI VSI VSI VSI VSI VSI VSI VDI	Forest and r Forest and r Forest and r Open space Open space Canopy MBED UBSTRATE ERO WD DBH NAG SD RICH ETRITUS	20 30 2 within the Weighted A Mative range (- native range (: (pasture, lawn (pasture, lawn (pasture, lawn 10 0.08 in 198 % 0.0 Not Used 0.0 263.2	Left Peentire cate Verage of R Land >75% ground >75% ground ns, parks, etc. ns, parks, etc. VSI Not Used 0.10 0.04 0.01 0.00 Not Used 0.10 1.00	Use (Choose Cover) cover) cover) cover) , grass cover	e for watersh se From Dro < <50% > >75% er Analysis rom Lands; d boundarie	avas compat satellite es are bas	Not pleted using imagery an ed off of fie	es: I the 2019 d other su Id delineat	0.5 1 0.1 0.3 National L pplementaed stream	ment 20.5 6 41.9 31.6 and Cover ry datasets impacts.	Running Percent (not >100 20.5 26.5 68.4 100
V3 VCI VSI VSI VSI VSI VSI VSI VSI VSI VDI	Forest and r Forest and r Open space Open space Canopy MBED UBSTRATE ERO WD DBH NAG SD RICH	20 30 2 within the Weighted A weighted A mative range (- mative range (s) (pasture, law) (pas	Left Peentire cate Verage of R Land >75% ground ns, parks, etc. ns, parks, etc. VSI Not Used 0.10 0.00 Not Used 0.10 1.00 0.00	Use (Choose Cover) cover) cover) cover) , grass cover	e for watersh se From Dro < <50% > >75% er Analysis rom Lands; d boundarie	avas compat satellite es are bas	Not pleted using imagery an ed off of fie	es: I the 2019 d other su Id delineat	0.5 1 0.1 0.3 National L pplementaed stream	ment 20.5 6 41.9 31.6 and Cover ry datasets impacts.	Running Percent (not >100) 20.5 26.5 68.4 100
Value	Forest and r Forest and r Forest and r Open space Open space Canopy MBED UBSTRATE ERO WD DBH NAG SD RICH ETRITUS	20 30 2 within the Weighted A mative range (- mative range (: (pasture, lawn) (pasture, lawn	VSI Not Used 0.10 0.00 Not Used 0.10 0.00 0.59	Use (Choose Cover) cover) cover) cover) , grass cover	e for watersh se From Dro < <50% > >75% er Analysis rom Lands; d boundarie	avas compat satellite es are bas	Not pleted using imagery an ed off of fie	es: I the 2019 d other su Id delineat	0.5 1 0.1 0.3 National L pplementaed stream	ment 20.5 6 41.9 31.6 and Cover ry datasets impacts.	Running Percent (not >100 20.5 26.5 68.4 100

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-D18	LOCATION Franklin County				
STATION # RIVERMILE	STREAM CLASS Ephemeral				
LAT <u>37.06956</u> LONG <u>-79.926213</u>	RIVER BASIN Upper Roand	ke			
STORET#	AGENCY VADEQ				
INVESTIGATORS AW, AO					
FORM COMPLETED BY AO	DATE 8/28/2021 TIME 8:50AM	REASON FOR SURVEY Baseline Assessment			

WEATHER CONDITIONS	Now Past 24 hours Yes Yes No Air Temperature 23 ° C Other Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph)
	Draw a map of the site and indicate the areas sampled (or attach a photograph) SILT FENCE SILT FENCE SILT FENCE SILT FENCE SILT FENCE SILT SOLLS SILT TENCE SILT SOLLS FIGH AUBS ROAD HERFALEOUS VEC WHY
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Catchment Area One of the Precipitation Stream Origin Stream Origin One of the Precipitation Stream Type Coldwater Warmwater Catchment Area One of the Precipitation Stream Type Coldwater One of the Precipitation One of the Precipitation Stream Type Coldwater One of the Precipitation One of the Pr

Notes: No flow present.

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		✓ Fores	Pasture Industri	rcial al	Local Watershed NPS ☑ No evidence ☐ Son ☐ Obvious sources Local Watershed Erosi ☑ None ☐ Moderate	ne potential sources		
RIPARIA VEGETA (18 meter	TION	Indicate Trees Domina	rbaceous					
INSTREA FEATURI		Estimat Samplin Area in Estimat	km² (m²x1000) ed Stream Depth	m m² km² m	High Water Mark	Partly open		
LARGE V DEBRIS	VOODY	LWD Density	<u>□</u> m² of LWD <u>□</u> m	n²/km² (LWD /	reach area)			
AQUATIO VEGETA						□Free floating		
WATER ((DS, US)	VATER QUALITY DS, US) Temperature NA 0 C Specific Conductance NA Dissolved Oxygen NA pH NA Turbidity NA WQ Instrument Used NA				☐Fishy Water Surface Oils ☐Slick ☐Sheen ☐	Other Globs Flecks posits & iron oxidizing bacteria		
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils		□ Petroleum ☑ None te □ Profu	— Lρoking at stones whic are the undersides blace	□ Paper fiber □ Sand Other Fine sedient h are not deeply embedded, k in color?		
INC		STRATE (COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add			
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area		
Bedrock Boulder	> 256 mm (10"))		Detritus	sticks, wood, coarse plant materials (CPOM)	20		
Cobble	64-256 mm (2.5	5"-10")		Muck-Mud	black, very fine organic			
Gravel	2-64 mm (0.1"-2	2.5")]	(FPOM)	0		
Sand	0.06-2mm (gritt	y)		Marl	grey, shell fragments	0		
Silt	0.004-0.06 mm		100]		0		
Clay	< 0.004 mm (sli	als)		1				

Notes: No flow present. Water quality measurements were not recorded due to the absence of flow.

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-D18	LOCATION Franklin County				
STATION # RIVERMILE	STREAM CLASS Ephemeral				
LAT <u>37.06956</u> LONG <u>-79.926213</u>	RIVER BASIN Upper Roanoke				
STORET#	AGENCY VADEQ				
INVESTIGATORS AW, AO					
FORM COMPLETED BY AO	DATE 8/28/2021 REASON FOR SURVEY TIME 8:50AM AM PM Baseline Assessment				

	Habitat		Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE 1	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
ıram	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
P ₂	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE 3	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Notes: No flow present.

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE 19	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
amp	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e ev:	SCORE 0	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to b	SCORE 1	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameter	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE 1	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 1	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE 5	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 10	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Notes: No flow present.

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-D18				LOCATION	LOCATION Franklin County												
STATION # RIVERMILE				STREAM CI	STREAM CLASS Ephemeral												
LAT 37.06956 LONG79.926213				RIVER BAS	RIVER BASIN Upper Roanoke												
STORET#						AGENCY VA	ADEQ										_
INVESTIGATORS A	W, A	O]	LOT	NUMBER					
FORM COMPLETE	D BY	Α	0				DATE 8/28/2021 REASON FOR SURVEY					SON FOR SURVEY Ba	aselin	ne A	.sse:	ssm	ent
HABITAT TYPES		Cob	ble_		%	tage of each habitat t	Ūν	eget	nt tated Other	Ban	ks	%	%				
SAMPLE	G	ear	used	Г	1D-fr	ame kick-net		Пс	Other								
COLLECTION																	
	Н	ow v	vere	the	samp	oles collected?	wadin	g	L	froi	n bar	ık ☐from boa	t				
]Cob	ble			r of jabs/kicks taken i Snags phytes	$\square V$	eget	bitat tated Other	Ban	e. ks	Sand)					
GENERAL	В	en	thic	cs i	not	sampled due	to r	10	flov	v a	nd	riffle habitat n	ot p	re	ser	nt.	
COMMENTS		0				campica ado						Timo Habitat II	o. p	,, ,	50.		
QUALITATIVE Indicate estimate Dominant Periphyton					0 = 1		ed, 1		Rare mes	e, 2	= C	ommon, 3= Abuno		1		3	4
Filamentous Algae	;				0	1 2 3 4		Ma	croi	nve	rtebr	rates	0	1	2	3	4
Macrophytes					0	1 2 3 4	2 3 4 Fish					0	1	2	3	4	
	d ab	und	anc	e:	0 = org	Absent/Not Obser anisms), 3= Abund	lant (>10	org	anis	sms)	rganisms), 2 = Coi , 4 = Dominant (>	50 oı	rgar	nism		
Porifera		1			4	_		1				Chironomidae		1	2		
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria Hirudinea	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Oligochaeta	0	1	2	3	4	Lepidoptera Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Franklin County Stream ID: S-D18

Stream Name: UNT to Teels Creek

HUC Code: 03010101 Basin: Upper Roanoke

Survey Date: 8/28/2021 Surveyors: AO, AW Type: Representative

T 1	DADTICI E		LE COUNT	D (1.1	7D + 1 #	T: 0/	0/ 0
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cu
	Silt/Clay	< .062	S/C	^	100	100.00	100.0
	Very Fine	.062125		^	0	0.00	100.0
	Fine	.12525	1	*	0	0.00	100.0
	Medium	.255	SAND	•	0	0.00	100.0
	Coarse	.50-1.0	1	•	0	0.00	100.0
.0408	Very Coarse	1.0-2	1	•	0	0.00	100.0
.0816	Very Fine	2 -4		^	0	0.00	100.0
.1622	Fine	4 -5.7	1	•	0	0.00	100.0
.2231	Fine	5.7 - 8	1	•	0	0.00	100.0
.3144	Medium	8 -11.3	1	•	0	0.00	100.0
.4463	Medium	11.3 - 16	GRAVEL	4	0	0.00	100.0
.6389	Coarse	16 -22.6		4	0	0.00	100.0
.89 - 1.26	Coarse	22.6 - 32		4	0	0.00	100.0
1.26 - 1.77	Vry Coarse	32 - 45		4	0	0.00	100.0
1.77 -2.5	Vry Coarse	45 - 64		4	0	0.00	100.0
2.5 - 3.5	Small	64 - 90		-	0	0.00	100.0
3.5 - 5.0	Small	90 - 128	COBBLE	4	0	0.00	100.0
5.0 - 7.1	Large	128 - 180		4	0	0.00	100.0
7.1 - 10.1	Large	180 - 256		•	0	0.00	100.0
10.1 - 14.3	Small	256 - 362		4	0	0.00	100.0
14.3 - 20	Small	362 - 512		4	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	•	0	0.00	100.0
40 - 80	Large	1024 -2048		•	0	0.00	100.0
80 - 160	Vry Large	2048 -4096		•	0	0.00	100.0
	Bedrock		BDRK	•	0	0.00	100.0
				Totals	100		

RIVERMORPH PARTICLE SUMMARY

River Name: UNT to Teels Creek Reach Name: S-D18 Sample Name: Representative 08/28/2021

Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	100.00 0.00	100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.01 0.02 0.03 0.05 0.06 0.06 100 0		

Total Particles = 100.

Ephemeral Stream Assessment Form (Form 1a) Unified Stream Methodology for use in Virginia

	For use in ephemeral streams								
Project #	Project Name	Locality	Cowardin Class.	HUC	Date	SAR#	Impact Length	Impact Factor	
22865.06	Mountain Valley Pipelin Valley Pipeline,	Franklin County	R6	03010101	8/28/2021	S-D18	30	1	
Name(s) of Evaluator(s) Stream Name			me and Information					SAR Length	
	AW AO	LINT to Teels	LINT to Tools Crook						

2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable)

			iditional Cate	gory				NOTES>>		
	Optimal	Subo	ptimal	Mar	ginal	Po	or			
Riparian Buffers	Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover and an non-maintained understory. Wetlands	High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cowe and containing both herbaceous and shrub layers or a non-maintained understory.		High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	ponds, open water. If present, tree	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, tralls, or other comparable conditions.			
		High	Low	High	Low	High	Low	Ī		
l		ı ıngıı	LOW	ingn	LOW	1 111911	_0			
Condition Scores	1.5	1.2	1.1	0.85	0.75	0.6	0.5			
Scores Delineate ripar Determine squ	1.5 rian areas along each stream bank uare footage for each by measuring	1.2 into Condition Cate or estimating leng	1.1 egories and Cond	0.85	0.75 the descriptors.	0.6 Ensure to				
Scores 1. Delineate ripar 2. Determine squ	rian areas along each stream bank uare footage for each by measuring iparian Area and Score for each ripa	1.2 into Condition Cate or estimating leng	1.1 egories and Cond	0.85	0.75 the descriptors.	0.6 Ensure to	0.5 he sums liparian qual 100			
Scores 1. Delineate ripar 2. Determine squ	rian areas along each stream bank uare footage for each by measuring iparian Area and Score for each ripa % Riparian Area> 50%	1.2 into Condition Cate or estimating leng arian category in the	1.1 egories and Cond	0.85	0.75 the descriptors.	0.6 Ensure to	0.5 the sums			
Scores 1. Delineate ripar 2. Determine squ 3. Enter the % Ri	rian areas along each stream bank uare footage for each by measuring iparian Area and Score for each ripa	1.2 into Condition Cate or estimating leng	1.1 egories and Cond	0.85	0.75 the descriptors.	0.6 Ensure to	0.5 he sums tiparian qual 100 100%	C = (Sum % RA * S	cores*0.01\/2	
Scores 1. Delineate ripar 2. Determine squ 3. Enter the % Ri Right Bank	rian areas along each stream bank uare footage for each by measuring iparian Area and Score for each rips % Riparian Area> 50% Score > 0.75	1.2 into Condition Cate or estimating leng arian category in th 50% 0.85	1.1 egories and Cond th and width. Cale ne blocks below.	0.85	0.75 the descriptors.	0.6 Ensure to	0.5 he sums tiparian qual 100 100%	CI= (Sum % RA * S Rt Bank CI >	,	
Scores 1. Delineate ripar 2. Determine squ 3. Enter the % Ri	rian areas along each stream bank uare footage for each by measuring iparian Area and Score for each ripa % Riparian Area> 50%	1.2 into Condition Cate or estimating leng arian category in the	1.1 egories and Cond	0.85	0.75 the descriptors.	0.6 Ensure to	0.5 he sums tiparian qual 100 100%	`	cores*0.01)/2 0.80 0.79	

REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH

THE REACH CONDITION INDEX (RCI) >> RCI= (Riparian CI)/2

COMPENSATION REQUIREMENT (CR) >> 12

CR = RCI X LF X IF


INSERT PHOTOS:


(WSSI Photo Location "L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread \Field Forms\S-D18\Photos\DS VIEW.jpg")




Looking downstream within the ROW. Assessment is limited to areas within the temporary ROW

DESCRIBE PROPOSED IMPACT:	







AS-BUILT TABLE: S-D20 & S-D18 CROSS SECTION B (PIPE CL)						
		PRE-CON		AS-E	BUILT	
DT LOC	NODTHING	NORTHING FACTING		VERT.	HORZ.	
PT. LOC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.	
TS-L	13461653.08	1953590.19	1079.40			
BS-L	13461651.69	1953584.39	1075.01			
THW	13461650.94	1953581.83	1073.90			
BS-R	13461650.34	1953580.41	1074.05			
TS-R	13461649.10	1953575.81	1079.82			





SURVEY NOTES:

- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on December 18, 2018.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountian Valley
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. All section views shown are left to right facing downstream.









PRE CROSSINC PHOTOS

Wetland

261.

)20&S-D18 - I



PHOTO TAKEN LOOKING DOWNSTREAM TO THE SOUTH



PHOTO TAKEN LOOKING UPSTREAM TO THE NORTH





PHOTO	TAKEN	LOOK

PHOTO TAKEN I OOKING	

PHOTO TAKEN LOOKING

CROSS	SECTION					
SCALE:	H: 1"=10'					
	V: 1"=5'					
CROSS SECTION LEGEND						
—— E	XISTING GRADE					

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.



Vertical Datum: NAVD 88

Boundary and Topo Source: WSSI 2' C.I. Topo Approved NAS JSF EJC

Sheet #

1 of 1

Survey\22000s\22800\22865.03\Spread I Work Dwgs

Computer File Name: