Baseline Assessment – Stream Attributes

Reach S-E14 (Pipeline ROW) Perennial Spread I Franklin County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	✓
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	✓
Longitudinal Profile and Cross Sections	✓

Spread I Stream S-E14 (Pipeline ROW) Franklin County



Location, Orientation, Photographer Initials: Downstream at LOC looking SW upstream, CB




Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream at LOC looking N downstream, CB

Spread I Stream S-E14 (Pipeline ROW) Franklin County



Location, Orientation, Photographer Initials: On left bank at pipe centerline looking SE at right streambank, CB



Photo Type: RB CL

Location, Orientation, Photographer Initials: On right bank at pipe centerline looking NW at left streambank, CB

Spread I Stream S-E14 (Pipeline ROW) Franklin County



Photo Type: US COND Location, Orientation, Photographer Initials: Upstream at LOC looking SW upstream, CB



Location, Orientation, Photographer Initials: Upstream at LOC looking NE downstream, CB

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain V	alley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	36.995814	Lon.	-79.735144	WEATHER:	Sunny	DATE:	Augus	t 26, 2021
IMPACT STREAM/SITE ID (watershed size {acreage},		FION:	S-E14; 3	315.99 ac	,	MITIGATION STREAM CLJ (watershed size {a	ASS./SITE ID AND acreage), unaltered or in				Comments:		
STREAM IMPACT LENGTH:		FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Column No. 1- Impact Existing	g Condition (Debit)		Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigati Post Comp	on Projected at Five pletion (Credit)	e Years	Column No. 4- Mitigation Pro Post Completion		Column No. 5- Mitigation I	Projected at Maturity	(Credit)
Stream Classification:	Perennial		Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:		0
Percent Stream Channel Sle	ope 3.	.73	Percent Stream Channel Slo	рре		Percent Stream Chann	nel Slope	0	Percent Stream Channel S	Slope 0	Percent Stream Char	nnel Slope	0
HGM Score (attach da	ata forms):		HGM Score (attach o	data forms):		HGM Score (a	ttach data forms):		HGM Score (attach	data forms):	HGM Score (at	tach data forms):	
	Ave	erage		Average				Average		Average			Average
Hydrology Biogeochemical Cycling			Hydrology Biogeochemical Cycling	0		Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling	0	Hydrology Biogeochemical Cycling		0
Habitat PART I - Physical, Chemical and	Biological Indicators		Habitat PART I - Physical, Chemical and	Biological Indicators		Habitat PART I - Physical, Chemi	cal and Biological I	ndicators	Habitat PART I - Physical, Chemical and	Biological Indicators	Habitat PART I - Physical, Chemic	al and Biological Indi	icators
TACT 1-1 Hydrodi, Orientical and			TACTI-THYSICAL, OHOLINGAI AIRC			TAKT T-T Hydical, Official	_		Tact 1-1 Hydical, Olicillical all		Taxti 1-1 Hysical, Gilcillic	-	
		s Score		Points Scale Range Site Score			Points Scale Ran	ge Site Score		Points Scale Range Site Score		Points Scale Rang	ge Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all s	treams classifications)		PHYSICAL INDICATOR (Applies to all stream	ns classifications)	PHYSICAL INDICATOR (Applies to all	streams classifications)	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20 1	18	USEPA RBP (Low Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20		USEPA RBP (High Gradient Data Sho 1. Epifaunal Substrate/Available Cover			USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20	USEPA RBP (High Gradient Data St 1. Epifaunal Substrate/Available Cove	neet)	
2. Embeddedness		17	Pool Substrate Characterization	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20	Embeddedness	0-20	
3. Velocity/ Depth Regime	0-20	15	3. Pool Variability	0-20		3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20	3. Velocity/ Depth Regime	0-20	
4. Sediment Deposition		18	Sediment Deposition	0-20		Sediment Deposition	0-20		Sediment Deposition	0-20	Sediment Deposition	0-20	
5. Channel Flow Status		15	5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20	1	Channel Flow Status	0-20 0-1	5. Channel Flow Status	0-20	1
6. Channel Alteration		19	Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20	Channel Alteration	0-20	
7. Frequency of Riffles (or bends)		17	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)		15	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20	
Vegetative Protection (LB & RB) Riparian Vegetative Zone Width (LB & RB)		16 15	9. Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB) Reparan Vegetative Zone Width (LB & R)	0-20		Vegetative Protection (LB & RB)	0-20	Vegetative Protection (LB & RB)	0-20	
Riparian Vegetative Zone Width (LB & RB) Total RBP Score		15 165	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 Poor 0		 Riparian Vegetative Zone Width (LB & I Total RBP Score 	RB) 0-20	0	Riparian Vegetative Zone Width (LB & RB) Total RBP Score	Poor 0	 Riparian Vegetative Zone Width (LB 8 Total RBP Score 	RB) 0-20	0
Sub-Total		825	Sub-Total	0	1	Sub-Total	POOI	0	Sub-Total	Poul	Sub-Total	Pool	0
CHEMICAL INDICATOR (Applies to Intermitten			CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Inte	rmittent and Perennial		CHEMICAL INDICATOR (Applies to Intermitte		CHEMICAL INDICATOR (Applies to In	termittent and Perennial S	
WVDEP Water Quality Indicators (General			WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Ge		,	WVDEP Water Quality Indicators (General		WVDEP Water Quality Indicators (G		
Specific Conductivity	_		Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity		
<=99 - 90 points	0-90 79	9.4		0-90			0-90			0-90		0-90	
pH	0.1		pH	0.1	-	pH	0.0	1	pH	0.1	pH	0.	1
6.0-8.0 = 80 points	0-80	.08		5-90	l		5-90			5-90		5-90	
DO			DO			DO			DO		DO		
	10-30 8.	.09		10-30			10-30			10-30		10-30	
>5.0 = 30 points Sub-Total		1	Sub-Total	0	ł	Sub-Total		0	Sub-Total	0	Sub-Total		-
BIOLOGICAL INDICATOR (Applies to Intermitt	tent and Perennial Streams))	BIOLOGICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to	Intermittent and Pere	nnial Streams)	BIOLOGICAL INDICATOR (Applies to Inter	mittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to	Intermittent and Peren	inial Streams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI))		WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSC	en en	
C7	0-100 0-1 66	6.3		0-100 0-1	1		0-100 0-	1		0-100 0-1		0-100 0-	1
Grey Zone Sub-Total	0.6	663	Sub-Total	0		Sub-Total	_	0	Sub-Total	0	Sub-Total		0
PART II - Index and U	Jnit Score		PART II - Index and	Unit Score	1	PART II - Inde	ex and Unit Score		PART II - Index and	Unit Score	PART II - Inde:	x and Unit Score	
Index	Linear Feet Unit	Score	Index	Linear Feet Unit Score		Index	Linear Fee	t Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	t Unit Score
0.829	82 68.00	053333	0	0 0		0	0	0	0	0 0	0	0	0
0.023	02 00.00		•	, ,	1			, ,		0	J L	,	

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-E14		LOCATION Franklin	LOCATION Franklin					
STATION # RIVERMILE		STREAM CLASS Perennial						
LAT <u>36.995814</u> LONG <u>-79.735144</u>		RIVER BASIN Upper Roano	oke					
STORET#		AGENCY VADEQ	AGENCY VADEQ					
INVESTIGATORS CB BH								
FORM COMPLETED BY	ВН	DATE 8/26/21 TIME 1200	REASON FOR SURVEY Baseline Assessment					
WEATHER CONDITIONS	Now storm	hours (heavy rain)	Has there been a heavy rain in the last 7 days? Yes No					

WEATHER CONDITIONS	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) % cloud cover clear/sunny Has there been a heavy rain in the last 7 days? ✓ Yes No Air Temperature 29.4 ° C Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) R: PPR R: PPR
	Bridge LOD
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Varmwater Catchment Area km² Mixture of origins Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		✓ Fores	Pasture Induultural Othe	Landuse nmercial istrial er	Local Watershed NPS □ No evidence □ Sor □ Obvious sources Local Watershed Erosi □ None □ Moderate	ne potential sources			
RIPARIA VEGETA (18 meter	TION		e the dominant type int species present		ominant species present ☐ Grasses ☐ He	rbaceous			
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depth _0	m m m ² km ² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle 40 % Pool 40 % Channelized Yes Dam Present Yes	epresented by Stream Run 20 %			
LARGE WOODY DEBRIS LWD 1 m² Density of LWDm²/km² (LWD/ reach area)									
AQUATIO VEGETA		Roote Floati	Indicate the dominant type and record the dominant species present Rooted emergent Floating Algae Portion of the reach with aquatic vegetation 5 %						
WATER (QUALITY	Specific Dissolve pH 7.08 d Turbidi	cature 22.6 d			Other			
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Absen		None					
INC		STRATE of	COMPONENTS 00%)		ORGANIC SUBSTRATE C				
Substrate Type	Diamet	er	% Composition i Sampling Reach		Characteristic	% Composition in Sampling Area			
Bedrock Boulder	> 256 mm (10")	ı		Detritus	sticks, wood, coarse plant materials (CPOM)	5			
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-2		27 47	Muck-Mud	black, very fine organic (FPOM)				
Sand Silt Clay	0.06-2mm (gritt 0.004-0.06 mm < 0.004 mm (sli		16 10	Marl	grey, shell fragments				

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-E14	LOCATION Franklin				
STATION # RIVERMILE	STREAM CLASS Perennial				
LAT <u>36.995814</u> LONG <u>-79.735144</u>	RIVER BASIN Upper Roanoke				
STORET#	AGENCY VADEQ				
INVESTIGATORS CB BH					
FORM COMPLETED BY BH	DATE 8/26/21 REASON FOR SURVEY TIME 1200 AM PM Baseline Assessment				

	Habitat		Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ı sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE 17	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
ıram	_{SCORE} 15	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
P ₂	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	score 15	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)


	Habitat	Condition Category											
	Parameter	Optimal	Suboptin	nal	N	Iargina	ıl		Poor				
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually of bridge abutmed evidence of past channelization, in dredging, (greater past 20 yr) may present, but recent channelization is present.	in areas ents; .e., er than be nt	Channeliz extensive or shoring present on and 40 to reach cha disrupted.	; emban g structu n both b 80% of nnelized	kments ires anks; stream	or cement the streat channelities disrupted	nt; over m reach zed and d. Instru reatly a	eam ltered or			
	SCORE 19	20 19 18 17 16	15 14 13	12 11	10 9	8	7 6	5 4	3 2	1 0			
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of ri infrequent; distarbetween riffles d the width of the between 7 to 15.	nce ivided by stream is	Occasion: bottom co some hab between r the width between 1	ontours jitat; distiffles di	provide tance vided by tream is	shallow	riffles; printering riffle	between y the			
amp	SCORE 17	20 19 18 17 16	15 14 13	12 11	10 9	8	7 6	5 4	3 2	1 0			
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stabinfrequent, small erosion mostly hover. 5-30% of reach has areas of	areas of ealed bank in	Moderate 60% of ba areas of e erosion po floods.	ank in rosion;	each has high	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.					
e eva	SCORE 8	Left Bank 10 9	8 7	6	5	4	3	2	1	0			
to be	SCORE 7	Right Bank 10 9	8 7	6	5	4	3	2	1	0			
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfacovered by native vegetation, but of plants is not wrepresented; disrevident but not a full plant growth to any great extethan one-half of potential plant stheight remaining	e ne class /ell- uption ffecting potential nt; more the ubble	50-70% of streambar covered be disruption patches of closely or common; half of the stubble he	nk surfa y vegeta n obviou f bare so opped v less that e potent	ation; as; oil or regetation n one- ial plant	Less that streamba covered disruption vegetation removed 5 centimal average	by vege on of stro on is ver on has b to eters or	tation; eambank y high; een			
	SCORE 8	Left Bank 10 9	8 7	6	5	4	3	2	1	0			
	SCORE 8	Right Bank 10 9	8 7	6	5	4	3	2	1	0			
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian 12-18 meters; hu activities have in zone only minim	ıman npacted	Width of 12 meters activities zone a gro	; humai have im	n ipacted	meters: 1	ittle or i vegetati	on due to			
	SCORE 8	Left Bank 10 9	8 7	6	5	4	3	2	1	0			
	SCORE 7	Right Bank 10 9	8 7	6	5	4	3	2	1	0			

Total Score 165

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

Platyhelminthes 0 1 2 3 4 Hemiptera 0 1 2 3 4 Trichoptera 0 1 2 3 4 Turbellaria 0 1 2 3 4 Coleoptera 0 1 2 3 4 Hirudinea 0 1 2 3 4 Lepidoptera 0 1 2 3 4 Oligochaeta 0 1 2 3 4 Corydalidae 0 1 2 3 4 Isopoda 0 1 2 3 4 Tipulidae 0 1 2 3 4 Decapoda 0 1 2 3 4 Empididae 0 1 2 3 4 Gastropoda 0 1 2 3 4 Tabinidae 0 1 2 3 4 Bivalvia 0	STREAM NAME S-I	Ξ14					LOCATION	Frank	lin C	oun	ty							
NVISTIGATORS CB BH	STATION#	R	IVE	RMI	LE_		STREAM CI	LASSF	ere	nnia	I							
Indicate the number of jabe/kicks taken in ceach habitat type.	LAT 36.995814	L	ONC	j -79.	73514	4	RIVER BAS	IN Upp	er F	Roan	oke							
TIME	STORET#						AGENCY V	ADEQ										
HABITAT TYPES	INVESTIGATORS C	B BH	1				•				I	LOT	NUMBER					
Cobble So Sangs So Other Collected Banks Sand So Southwested Macrophytes Southwested Macrophytes Southwested Macrophytes Southwested Macrophytes Other Other Indicate the number of jabs/kick taken in each habitat type. Cobble Southwested Macrophytes Other Songs Other Songs Other Songs Other Songs Other Songs Other O	FORM COMPLETE	ЭBY	В	Η							Ι	REAS	SON FOR SURVEY Ba	aselir	ıe A	sses	ssm	ent
How were the samples collected?	HABITAT TYPES	✓]Cob	ble 1	00	%	□Snags %	Πīν	eget	ated	Banl	ks		_%				
How were the samples collected?	SAMPLE	G	ear	used		D-fi	ame kick-net		□c	ther								
Indicate the number of jabs/kicks taken in each habitat type.	COLLECTION																	
Cobble Submerged Macrophytes Common Cobble Common Comm		"	ow v	vere	tne	samp	oles collected?	wadin	g	Ь	ıror	n bar	ikirom boa	τ				
QUALITATIVE LISTING OF AQUATIC BIOTA Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 = Dominant		✓	Cob	ble 4			☐Snags	\Box V	eget	ated	Banl	ks	Sand)	_				
QUALITATIVE LISTING OF AQUATIC BIOTA Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 =		F	oui	r ki	cks	s w	ere taken in d	obb	le l	nak	oita	ıts.						
Periphyton	COMMENTS	•	-		•													
Periphyton																		
Periphyton																		
Filamentous Algae	Indicate estimated Dominant					0 = 2	Absent/Not Observ	ved, 1			e, 2	= C	ommon, 3= Abuno				3	4
FIELD OBSERVATIONS OF MACROBENTHOS Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)		;				0	1 2 3 4		Ma	croi	nve	rtebr	rates	0	1	2	3	4
Porifera	_					0	1 2 3 4		Fis	h				0	1	2	3	4
Hydrozoa 0 1 2 3 4 Zygoptera 0 1 2 3 4 Ephemeroptera 0 1 2 3 4 Platyhelminthes 0 1 2 3 4 Hemiptera 0 1 2 3 4 Turbellaria 0 1 2 3 4 Coleoptera 0 1 2 3 4 Hirudinea 0 1 2 3 4 Lepidoptera 0 1 2 3 4 Oligochaeta 0 1 2 3 4 Corydalidae 0 1 2 3 4 Amphipoda 0 1 2 3 4 Empididae 0 1 2 3 4 Decapoda 0 1 2 3 4 Empididae 0 1 2 3 4 Gastropoda 0	Indicate estimate	d ab	und	anc	e:	0 = org	Absent/Not Obser anisms), 3= Abund	lant (>10	org	anis	sms)	, 4 = Dominant (>:	50 oı	rgan	nism		
Platyhelminthes 0 1 2 3 4 Hemiptera 0 1 2 3 4 Trichoptera 0 1 2 3 4 Turbellaria 0 1 2 3 4 Coleoptera 0 1 2 3 4 Hirudinea 0 1 2 3 4 Lepidoptera 0 1 2 3 4 Oligochaeta 0 1 2 3 4 Corydalidae 0 1 2 3 4 Isopoda 0 1 2 3 4 Tipulidae 0 1 2 3 4 Decapoda 0 1 2 3 4 Empididae 0 1 2 3 4 Gastropoda 0 1 2 3 4 Tabinidae 0 1 2 3 4 Bivalvia 0																		
Turbellaria 0 1 2 3 4 Coleoptera 0 1 2 3 4 Other 0 1 2 3 4 Hirudinea 0 1 2 3 4 Lepidoptera 0 1 2 3 4 Oligochaeta 0 1 2 3 4 Sialidae 0 1 2 3 4 Isopoda 0 1 2 3 4 Corydalidae 0 1 2 3 4 Amphipoda 0 1 2 3 4 Empididae 0 1 2 3 4 Gastropoda 0 1 2 3 4 Simuliidae 0 1 2 3 4 Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4	•		_						_						_			4
Hirudinea 0 1 2 3 4 Lepidoptera 0 1 2 3 4 Oligochaeta 0 1 2 3 4 Sialidae 0 1 2 3 4 Isopoda 0 1 2 3 4 Corydalidae 0 1 2 3 4 Amphipoda 0 1 2 3 4 Empididae 0 1 2 3 4 Obcapoda 0 1 2 3 4 Empididae 0 1 2 3 4 Obcapoda 0 1 2 3 4 Empididae 0 1 2 3 4 Obcapoda 0 1 2 3 4 Tabinidae 0 1 2 3 4 Obcapoda 0 1 2 3 4 Tabinidae 0 1 2 3 4 Obcapoda 0 1 2 3	-		_				_						-		•			
Oligochaeta 0 1 2 3 4 Sialidae 0 1 2 3 4 Isopoda 0 1 2 3 4 Corydalidae 0 1 2 3 4 Amphipoda 0 1 2 3 4 Tipulidae 0 1 2 3 4 Decapoda 0 1 2 3 4 Empididae 0 1 2 3 4 Gastropoda 0 1 2 3 4 Simuliidae 0 1 2 3 4 Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4							-		-				Otner	U	1	2	3	4
Isopoda 0 1 2 3 4 Corydalidae 0 1 2 3 4 Amphipoda 0 1 2 3 4 Tipulidae 0 1 2 3 4 Decapoda 0 1 2 3 4 Empididae 0 1 2 3 4 Gastropoda 0 1 2 3 4 Simuliidae 0 1 2 3 4 Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4			1						-									
Amphipoda 0 1 2 3 4 Tipulidae 0 1 2 3 4 Decapoda 0 1 2 3 4 Empididae 0 1 2 3 4 Gastropoda 0 1 2 3 4 Simuliidae 0 1 2 3 4 Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4	-		1						-			-						
Decapoda 0 1 2 3 4 Empididae 0 1 2 3 4 Gastropoda 0 1 2 3 4 Simuliidae 0 1 2 3 4 Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4	_		1				•		1									
Gastropoda 0 1 2 3 4 Simuliidae 0 1 2 3 4 Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4			1					-	1									
Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4			1						1									
	*		1						_									
							Culcidae		1									

Mountain Valley Pipeline Data are not adjusted for subsampling



ORDER GENUS/SPECIES		
		COUNT
Ephemeroptera Acentrella sp.		4
Ephemeroptera Baetis sp.		15
Ephemeroptera Baetisca sp.		1
Ephemeroptera Maccaffertium sp.		10
Ephemeroptera Stenacron sp.		3
Ephemeroptera Teloganopsis deficiens		1
Plecoptera Leuctra sp.		3
Trichoptera Cheumatopsyche sp.		19
Trichoptera Chimarra sp.		11
Trichoptera Hydropsyche sp.		16
Trichoptera Hydroptila sp.		2
Odonata Argia sp.		1
Coleoptera Ectopria sp.		1
Coleoptera Helichus sp. Coleoptera Optioservus sp.		1 1
· · · · ·		2
Coleoptera Oulimnius sp.		
Coleoptera Psephenus sp.		9
Megaloptera Nigronia sp. Diptera-Chironomidae Brillia sp.		
Diptera-Chironomidae Brillia sp. Diptera-Chironomidae Cladotanytarsus sp.		3 7
Diptera-Chironomidae Cricotopus sp.		1
Diptera-Chironomidae Microtendipes sp.		2
Diptera-Chironomidae Nilothauma sp.		1
Diptera-Chironomidae Paracricotopus sp.		1
Diptera-Chironomidae Parakiefferiella sp.		2
Diptera-Chironomidae Polypedilum sp.		60
Diptera-Chironomidae Rheotanytarsus sp.		5
Diptera-Chironomidae Stempellinella sp.		1
Diptera-Chironomidae Tanytarsus sp.		3
Diptera-Chironomidae Thienemanniella sp.		5
Diptera-Chironomidae Thienemannimyia gr. sp.		3
Diptera-Chilofonidae Thierienianimiya gr. sp. Diptera Antocha sp.		2
		1
Diptera Ceratopogoninae		
Diptera Empididae		2
Diptera Hexatoma sp.		2
Diptera Simulium sp.		7
Annelida tubificoid Naididae w/o cap setae		1
Bivalvia Sphaeriidae		1
Gastropoda Ferrissia sp.		1
Gastropoda Pleuroceridae		9
Acari Lebertia sp.		1
Other Organisms Nematoda		3
Other Organisms Prostoma sp.		1
Other Organisms Turbellaria	OTAL	227

Mountain Valley Pipeline WV SCI Metrics



Sample ID Collection Date	
WVSCI Metric Values Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	26 8 37.4 41.4 56.8 5.11
WVSCI Metric Scores Total taxa EPT taxa % EPT Chironomidae 2 Dominant HBI	123.8 61.5 40.7 59.2 67.5 68.9
WVSCI Metric Scores Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	100.0 61.5 40.7 59.2 67.5 68.9
WVSCI Total Score	66.3

WVSCI Thresholds

Unimpaired = > 68.00 Gray Zone = 60.61 to 68.00 Impaired = <60.61

WOLMAN PEBBLE COUNT FORM

County: Franklin County Stream ID: S-E14

Stream Name: UNT to Blackwater River

HUC Code: 03010101 Basin: Upper Roanoke

Survey Date: 8/26/2021
Surveyors: CB BH
Type: Representative

т 1	DADELCI E		LE COUNT	D (1)	TD 4 1 11	T/ 0/	0/ 0
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	A	10	10.00	10.00
	Very Fine	.062125		A	6	6.00	16.00
	Fine	.12525		A	2	2.00	18.00
	Medium	.255	SAND	A		0.00	18.00
	Coarse	.50-1.0		A	2	2.00	20.00
.0408	Very Coarse	1.0-2		~	6	6.00	26.00
.0816	Very Fine	2 -4		~	7	7.00	33.00
.1622	Fine	4 -5.7		^	6	6.00	39.00
.2231	Fine	5.7 - 8	1	A	8	8.00	47.00
.3144	Medium	8 -11.3		^	7	7.00	54.00
.4463	Medium	11.3 - 16	GRAVEL	A	2	2.00	56.00
.6389	Coarse	16 -22.6		A	6	6.00	62.00
.89 - 1.26	Coarse	22.6 - 32		A	6	6.00	68.00
1.26 - 1.77	Vry Coarse	32 - 45		A	2	2.00	70.00
1.77 -2.5	Vry Coarse	45 - 64		A	3	3.00	73.00
2.5 - 3.5	Small	64 - 90		A	7	7.00	80.00
3.5 - 5.0	Small	90 - 128		^	12	12.00	92.00
5.0 - 7.1	Large	128 - 180	COBBLE	A	8	8.00	100.0
7.1 - 10.1	Large	180 - 256		^		0.00	100.0
10.1 - 14.3	Small	256 - 362		A		0.00	100.0
14.3 - 20	Small	362 - 512	1	A		0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	A		0.00	100.0
40 - 80	Large	1024 -2048	1	A		0.00	100.0
80 - 160	Vry Large	2048 -4096	1	A		0.00	100.0
	Bedrock		BDRK	A		0.00	100.0
				Totals:	100		

RIVERMORPH PARTICLE SUMMARY

UNT to Blackwater River

River Name: Reach Name: Sample Name:

S-E14 Representative 08/26/2021 Survey Date:

Size (mm)	тот #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	10 6 2 0 2 6 7 6 8 7 2 6 6 2 3 7 12 8 0 0 0 0	10.00 6.00 2.00 0.00 2.00 6.00 7.00 6.00 8.00 7.00 2.00 6.00 2.00 3.00 7.00 12.00 8.00 0.00 0.00 0.00 0.00	10.00 16.00 18.00 18.00 20.00 26.00 33.00 39.00 47.00 54.00 56.00 62.00 68.00 70.00 73.00 80.00 92.00 100.00 100.00 100.00 100.00 100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.13 4.57 9.41 102.67 147.5 180 10 16 47 27 0		

Total Particles = 100.

Stream Assessment Form (Form 1) Unified Stream Methodology for use in Virginia or use in wadeable channels classified as intermittent or perennial Cowardin Impact Impact Project # **Project Name (Applicant)** Locality HUC Date SAR# Class <u>-ength</u> Factor Mountain Valley Pipeline (Mountain Franklin 22865.06 R3 03010101 8/26/21 S-E14 82 1 Valley Pipeline, LLC) County Stream Name and Information SAR Length Name(s) of Evaluator(s) Franklin County, Spread I 82 **CB BH** 1. Channel Condition: Assess the cross-section of the stream and prevailing condition (erosion, aggradation) Conditional Category Optimal Suboptimal Poor Severe Marginal ery little incision or active erosion; 80 Slightly incised, few areas of active Deeply incised (or excavated), Overwid ened/incised. 100% stable banks. Vegetative sion or unprotected banks. Majorit Poor, Banks more stable than Severe laterally unstable. Likely to widen vertical/lateral instability. Severe of banks are stable (60-80%). or Poor due to lower bank slopes further. Majority of both banks ar ncision, flow contained within the Channel prominent (80-100%). AND/OR Stable Vegetative protection or natural rock Erosion may be present on 40-60% of near vertical. Erosion present on 60 banks. Streambed below average Condition both banks. Vegetative protection on 40-60% of banks. Streambanks may pankfull benches are present. Acces to their original floodplain or fully prominent (60-80%) AND/OR Depositional features contribute to banks. Vegetative protection presen on 20-40% of banks, and is insufficier majority of banks vertical/undercut. Vegetative protection present on less stability. The bankfull and low flow channels are well defined. Stream likely has access to bankfull be vertical or undercut. AND/OR 40-60% Sediment may be temporary transient, contribute instability. than 20% of banks, is not preventing eveloped wide bankfull benches. Mic to prevent erosion. AND/OR 60-80% channel bars and transverse bars few Transient sediment deposition covers the stream is covered by sediment. Sediment is temporary / transient in erosion. Obvious bank sloughing present. Erosion/raw banks on 80-100%. AND/OR Aggrading channel. than 80% of stream bed is covered by deposition, contributing to instability. less than 10% of bottom. benches,or newly developed Deposition that contribute to stability nature, and contributing to instability portions of the reach. Transient sediment covers 10-40% of the may be forming/present. AND/OR V-shaped channels have vegetative AND/OR V-shaped channels have vegetative protection is present on > stream hottom protection on > 40% of the banks and 10% of the banks and stable sedimer Multiple thread channels and/or depositional features which contribute deposition is absent subterranean flow CI to stability. 3 2.4 **Scores** 2 1.6 2.40 NOTES>> 2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable) **Conditional Category** NOTES>> Marginal Optimal Suboptimal Poor Low Marginal: High Poor: Lawn: ow Suboptimal Non-maintained High Suboptima mowed, and Riparian areas with tree stratum **High Marginal** nse herbaceoi aintained area Low Poor: Riparian areas Non-maintained, vegetation, with tree stratum nurseries: no-till Impervious (dbh > 3 inches) lense herbaceou riparian areas cropland: actively (dbh > 3 inches) surfaces mine esent, with 30% to 60% tree vegetation with acking shrub and ree stratum (dbh > 3 inches) presen present, with 309 grazed pasture, spoil lands, Riparian either a shrub tree stratum, hav with > 60% tree canopy cover. to 60% tree parsely vegetate lenuded surfaces anopy cover an a maintained layer or a tree layer (dbh > 3 roduction, pond open water. If **Buffers** Wetlands located within the riparian anopy cover ar row crops, active areas. containing both area, recently feed lots, trails, or understory. Recent cutover inches) present with <30% tree present, tree herbaceous and seeded and other comparable conditions. stratum (dbh >3 shrub layers or a abilized, or othe (dense canopy cover inches) present non-maintained comparable vegetation). with <30% tree understory. condition. canopy cover with maintained High Low High Low High Low 1.5 1.2 0.85 0.6 0.5 Scores 1.1 0.75 Delineate riparian areas along each stream bank into Condition Categories and Condition Scores using the descriptors Ensure the sums Determine square footage for each by measuring or estimating length and width. Calculators are provided for you of % Riparian pelow . Enter the % Riparian Area and Score for each riparian category in the blocks below Blocks equal 100 Assessment is limited to % Riparian Area> 35% 65% 100% areas within the Right Bank 0.85 Score > 0.5 temporary ROW. CI= (Sum % RA * Scores*0.01)/2 % Riparian Area> 35% 65% 100% Rt Bank CI > 0.73 CI Left Bank 0.73 Score > 0.85 Lt Bank CI > 0.73 3. INSTREAM HABITAT: Varied substrate sizes, water velocity and depths; woody and leafy debris; stable substrate; low embededness; shade; undercut banks; root mats; SAV; ffle/pool complexes, stable features **Conditional Category** NOTES>> Instream Optimal Suboptimal Marginal Poor Habitat/ Stable habitat elements are typically Stable habitat elements are typically Habitat elements listed above are **Available** present in 30-50% of the reach and Habitat elements are typically preser present in 10-30% of the reach and lacking or are unstable. Habitat in greater than 50% of the reach are adequate for maintenance of are adequate for maintenance of elements are typically present in less Cover than 10% of the reach. populations populations Stream Gradient

0.9

0.5

High / Low

1.50

Scores

1.5

1.2

	St	ream In	npact A	ssessn	nent Fo	rm Pag	e 2		
Project #	Project Name (Applicant)		Locality	Cowardin Class.	нис	Date	SAR # / Data Point	Impact / SAR length	Impact Factor
22865.06	Mountain Valley Pipeline Valley Pipeline, L	•	Franklin County	R3	03010101	8/26/21	S-E14	82	1
. CHANNE	L ALTERATION: Stream cross	ings, riprap, concr		oncrete blocks, st	traightening of cha	annel, channeliza	tion, embankment	s, spoil piles, constric	ctions, livestock
	Negligible	Minor		Moderate		Severe			
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	of the channel	20-40% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	is disrupted by any of the channel alterations listed in the parameter guidelines. If	100 - 20% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not	Greater than 80% by any of the char in the parameter 80% of banks s	of reach is disrupted inel alterations listed guidelines AND/OR hored with gabion, or cement.		
				recovered	recovered			4	
Scores	1.5	1.3	1.1	0.9	0.7	().5	1	
Scores		-			0.7				

RCI= (Sum of all Cl's)/5, except if stream is ephemeral RCI = (Riparian Cl/2)

COMPENSATION REQUIREMENT (CR) >> 94


CR = RCI X L_i X IF


INSERT PHOTOS:




DESCRIBE PROPOSED IMPACT:


PROVIDED UNDER SEPARATE COVER









CL STAKEOUT POINTS: S-E14 CROSS SECTION B (PIPE CL)							
		PRE-CROSSING			POST-CROSSING		
PT. LOC.	NORTHING	FACTING	ELEV	VERT.	HORZ.		
	NORTHING	EASTING	ELEV	DIFF.	DIFF.		
TS-L	13435523.56	2009671.71	857.69				
BS-L	13435521.80	2009674.79	853.76				
THW	13435520.84	2009677.06	853.68				
BS-R	13435515.03	2009688.49	855.75				
TS-R	13435513.03	2009693.16	858.38				







SURVEY NOTES:

- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on October 8, 2018.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountain Valley Pipeline
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. All section views shown are left to right facing downstream.
- 6. Cross-section B shot at location of pipe centerline (based on best professional







CROSS SECTION LEGEND EXISTING GRADE

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

CROSS SECTION H: 1"=10' V: 1"=5'



PHOTO TAKEN LOOKING DOWNSTREAM ALONG LEFT BANK ON 02/27/2018



2

BANK ON 02/27/2018



PHOTO TAKEN LOOKING DOWNSTREAM



PHOTO TAKEN LOOKING UPSTREAM

ALONG RIGHT BANK ON 02/27/2018 POST-CROSSING PHOTOS PENDING CROSSING

PHOTO TAKEN LOOKING PENDING CROSSING PHOTO TAKEN LOOKING Horizontal Datum: NAD 1983 UTM ZONE 1

> Vertical Datum: NAVD 88 Boundary and Topo Source:

WSSI 2' C.I. Topo PENDING CROSSING EJC MGE NAS Sheet #

PHOTO TAKEN LOOKING Computer File Name:

L:\Survey\22000s\22800\22865.03\Spread I Work Dwgs 2865_03 S-I MP 268-278 Sheets.dwg

1 of 1

Approved