
# **Baseline Assessment – Stream Attributes**

# Reach S-E18 (Pipeline ROW) Perennial Spread I Franklin County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – no habitat
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	✓
Longitudinal Profile and Cross Sections	✓



Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking N upstream, BH



Location, Orientation, Photographer Initials :Downstream at ROW/LOD looking SE downstream, BH



Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking W while standing on left bank, BH



Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking E while standing on right bank, BH



Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking NE upstream, BH



Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking SW downstream, BH

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mountain Valley Pipeline			IMPACT COORDINATES: Lat. 37.001271 Lon79.747749		WEATHER:		Sunny	DATE:	August 27, 2021				
IMPACT STREAM/SITE ID (watershed size {acreage},			S-E18	8;49.87 ac			MITIGATION STREAM CLASS. (watershed size {acreag			u:			Comments:	
STREAM IMPACT LENGTH:	94	FORM MITIGA	RESTORATION (Levels I-III)		OORDINATES: simal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:			Mitigation Length:	
Column No. 1- Impact Existing	g Condition (Del	bit)	Column No. 2- Mitigation Existing	Condition - Base	line (Credit)		Column No. 3- Mitigation P Post Completio		ears	Column No. 4- Mitigation Pro		ears	Column No. 5- Mitigation Projecte	ed at Maturity (Credit)
Stream Classification:	Pere	nnial	Stream Classification:				Stream Classification:		0	Stream Classification:		0	Stream Classification:	0
Percent Stream Channel SI	оре	1.83	Percent Stream Channel S	Slope			Percent Stream Channel S	Slope	0	Percent Stream Channel S	Slope	0	Percent Stream Channel SI	ope 0
HGM Score (attach da	ata forms):		HGM Score (attach	n data forms):			HGM Score (attach	n data forms):		HGM Score (attach	data forms):		HGM Score (attach da	ita forms):
		Average			Average				Average			Average		Average
Hydrology			Hydrology				Hydrology			Hydrology		100	Hydrology	
Biogeochemical Cycling		0	Biogeochemical Cycling		0	I II	Biogeochemical Cycling		0	Biogeochemical Cycling		0	Biogeochemical Cycling	0
Habitat			Habitat				Habitat			Habitat			Habitat	
PART I - Physical, Chemical and	Biological Indic	ators	PART I - Physical, Chemical a	nd Biological Ind	icators		PART I - Physical, Chemical a	ınd Biological Ind	cators	PART I - Physical, Chemical and	d Biological Indi	cators	PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range	Site Score		Points Scale Range	Site Score			Points Scale Range	Site Score		Points Scale Range	Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stream	ns classifications)			PHYSICAL INDICATOR (Applies to all stream	ns classifications)		PHYSICAL INDICATOR (Applies to all stream	ns classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)			<b>USEPA RBP (High Gradient Data Sheet)</b>			USEPA RBP (High Gradient Data Sheet)	
Epifaunal Substrate/Available Cover	0-20	15	Epifaunal Substrate/Available Cover	0-20			Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20
2. Embeddedness	0-20	16	Pool Substrate Characterization	0-20			2. Embeddedness	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20
3. Velocity/ Depth Regime	0-20	8	3. Pool Variability	0-20			3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20
Sediment Deposition     Channel Flow Status	0-20	13	Sediment Deposition     Channel Flow Status	0-20			Sediment Deposition     Channel Flow Status	0-20		Sediment Deposition     Channel Flow Status	0-20		Sediment Deposition     Sediment Flow Status	0-20
6. Channel Alteration	0-20 0-1	19	6. Channel Alteration	0-20 0-1			6. Channel Alteration	0-20 0-20 0-1		6. Channel Alteration	0-20 0-20		6. Channel Alteration	0-20 0-1
7. Frequency of Riffles (or bends)	0-20	14	7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20
8. Bank Stability (LB & RB)	0-20	7	8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20
9. Vegetative Protection (LB & RB)	0-20	16	9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20
10. Riparian Vegetative Zone Width (LB & RB)	0-20	7	10. Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20
Total RBP Score	Suboptimal	124	Total RBP Score	Poor	0		Total RBP Score	Poor	0	Total RBP Score	Poor	0	Total RBP Score	Poor 0
Sub-Total		0.62	Sub-Total	·	0		Sub-Total		0	Sub-Total		0	Sub-Total	0
CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Str	reams)	CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Stre	eams)		CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Stre	eams)	CHEMICAL INDICATOR (Applies to Intermitt	tent and Perennial S	Streams)	CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Streams)
WVDEP Water Quality Indicators (General	)		WVDEP Water Quality Indicators (Genera	al)			WVDEP Water Quality Indicators (Genera	al)		WVDEP Water Quality Indicators (Gener	al)		WVDEP Water Quality Indicators (General)	
Specific Conductivity			Specific Conductivity		0		Specific Conductivity			Specific Conductivity			Specific Conductivity	
<=99 - 90 points	0-90	59.1		0-90				0-90			0-90			0-90
pH			pH				На			рН			рН	
	0-80	8.93		5-90 0-1				5-90 0-1			5-90 0-1			5-90 0-1
8.1-9.0 = 45 points		0.55												
DO			DO				DO			ВО			ВО	
>5.0 = 30 points	10-30	7.24		10-30				10-30			10-30			10-30
Sub-Total		0.825	Sub-Total		0		Sub-Total		0	Sub-Total		0	Sub-Total	0
BIOLOGICAL INDICATOR (Applies to Intermit	tent and Perennial	Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennial S	Streams)		BIOLOGICAL INDICATOR (Applies to Intern	mittent and Perenni	al Streams)	BIOLOGICAL INDICATOR (Applies to Inter	rmittent and Peren	nnial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)	
	0-100 0-1			0-100 0-1				0-100 0-1			0-100 0-1			0-100 0-1
0		0	Out Takel		0		Out Tatal		•	Out Tatal		0	Out Tabel	
Sub-Total		U	Sub-Total		U	ı I	Sub-Total		U	Sub-Total		U	Sub-Total	0
PART II - Index and U	nit Score		PART II - Index and	d Unit Score			PART II - Index an	d Unit Score		PART II - Index and	Unit Score		PART II - Index and U	nit Score
Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score
0.722	0.4	67.015		0	0		0	0	0		0	0		

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION			
STATION # RIVERMILE	STREAM CLASS			
LAT LONG	RIVER BASIN			
STORET#	AGENCY			
INVESTIGATORS				
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY		

WEATHER CONDITIONS	Now  storm (heavy rain) rain (steady rain) showers (intermittent) % %cloud cover clear/sunny	Past 24 hours  Has there been a heavy rain in the last 7 days?  Yes No  Air Temperature   Other
SITE LOCATION/MAP	Draw a map of the site and indicate	Dense veg.  Bridge
STREAM CHARACTERIZATION	Stream Origin	Tidal  Stream Type Coldwater Warmwater  Catchment Areakm²  g-fed re of origins

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field/ Agric	Pasture Industria	rcial	Local Watershed NPS Pollution  No evidence ☐ Some potential sources  Obvious sources  Local Watershed Erosion  None Moderate Heavy	
RIPARIA VEGETA (18 meter	TION	Trees	SI SI	hrubs	Ominant species present Grasses Herbaceous	
INSTREA FEATURI		Estimat Estimat Samplin Area in Estimat	ed Reach Length ed Stream Width g Reach Area km² (m²x1000) ed Stream Depth Velocity m	m m m² km²	Canopy Cover Partly open Partly shaded Shaded  High Water Markm  Proportion of Reach Represented by Stream Morphology Types Riffle % Run% Pool%  Channelized Yes No  Dam Present Yes No	
LARGE V DEBRIS	VOODY		of LWDm	n <sup>2</sup> /km <sup>2</sup> (LWD/	reach area)	
AQUATION VEGETA		Roote Floati <b>Domin</b> a	e the dominant type and d emergent Re ng Algae At unt species present of the reach with aquat	ooted submerge tached Algae		
WATER (	QUALITY	Specific Dissolve pH Turbidi	cature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Chemical Fishy Other	
SEDIMENT/ SUBSTRATE Odors Non Che Othe Oils Abs					Relict shells Other	_
INC	ORGANIC SUBS		COMPONENTS 00%)		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)	
Substrate Type	Diamete	er	% Composition in Sampling Reach	Substrate Type	Characteristic % Composition in Sampling Area	
Bedrock Boulder	> 256 mm (10")			Detritus	sticks, wood, coarse plant materials (CPOM)	
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-2			Muck-Mud	black, very fine organic (FPOM)	
Sand	0.06-2mm (gritt	y)		Marl	grey, shell fragments	

Silt

Clay

0.004-0.06 mm

< 0.004 mm (slick)

## HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY			

	Habitat	Condition Category											
	Parameter	Optimal	Suboptimal	Marginal	Poor								
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.								
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0								
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.								
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0								
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).								
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0								
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.								
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0								
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.								
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0								

## HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditi	on Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.				
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.				
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
Parameters to	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				

Total	Caama	
i otai	Score	

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME	LOCATION								
STATION # RIVERMILE	STREAM CLASS								
LAT LONG	RIVER BASIN								
STORET#	AGENCY								
INVESTIGATORS		LOT NUMBER							
FORM COMPLETED BY	DATETIME	REASON FOR SURVEY							
HADITAT TYPES Indicate the percentage of	IADITAT TVDES								

HABITAT TYPES	Indicate the percentage of each habitat type present  Cobble% Snags% Vegetated Banks% Sand%  Submerged Macrophytes% Other ( )%
SAMPLE COLLECTION	Gear used D-frame kick-net Other  How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type.  Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ( )
GENERAL COMMENTS	

#### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

## WOLMAN PEBBLE COUNT FORM

County: Franklin County Stream ID: S-E18

Stream Name: UNT to

HUC Code: 03010101 Basin: Upper Roanoke

Survey Date: 8/27/2021 Surveyors: CB BH

Type: Representative /Riffle

T 1	D A DITIGIE		LE COUNT	I 5	750 · 1 · 1/	T. 0/	0/ 0
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	<b>A</b>	14	14.00	14.00
	Very Fine	.062125		<b>A</b>	9	9.00	23.00
	Fine	.12525		<b>A</b>	3	3.00	26.00
	Medium	.255	SAND	<b>A</b>	5	5.00	31.00
	Coarse	.50-1.0		<b>A</b>	5	5.00	36.00
.0408	Very Coarse	1.0-2		<b>A</b>	7	7.00	43.00
.0816	Very Fine	2 -4		<b>A</b>	12	12.00	55.00
.1622	Fine	4 -5.7		<b>A</b>	8	8.00	63.00
.2231	Fine	5.7 - 8		<b>A</b>	7	7.00	70.00
.3144	Medium	8 -11.3		<b>A</b>	3	3.00	73.00
.4463	Medium	11.3 - 16	GRAVEL	<b>~</b>	3	3.00	76.00
.6389	Coarse	16 -22.6		<b>^</b>	1	1.00	77.00
.89 - 1.26	Coarse	22.6 - 32		<b>A</b>	1	1.00	78.00
1.26 - 1.77	Vry Coarse	32 - 45		<b>A</b>	2	2.00	80.00
1.77 -2.5	Vry Coarse	45 - 64		<b>^</b>	6	6.00	86.00
2.5 - 3.5	Small	64 - 90		•	5	5.00	91.00
3.5 - 5.0	Small	90 - 128		<b>A</b>	9	9.00	100.0
5.0 - 7.1	Large	128 - 180	COBBLE	•		0.00	100.0
7.1 - 10.1	Large	180 - 256		<b>A</b>		0.00	100.00
10.1 - 14.3	Small	256 - 362		<b>A</b>		0.00	100.00
14.3 - 20	Small	362 - 512		<b>A</b>		0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	<b>A</b>		0.00	100.0
40 - 80	Large	1024 -2048		<b>A</b>		0.00	100.0
80 - 160	Vry Large	2048 -4096	7	<b>A</b>		0.00	100.00
	Bedrock		BDRK	<b>A</b>		0.00	100.0
				Totals:	100		

#### RIVERMORPH PARTICLE SUMMARY

UNT to Blackwater River

River Name: Reach Name: Sample Name: S-E18 Representative 08/27/2021 Sample Name: Survey Date:

Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	14 9 3 5 7 12 8 7 3 3 1 1 2 6 5 9 0 0 0 0	14.00 9.00 3.00 5.00 7.00 12.00 8.00 7.00 3.00 3.00 1.00 2.00 6.00 5.00 9.00 0.00 0.00 0.00 0.00 0.00 0.00	14.00 23.00 26.00 31.00 36.00 43.00 55.00 63.00 70.00 73.00 76.00 77.00 78.00 80.00 80.00 80.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.08 0.9 3.17 57.67 106.89 128 14 29 43 14		

Total Particles = 100.

#### **Stream Assessment Form (Form 1)** Unified Stream Methodology for use in Virginia or use in wadeable channels classified as intermittent or perennial Cowardin Impact Impact Project # **Project Name (Applicant)** Locality HUC Date SAR# Class .ength Factor Mountain Valley Pipeline (Mountain Franklin 22865.06 R3 or R4 03010101 8/27/2021 S-E18 94 1 Valley Pipeline, LLC) County Stream Name and Information SAR Length Name(s) of Evaluator(s) **UNT to Blackwater River** 94 **CB BH** 1. Channel Condition: Assess the cross-section of the stream and prevailing condition (erosion, aggradation) Conditional Category Optimal Suboptimal Poor Severe Marginal ery little incision or active erosion; 80 Slightly incised, few areas of active Deeply incised (or excavated), Overwid ened/incised. 100% stable banks. Vegetative sion or unprotected banks. Majorit Poor, Banks more stable than Severe laterally unstable. Likely to widen vertical/lateral instability. Severe of banks are stable (60-80%). or Poor due to lower bank slopes further. Majority of both banks are ncision, flow contained within the Channel prominent (80-100%). AND/OR Stable Vegetative protection or natural rock Erosion may be present on 40-60% of near vertical. Erosion present on 60 banks. Streambed below average Condition both banks. Vegetative protection on 40-60% of banks. Streambanks may majority of banks vertical/undercut. Vegetative protection present on less pankfull benches are present. Acces to their original floodplain or fully prominent (60-80%) AND/OR Depositional features contribute to banks. Vegetative protection presen on 20-40% of banks, and is insufficier stability. The bankfull and low flow channels are well defined. Stream likely has access to bankfull be vertical or undercut. AND/OR 40-60% Sediment may be temporary transient, contribute instability. than 20% of banks, is not preventing eveloped wide bankfull benches. Mic to prevent erosion. AND/OR 60-80% channel bars and transverse bars few Transient sediment deposition covers the stream is covered by sediment. Sediment is temporary / transient in erosion. Obvious bank sloughing present. Erosion/raw banks on 80-100%. AND/OR Aggrading channel. than 80% of stream bed is covered by deposition, contributing to instability. less than 10% of bottom. benches,or newly developed Deposition that contribute to stability nature, and contributing to instability portions of the reach. Transient sediment covers 10-40% of the may be forming/present. AND/OR V-shaped channels have vegetative AND/OR V-shaped channels have vegetative protection is present on > stream hottom protection on > 40% of the banks and 10% of the banks and stable sedimer Multiple thread channels and/or depositional features which contribute deposition is absent subterranean flow CI to stability. 3 2.4 **Scores** 2 1.6 1.60 NOTES>> 2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable) **Conditional Category** NOTES>> Marginal Optimal Suboptimal Poor Low Marginal: High Poor: Lawns ow Suboptimal Non-maintained High Suboptima mowed, and Riparian areas with tree stratum **High Marginal** nse herbaceoi aintained area Low Poor: Riparian areas Non-maintained, vegetation, with tree stratum nurseries: no-till Impervious (dbh > 3 inches) lense herbaceou riparian areas cropland: actively (dbh > 3 inches) surfaces mine esent, with 30% to 60% tree vegetation with acking shrub and ree stratum (dbh > 3 inches) presen present, with 309 grazed pasture, spoil lands, Riparian either a shrub tree stratum, hav with > 60% tree canopy cover. to 60% tree parsely vegetate lenuded surfaces anopy cover an a maintained layer or a tree layer (dbh > 3 roduction, pond open water. If **Buffers** Wetlands located within the riparian anopy cover ar row crops, active areas. containing both area, recently feed lots, trails, or understory. Recent cutover inches) present with <30% tree present, tree herbaceous and seeded and other comparable conditions. stratum (dbh >3 shrub layers or a abilized, or othe canopy cover (dense inches) present non-maintained comparable vegetation). with <30% tree understory. condition. canopy cover with maintained High Low High Low High Low 1.5 1.2 0.85 0.6 0.5 Scores 1.1 0.75 Delineate riparian areas along each stream bank into Condition Categories and Condition Scores using the descriptors Ensure the sums Determine square footage for each by measuring or estimating length and width. Calculators are provided for you of % Riparian pelow Blocks equal 100 . Enter the % Riparian Area and Score for each riparian category in the blocks below % Riparian Area> 30% 10% 60% 100% Right Bank 0.85 0.75 Score > 0.5 CI= (Sum % RA \* Scores\*0.01)/2 % Riparian Area> 30% 25% 45% 100% Rt Bank CI > 0.69 CI Left Bank 0.69 Score > 0.85 0.75 Lt Bank CI > 0.70 3. INSTREAM HABITAT: Varied substrate sizes, water velocity and depths; woody and leafy debris; stable substrate; low embededness; shade; undercut banks; root mats; SAV; ffle/pool complexes, stable features **Conditional Category** NOTES>> Instream Optimal Suboptimal Marginal Poor Habitat/ Stable habitat elements are typically Stable habitat elements are typically Habitat elements listed above are **Available** present in 30-50% of the reach and Habitat elements are typically preser present in 10-30% of the reach and lacking or are unstable. Habitat in greater than 50% of the reach are adequate for maintenance of are adequate for maintenance of elements are typically present in less Cover than 10% of the reach. populations populations Stream Gradient

Scores

1.5

1.2

0.9

0.5

High / Low

1 20

	St	ream Ir	npact A	ssessn	nent Fo	rm Page	e 2		
Project #	Project Name (App	licant)	Locality	Cowardin Class.	нис	Date	SAR#	Impact length	Impact Factor
22865.06	Mountain Valley Pipeline (Mountain Valley Pipeline, LLC)		Franklin County	R3 or R4	03010101	8/27/2021	S-E18	94	1
. CHANNE	L ALTERATION: Stream cross	ings, riprap, conc		oncrete blocks, st	raightening of cha	annel, channelization	on, embankments	s, spoil piles, consti	rictions, livestock
	Negligible	Mi	nor		erate	Sev	ere	NOTES	
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	of the channel	20-40% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	of the channel alterations listed in	so - 50% of treatment is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not		el alterations listed uidelines AND/OR ored with gabion,		
	1	1.3	1.1	0.9	0.7	0.	5		
Scores	1.5	1.3	1.1	0.0	0.7	V.	v .		
Scores	-	-			• • • • • • • • • • • • • • • • • • • •	NITS FOR TH			


THE REACH CONDITION INDEX (RCI) >>

RCI= (Sum of all Cl's)/5, except if stream is ephemeral RCI = (Riparian Cl/2)

COMPENSATION REQUIREMENT (CR) >>


CR = RCI X L<sub>i</sub> X IF


#### INSERT PHOTOS:




DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER






CL STAKEOUT POINTS: S-E18 CROSS SECTION B (PIPE CL)							
	PR	E-CROSSING		POST-C	ROSSING		
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.		
TS-L	13437436.32	2005971.86	869.75				
BS-L	13437436.03	2005975.67	866.67				
THW	13437435.63	2005977.48	866.47				
BS-R	13437435.56	2005979.09	866.67				
TS-R	13437435.13	2005981.49	867.42				





# LEGEND STUDY AREA (EASEMENT) EXISTING SURVEY-LOCATED THALWEG EXISTING SURVEY-LOCATED EDGE OF WATER (AS NECESSARY) EXISTING CONTOUR LINE (MAJOR) EXISTING CONTOUR LINE (MINOR) EXISTING SURVEYED GROUND SHOT ELEVATION 868.6 +BENCHMARK POINT (WSSI)

## SURVEY NOTES:

- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on November 7, 2018.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. All section views shown are left to right facing downstream.
- 6. Cross-section B shot at location of pipe centerline (based on best professional judgement).







CROSS SECTION LEGEND EXISTING GRADE

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

CROSS SECTION H: 1"=10' V: 1"=5'



Wetland

PHOTO TAKEN LOOKING DOWNSTREAM ON 03/072018



PHOTO TAKEN LOOKING UPSTREAM ON 03/07/2018




PHOTO TAKEN LOOKING AT CENTERLINE



PHOTO TAKEN LOOKING AT CENTERLINE FROM RIGHT BANK ON 03/07/2018

POST-CROSSING PHOTOS
PENDING CROSSING



	Vertical Datum: NAVD 88								
Boundary and Topo Source: MVP WSSI 2' C.I. Topo									
	Design	Draft	Approved						
	PFS	SIH	NAS						
	Sheet #								
		1 of $1$							

Horizontal Datum: NAD 1983 UTM ZONE 17

Computer File Name: :\Survey\22000s\22800\22865.03\Spread I Work Dwgs 2865\_03 S-I MP 268-278 Sheets.dwg