Reach S-EF12 (Pipeline ROW) Perennial Spread I Franklin County, Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	Perennial stream
	(not shadeable, slope less than 4%)
RBP Physical Characteristics Form	\checkmark
Water Quality Data	\checkmark
RBP Habitat Form	\checkmark
RBP Benthic Form	✓
Benthic Identification Sheet	\checkmark
Wolman Pebble Count	\checkmark
RiverMorph Data Sheet	\checkmark
USM Form (Virginia Only)	\checkmark
Longitudinal Profile and Cross Sections	\checkmark





Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking N downstream, RAH



Photo Type: LB DS VIEW Location, Orientation, Photographer Initials: Upstream at ROW/LOD on left bank looking N downstream, RAH

Spread IStream S-EF12 (Pipeline ROW)Franklin County



Photo Type: LB US VIEW

Location, Orientation, Photographer Initials: Downstream on ROW/LOD on left bank looking SE upstream, RAH



Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking E at right streambank, RAH

DEQ Permit #21-0416





Photo Type: RB DS VIEW

Location, Orientation, Photographer Initials: Upstream at ROW/LOD on right bank looking N downstream, RAH



Photo Type: RB US VIEW Location, Orientation, Photographer Initials: Downstream at ROW/LOD on right bank looking S upstream, RAH

DEQ Permit #21-0416

Spread IStream S-EF12 (Pipeline ROW)Franklin County



Photo Type: RB CL

Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking W at left streambank, RAH



Photo Type: US COND Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking SW upstream, RAH

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountair	n Valley Pipeline	IMPACT C (in Deci	COORDINATES: imal Degrees)	Lat.	37.073367	Lon.	-79.939865	WEATHER:		Sunny
IMPACT STREAM/SITE ID (watershed size {acreage},	AND SITE DES unaltered or impairr	CRIPTION: ments)	S-EF12; 28	367.79 Acres			MITIGATION STREAM CLASS. (watershed size {acreag	/SITE ID AN e}, unaltered or	D SITE DESCRIPTION: impairments)			
STREAM IMPACT LENGTH:	79	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT CO (in Deci	ORDINATES: imal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Yes
Column No. 1- Impact Existing	Condition (Det	pit)	Column No. 2- Mitigation Existing C	ondition - Baseli	ine (Credit)		Column No. 3- Mitigation P Post Completic	rojected at F on (Credit)	ive Years	Column No. 4- Mitigation Pro Post Completion	ected at Ten ` (Credit)	Years
Stream Classification:	Pere	nnial	Stream Classification:				Stream Classification:		0	Stream Classification:		0
Percent Stream Channel Slo	pe	0.99	Percent Stream Channel Sic	ope			Percent Stream Channel S	lope	0	Percent Stream Channel S	lope	0
HGM Score (attach da	ata forms):		HGM Score (attach o	data forms):			HGM Score (attach	n data forms):	HGM Score (attach d	ata forms):	
Hydrology Biogeochemical Cycling		Average 0	Hydrology Biogeochemical Cycling		Average 0		Hydrology Biogeochemical Cycling		Average 0	Hydrology Biogeochemical Cycling		Average 0
Habitat PART I - Physical, Chemical and	Biological Indic	ators	Habitat PART I - Physical, Chemical and	d Biological Indi	icators		Habitat PART I - Physical, Chemical a	nd Biologica	I Indicators	Habitat PART I - Physical, Chemical and	l Biological In	dicators
	Points Scale Range	Site Score		Points Scale Range	Site Score			Points Scale	Range Site Score		Points Scale Ra	nge Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all stream	is classification	s)	PHYSICAL INDICATOR (Applies to all stream	s classifications))
USEFA KBF (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitten WVDEP Water Quality Indicators (General) Specific Conductivity <=99 - 90 points	0-20 0-1 0-90 0-80 0-1	20 18 19 18 14 19 14 17 18 17 18 18 175 0.875 reams) 90.9 90.9 7.63 8.82	USEPA RBP (Low Gradient Data Sneet) 1. Epifaunal Substrate/Available Cover 2. Pool Substrate Characterization 3. Pool Variability 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Channel Sinuosity 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitten WVDEP Water Quality Indicators (General) Specific Conductivity pH	0-20 0-1 5-90 0-1 10-30			 DSEPARBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Tow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermittee WVDEP Water Quality Indicators (General Specific Conductivity pH 	0-20 0-90 5-90 10-30	0-1 	USEPARBY (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitted WVDEP Water Quality Indicators (General Specific Conductivity pH	0-20 0-20	-1 -1 -1
Sub-Total BIOLOGICAL INDICATOR (Applies to Intermit	tent and Perennial	1 Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitte	tent and Perennial S	0 Streams)		Sub-Total BIOLOGICAL INDICATOR (Applies to Inter	mittent and Pe	0 (rennial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Inter	mittent and Per	ennial Streams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		
Very Good Sub-Total	0-100 0-1	83.4 0.834	Sub-Total	0-100 0-1	0		Sub-Total	0-100	0-1 0	Sub-Total	0-100 0-	-1 0
PART II - Index and U	nit Score		PART II - Index and	Unit Score			PART II - Index an	d Unit Score		PART II - Index and I	Jnit Score	
Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score		Index	Linear F	eet Unit Score	Index	Linear Fee	t Unit Score

PART II - Index and Unit Score						
Index	Linear Feet	Unit Score				
0.903	79	71.337				

М	Mountain Valley Pipeline IMPACT COORDINATES: Lat. (in Decimal Degrees)		37.073367	Lon79.939865		-79.939865	WEATHER:	Sunny						
PTION:	FION: S-EF12; 2867.79 Acres MITIGATION ST			MITIGATION STREAM CLASS./S (watershed size {acreage}	SITE ID AN , unaltered of	ND SITE or impairme	E DESCRIPTION: ents)							
FORM C	OF ON:	RESTORATION (Levels I-III)	N	AIT CC (in Dec	OORDINATES: cimal Degrees)	Lat.		Lon.			PRECIPITATION PAST 48 HRS:		Ye	es
		Column No. 2- Mitigation Existing Co	ondition	- Base	line (Credit)		Column No. 3- Mitigation Pro Post Completion	ojected at F i (Credit)	Five Yea	ars	Column No. 4- Mitigation Pr Post Completion	ojected at Ten ` (Credit)	Years	
		Stream Classification:					Stream Classification:		0)	Stream Classification:		0	
0.99		Percent Stream Channel Slo	ре				Percent Stream Channel Slo	ope		0	Percent Stream Channel S	Slope		0
		HGM Score (attach d	lata forn	ns):			HGM Score (attach o	data form	is):		HGM Score (attach	data forms):		
verage					Average	1				Average			A	verage
		Hydrology					Hydrology				Hydrology			
0		Biogeochemical Cycling			0		Biogeochemical Cycling			0	Biogeochemical Cycling			0
		Habitat					Habitat				Habitat			
5		PART I - Physical, Chemical and	Biologi	cal Ind			PART I - Physical, Chemical and	d Biologic	cal Indica	ators	PART I - Physical, Chemical an	d Biological In	dicators	\$
Site Score			Points Scale	Range	Site Score			Points Scale	Range	Site Score		Points Scale Rar	nge s	Site Score
		PHYSICAL INDICATOR (Applies to all streams of	classificatio	ons)			PHYSICAL INDICATOR (Applies to all streams	classificatior	ons)		PHYSICAL INDICATOR (Applies to all strea	ns classifications))	
		USEPA RBP (Low Gradient Data Sheet)					USEPA RBP (High Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)			
20		1. Epifaunal Substrate/Available Cover	0-20	-			1. Epifaunal Substrate/Available Cover	0-20			1. Epifaunal Substrate/Available Cover	0-20		
18		2. Pool Substrate Characterization	0-20				2. Embeddedness	0-20			2. Embeddedness	0-20		
19		3. Pool Variability	0-20	-		-	3. Velocity/ Depth Regime	0-20			3. Velocity/ Depth Regime	0-20		
10		Chapped Flow Status	0.20	1		-	4. Sediment Deposition	0-20			5. Channel Elow Statue	0-20		
19		6. Channel Alteration	0.20	0-1			6 Channel Alteration	0.20	0-1		6. Channel Alteration	0.20 0.	-1	
14		7. Channel Sinuosity	0.20	-			7 Frequency of Piffles (or bends)	0.20	_		7. Frequency of Riffles (or bends)	0.20		
17		8 Bank Stability (LB & BB)	0-20	1			8 Bank Stability (LB & BB)	0-20			8 Bank Stability (LB & BB)	0-20		
18		Q Vegetative Protection (LB & RB)	0.20	1			9 Vegetative Protection (LB & RB)	0.20			0. Vegetative Protection (I B & BB)	0.20		
18		10. Riparian Vegetative Zone Width (LB & RB)	0-20	1			10. Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB & RB)	0-20		
175		Total RBP Score	Po	or	0		Total RBP Score	Poor	or	0	Total RBP Score	Poor		0
0.875		Sub-Total			0		Sub-Total			0	Sub-Total			0
;)		CHEMICAL INDICATOR (Applies to Intermittent	and Perer	nnial Str	reams)		CHEMICAL INDICATOR (Applies to Intermitten	it and Perenr	nial Strear	ms)	CHEMICAL INDICATOR (Applies to Intermit	tent and Perennia	l Streams	s)
		WVDEP Water Quality Indicators (General)					WVDEP Water Quality Indicators (General))			WVDEP Water Quality Indicators (Gener	al)		
		Specific Conductivity	-			1	Specific Conductivity				Specific Conductivity			
90.9			0-90					0-90				0-90		
				-		-								
			L	0-1				T	0-1			0	-1	
7.63			5-90					5-90				5-90		
		DO	I				DO				DO			
8.82			10-30					10-30				10-30		
1		Sub-Total			0		Sub-Total			0	Sub-Total			0
ms)		BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Pe	rennial	Streams)		BIOLOGICAL INDICATOR (Applies to Intermi	ittent and P	Perennial	Streams)	BIOLOGICAL INDICATOR (Applies to Inte	rmittent and Per	ennial St	treams)
		WV Stream Condition Index (WVSCI)				•	WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			
83.4			0-100	0-1				0-100	0-1			0-100 0	-1	
0 834		Sub-Total			0	-	Sub-Total		_	0	Sub-Total			0
0.004					v	Ш	Oub-Total			•				•
		PART II - Index and I	Unit Scoi	re			PART II - Index and	Unit Score	e		PART II - Index and	Unit Score		
nit Score		Index	Linear	Feet	Unit Score	-	Index	Linear F	Feet	Unit Score	Index	Linear Fee	et Un	nit Score
71.337		0	0		0	•	0	0		0	0	0		0
		<u> </u>	<u>I</u>		1	1	<u> </u>	1	I]	<u> </u>		I	

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

DATE:	8/28/2021				
Comments:					
Mitigation Length:					
Column No. 5- Mitigation Projecte	ed at Matu	rity (Cr	edit)		
Stream Classification:		0			
Percent Stream Channel Slo	ope		0		
HGM Score (attach da	ita forms):	-		
	-		Average		
Hydrology					
Biogeochemical Cycling			0		
Habitat	Piological	Indiaa	toro		
	Biologica	muica			
	Points Scale	Range	Site Score		
PHYSICAL INDICATOR (Applies to all streams	classificatio	ons)	<u> </u>		
USEPA RBP (High Gradient Data Sheet)	_				
1. Epifaunal Substrate/Available Cover	0-20				
2. Embeddedness	0-20				
3. Velocity/ Depth Regime 4. Sediment Deposition	0-20				
5. Channel Flow Status	0-20	-			
6. Channel Alteration	0-20	0-1			
7. Frequency of Riffles (or bends)	0-20				
8. Bank Stability (LB & RB)	0-20				
9. Vegetative Protection (LB & RB)	0-20				
10. Riparian Vegetative Zone Width (LB & RB)	0-20	or	0		
Sub-Total	FU	Л	0		
CHEMICAL INDICATOR (Applies to Intermitten	t and Peren	nial Stre	ams)		
WVDEP Water Quality Indicators (General)		[
	0-90				
рН					
-	5-90	0-1			
DO					
	10-30				
Sub-Total			0		
BIOLOGICAL INDICATOR (Applies to Interm	ittent and F	Perennia	al Streams)		
WV Stream Condition Index (WVSCI)					
	0-100	0-1			
Sub-Total	<u>I</u>		0		

PART II - Index and Ur	nit Score	
Index	Linear Feet	Unit Score
0	0	0
↓ v		U U

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-EF12		LOCATION Franklin County			
STATION # R	IVERMILE	STREAM CLASS Perennial			
LAT 37.073367 LO	_{DNG} -79.939865	RIVER BASIN Upper Roanoke			
STORET #		AGENCY VADEQ			
INVESTIGATORS RH, CL	_				
FORM COMPLETED BY RH, CL		DATE 8/28/21 TIME 1249	REASON FOR SURVEY Baseline Assessment		
WEATHER CONDITIONS	Now storm rain (showers % % cle	Past 24 hours	Has there been a heavy rain in the last 7 days? Yes No Air Temperature <u>34</u> ° C Other		
SITE LOCATION/MAP	Draw a man of the sit	e and indicate the areas samnle	ed (or attach a nhotogranh)		
	Pipe (S-EFI2	Pown Stream		
	K	DW/Br	idge		
STREAM CHARACTERIZATION	Stream Subsystem ☑ Perennial ☐ Inte Stream Origin ☐ Glacial Non-glacial montane ☐ Swamp and bog	ermittent Tidal	Stream Type Coldwater		

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse Forest Commercial Field/Pasture Industrial Agricultural Other Residential Industrial Indicate the dominant type and record the domin Trees Shrubs Dominant species present Solidago Rugosa	Local Watershed NPS Pollution ☑ No evidence □ Some potential sources □ Obvious sources Local Watershed Erosion ☑ None □ Moderate □ Moderate □ Heavy nant species present □ Herbaceous
INSTREAM FEATURES	Estimated Reach Length 28.3 m Estimated Stream Width 3.66 m Sampling Reach Area 103.68 m² Area in km² (m²x1000) km² Estimated Stream Depth .30 m Surface Velocity (at thalweg) 3 m/sec	Canopy Cover □ Partly shaded □ Shaded □ Partly open ☑ Partly shaded □ Shaded High Water Mark 0.38 m Proportion of Reach Represented by Stream Morphology Types Riffle 40 % Pool 20 % Channelized □ Yes Dam Present □ Yes
LARGE WOODY DEBRIS	LWDm ² Density of LWDm ² /km ² (LWD/ read	ch area)
AQUATIC VEGETATION	Indicate the dominant type and record the domin Rooted emergent Floating Algae Dominant species present Impatiens Capensis Portion of the reach with aquatic vegetation 4	nant species present ☐Rooted floating ☐Free floating
WATER QUALITY	Temperature 23.1d 0 C Specific Conductance 90.9d ms/cm Dissolved Oxygen 8.82d mg/L pH 7.63d su Turbidity WQ Instrument Used YSI	Water Odors ✓ Normal/None Sewage Petroleum Fishy Øther Water Surface Oils Slick Sheen Other Turbidity (if not measured) ✓ Clear Slightly turbid Opaque Stained
SEDIMENT/ SUBSTRATE	Odors ØNormal Sewage Petroleum Chemical Anaerobic None Other Oils Pofuse	Deposits □Sludge □Sawdust □Paper fiber □Sand □Relict shells ☑Other □ Lpoking at stones which are not deeply embedded, are the undersides black in color? □ Yes ☑ No

INC	DRGANIC SUBSTRATE (should add up to 1	COMPONENTS .00%)	ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)			
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area	
Bedrock			Detritus	sticks, wood, coarse plant	Λ	
Boulder	> 256 mm (10")]	materials (CPOM)	4	
Cobble	64-256 mm (2.5"-10")	35	Muck-Mud	black, very fine organic	0	
Gravel	2-64 mm (0.1"-2.5")	30]	(FPOM)		
Sand	0.06-2mm (gritty)	20	Marl	grey, shell fragments	0	
Silt	0.004-0.06 mm	15]			
Clay	< 0.004 mm (slick)					

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-EF12	LOCATION Franklin County			
STATION # RIVERMILE	STREAM CLASS Perennial			
LAT <u>37.073367</u> LONG <u>-79.939865</u>	RIVER BASIN Upper Roanoke			
STORET #	AGENCY VADEQ			
INVESTIGATORS RH, CL				
FORM COMPLETED BY RH, CL	DATE <u>8/28/21</u> TIME <u>1249</u> AM PM	REASON FOR SURVEY Baseline Assessment		

	Habitat		Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted i	_{SCORE} 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
eters to be evalua	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
uram	score 19	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Ps	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status 1 A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE 14	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat	Condition Category								
	Parameter	Optimal	Suboptimal	Marginal	Poor					
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.					
	SCORE 19	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
ding reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.					
amp	SCORE 14	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
aluated broader than	8. Bank Stability (score each bank) Note: determine left or right side by facing decurates on	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.					
e ev	SCORE 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
s to t	SCORE	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
Parameter	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.					
	SCORE 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
	SCORE 9	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.					
	SCORE 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
	SCORE 9	Right Bank 10 9	8 7 6	5 4 3	2 1 0					

Total Score 175

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-E	F12	LOCATION Franklin County						
STATION #	_ RIVERMILE	STREAM CLASS Perennial	STREAM CLASS Perennial					
LAT <u>37.073367</u>	LONG79.939865	RIVER BASIN Upper Roano	ke					
STORET #		AGENCY VADEQ						
INVESTIGATORS A	N, KD		LOT NUMBER					
FORM COMPLETED	BY	DATE 8/31/21 TIME 1:30 PM	REASON FOR SURVEY Baseline Assessment					
HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks 100_% Sand% Submerged Macrophytes% Other ().18%							
SAMPLE COLLECTION	Gear used □D-frame □ How were the samples coll Indicate the number of jat ☑Cobble 4 □ Sn □ Submerged Macrophytes	Gear used D-frame kick-net Other How were the samples collected? wading from bank from boat Indicate the number of jabs/kicks taken in each habitat type. Cobble 4 Snags Vegetated Banks Sand Submerged Macrophytes Other () Other ()						
GENERAL COMMENTS	ENERAL DMMENTS 4 Kicks completed in riffle/cobble habitats. Completed on 8/31/202 Shipped 9/8/2021.							

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

Mountain Valley Pipeline Data are not adjusted for subsampling

ECO ANALYSTS, INC.

	Sample ID	S-EF12
	Collection Date	08-31-2021
00050	051110/0050150	COUNT
ORDER	GENUS/SPECIES	COUNT
Epnemeroptera	Acentrella sp.	1
Ephemeroptera	Baetis sp.	6
Ephemeroptera	Baelisca sp.	1
Ephemeroptera	Caenis sp.	7
Ephemeroptera	Isonychia sp.	1
Ephemeroptera	Maccaffertium sp	86
Ephemeroptera	Plauditus sp	3
Ephemeroptera	Teloganopsis deficiens	1
Plecoptera	Acroneuria sp.	2
Plecoptera	Eccoptura xanthenes	4
Plecoptera	Leuctra sp.	3
Trichoptera	Cheumatopsyche sp.	42
Trichoptera	Chimarra sp.	1
Trichoptera	Hydropsyche sp.	2
Coleoptera	Anchytarsus bicolor	1
Coleoptera	Optioservus sp.	7
Coleoptera	Oulimnius sp.	1
Coleoptera	Psephenus sp.	1
Megaloptera	Nigronia sp.	2
Diptera-Chironomidae	Cricotopus sp.	2
Diptera-Chironomidae	Microtendipes sp.	1
Diptera-Chironomidae	Parametriocnemus sp.	2
Diptera-Chironomidae	Paratanytarsus sp.	2
Diptera-Chironomidae	Polypedilum sp.	12
Diptera-Chironomidae	Thienemannimyia gr. sp.	1
Diptera	Antocha sp.	1
Diptera	Dixa sp.	1
Diptera	Ephydridae	2
Diptera	Hemerodromia sp.	2
Diptera	Simulium sp.	4
Annelida	Naididae	1
Annelida	tubificoid Naididae w/o cap setae	1
Bivalvia	Corbicula sp.	2
Gastropoda	Planorbidae	2
Acari	Lebertia sp.	1
Other Organisms	Prostoma sp.	1
	TOTAL	217

Mountain Valley Pipeline WV SCI Metrics

ECO ANALYSTS, INC.

Sample ID Collection Date	S-EF12 08-31-2021
WVSCI Metric Values Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	26 11 77.0 9.2 59.9 4.50
WVSCI Metric Scores Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	123.8 84.6 83.7 91.7 62.6 77.5
WVSCI Metric Scores Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	100.0 84.6 83.7 91.7 62.6 77.5
WVSCI Total Score	83.4

WVSCI Thresholds

Unimpaired = > 68.00 Gray Zone = 60.61 to 68.00

Impaired = <60.61

WOLMAN PEBBLE COUNT FORM

County:Franklin CountyStream Name:UNT to Teels CreekHUC Code:03010101Survey Date:8/28/2021Surveyors:DW, JMType:Representative

Stream ID: Basin: S-EF12

Upper Roanoke

PEBBLE COUNT PARTICLE % Cum Millimeters Particle Total # Item % Inches Count Silt/Clay < .062 ۸ S/C 24 24.00 24.00 -.062-.125 Very Fine 6 6.00 30.00 • .125-.25 Fine ۸ 9 9.00 39.00 • .25-.5 Medium ۸ SAND 43.00 4 4.00 -Coarse .50-1.0 ۸ 49.00 6 6.00 • .04-.08 Very Coarse 1.0-2 ۸ 8 8.00 57.00 • .08 -.16 Very Fine 2 - 4 ٠ 4 4.00 61.00 -.16 - .22 Fine 4 - 5.7 ٠ 3 3.00 64.00 • .22 - .31 Fine 5.7 - 8 ٠ 5 5.00 69.00 -.31 - .44 8 - 11.3 Medium ۸ 0.00 69.00 -.44 - .63 Medium 11.3 - 16 GRAVEL 3 3.00 72.00 • .63 - .89 16 - 22.6 Coarse 3 3.00 75.00 • .89 - 1.26 22.6 - 32 Coarse ۸ 2 2.00 77.00 -1.26 - 1.77 32 - 45 Vry Coarse ۸ 4 4.00 81.00 -1.77 -2.5 Vry Coarse 45 - 64 ٠ 4 4.00 85.00 -2.5 - 3.5 Small 64 - 90 ٠ 91.00 6 6.00 • 3.5 - 5.0 Small 90 - 128 2 2.00 93.00 • COBBLE 5.0 - 7.1 128 - 180 Large ٠ 3 3.00 96.00 -7.1 - 10.1 Large 180 - 256 ۸ 97.00 1 1.00 -10.1 - 14.3 Small 256 - 362 ٠ 1 1.00 98.00 • 14.3 - 20 Small 362 - 512 ۸ 0.00 98.00 • 20 - 40 Medium 512 - 1024 BOULDER 0.00 98.00 -40 - 80 1024 - 2048 ٠ Large 0.00 98.00 -80 - 160 Vry Large 2048 - 4096 0.00 98.00 -٠ Bedrock **BDRK** 2 100.00 2.00. Totals: 100 Total Tally:

River Name: Reach Name: Sample Name: Survey Date:	UNT to Teels of S-EF12 Representative 08/28/2021	Creek e		
Size (mm)	тот #	ITEM %	CUM %	
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	24 6 9 4 6 8 4 3 5 0 3 3 2 4 4 6 2 3 1 1 0 0 0 2	24.00 6.00 9.00 4.00 6.00 8.00 4.00 3.00 5.00 0.00 3.00 2.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00 2.00 3.00 2.00 3.00 2.00 3.00 2.00 3.00 2.00 3.00 2.00 3.00 2.00 3.00 2.00 4.00 2.00 3.00 3.0	24.00 30.00 39.00 43.00 49.00 57.00 61.00 64.00 69.00 72.00 75.00 77.00 81.00 81.00 93.00 93.00 93.00 93.00 98.00 98.00 98.00 98.00 98.00	
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Gravel (%) Boulder (%) Bedrock (%)	0.04 0.19 1.13 59.25 162.67 Bedrock 24 33 28 12 1 2			

Total Particles = 100.

			Strear	n Ass Unified S	essm tream Method	ent Fo	orm (F	form 1)		
				For use in wadea	able channels cla	ssified as interm	ittent or perenni	al			
Project #	Projec	t Name (App	licant)	Locality	Cowardin Class.	HUC	Date	SAR #	Impact Length	Impact Factor	
22865.06	Mountain V Vall	alley Pipeline ey Pipeline, L	e (Mountain _LC)	Franklin County	R3	03010101	8/28/21	S-EF12	79	1	
Nam	e(s) of Evaluat	tor(s)	Stream Name	and Informa	tion				SAR Length		
	RH, CL		UNT to Teels	Creek					6	6	
1. Channel C	Condition: Asses	ss the cross-secti	on of the stream a	nd prevailing cond	dition (erosion, ago	gradation)			1		
	Onti	mal	Suba	ntimal	Conditional Catego	ory aimel	D		Paul		
	Opti	mai	oduč	pumai	Iviar	ginai	PI NI	bor	Sev	ere	
	Very little incision or 100% stable banks.	active erosion; 80- Vegetative surface	Slightly incised, for erosion or unprotect	ew areas of active ted banks. Majority	Often incised, but Poor. Banks more s	less than Severe or table than Severe or	Overwidened/incised. Vertically / laterally unstable. Likely to widen		Deeply incised vertical/lateral ins	(or excavated), stability. Severe	
Channel	(80-100%). AND/OR	Stable point bars /	Vegetative protect	tion or natural rock	Erosion may be pr	esent on 40-60% of	vertical. Erosion p	resent on 60-80% of	Streambed below av	erage rooting depth,	
Condition	bankfull benches ar to their original fl	e present. Access oodplain or fully	prominent (60- Depositional feat	-80%) AND/OR ures contribute to	both banks. Vege 40-60% of banks. S	tative protection on Streambanks may be	banks. Vegetativ on 20-40% of ban	e protection present (s. and is insufficient	majority of banks Vegetative protecti	vertical/undercut. on present on less	
	developed wide ban channel bars and tr Transient sediment less than 109	kfull benches. Mid- ansverse bars few. deposition covers % of bottom.	stability. The bar channels are well du has access to bankf developed flo portions of the r sediment covers 1 bott	Depositional features contribute to stability. The bankfull and low flow channels are well defined. Stream likely has access to bankfull benches, or newly developed floodplains along portions of the reach. Transient sediment covers 10-40% of the stream bottom.		ercut. AND/OR may be temporary / ibute instability. ntribute to stability, resent. AND/OR V- s have vegetative % of the banks and es which contribute ability.	to prevent erosion. the stream is cov Sediment is temp nature, and contr AND/OR V-sha vegetative protec 40% of the banks depositio	ÅND/OR 60-80% of ered by sediment. porary / transient in ibuting to instability, ped channels have tion is present on > and stable sediment n is absent.	than 20% of banks erosion. Obvious present. Erosion/raw AND/OR Aggradin than 80% of stream deposition, contrib Multiple thread of subterran	, is not preventing banks sloughing banks on 80-100%. g channel. Greater bed is covered by uting to instability. channels and/or ean flow.	СІ
Scores	3	3	2	.4	:	2	1	.6	1		3.00
2. RIPARIAN	N BUFFERS: As	ssess both bank's	100 foot riparian a	areas along the er	ntire SAR. (rough	measurements of	length & width m	ay be acceptable)			
	-		Con	ditional Cate	gory				NOTES>>		
	Opti	mal	Subo	ptimal	Mar	ginal	P	oor			
Riparian Buffers	Tree stratum (dbh > with > 60% tree Wetlands located are:	3 inches) present, canopy cover. within the riparian as.	High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.	High Poor: Lawns mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetatec non-maintained area, recently seeded and stabilized, or other comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
C	4	E		LOW		LOW	High A C		+		
Scores	1.	5	1.2	1.1	0.85	0.75	0.0	0.5	ł		
 Delineate ripa Determine squ Enter the % R 	arian areas along each stream bank into Condition Categories and Cor uare footage for each by measuring or estimating length and width. C		egories and Cond th and width. Calo ne blocks below.	ition Scores using culators are provid	the descriptors.	Ensure of % I Blocks	the sums Riparian equal 100				
Disk(D	% Riparian Area>	10%	90%					100%	1		
Right Bank	Score >	0.6	0.75						CI= (Sum % RA * So	pres*0.01)/2	
	% Riparian Area>	10%	90%					100%	Rt Bank CI >	0.74	CI
Left Bank	Score >	0.6	0.85						Lt Bank CI >	0.83	0.78
3. INSTREAM complexes, stable	HABITAT: Var le features.	ied substrate size	es, water velocity a	and depths; woody	and leafy debris;	stable substrate; l	ow embededness	; shade; undercut	banks; root mats; S	AV; riffle/pool	,
				Conditiona	al Category		_		NOTES>>		
Instream	Opti	mai	Subo	ptimal	Mar	ginal	P	oor	-		
Available			Chable habitat also	monto oro tunicallu	Stable habitat ele	ments are typically	Habitat element	s listed above are	1		1
Cover	Habitat elements are greater than 50°	e typically present in % of the reach.	present in 30-50% adequate for n	of the reach and are naintenance of ations.	present in 10-30% adequate for r popul	of the reach and are naintenance of ations.	lacking or are u elements are typi than 10%	Instable. Habitat cally present in less of the reach.	Stream (Gradient	СІ

Reach R3-R4 File: C:\Users\dan.weidenhof\Documents\Documents\VA Stream Sampling\0 QAQC SUBMITTALS\QAQC working 1st submittal\S-EF12_20211003DLP\9. S-EF12_USM_MVP_20211003 (DLP).xlsx

Stream Impact Assessment Form Page 2													
Project #	Project Name (Appl	Project Name (Applicant)			t Name (Applicant)		Cowardin Class.	HUC	Date	Date SAR #		Impact Factor	
22865.06	Mountain Valley Pipeline Valley Pipeline, L	e (Mountain .LC)	Franklin County	R3	03010101	8/28/21	S-EF12	79	1				
4. CHANNEL	ALTERATION: Stream crossin	gs, riprap, concre	te, gabions, or cor	ncrete blocks, stra	ghtening of chann	el, channelization	embankments, s	poil piles, constriction	ons, livestock				
			Conditiona	al Category				NOTES>>					
	Negligible	Mi	nor	Mod	erate	Sev	/ere						
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized. Hardening absent. Stream has an unaltered pattern or has naturalized. Hardening absent. Stream has an unaltered pattern or has naturalized. Her parameter guidelines. Her parame			СІ									
Scores	1.5	1.3	1.1	0.9	0.7	0	.5			1.30			
	REACH	CONDITION	INDEX and S	STREAM CO	NDITION UN	ITS FOR THI	S REACH						
NOTE: The CIs a	nd RCI should be rounded to 2 decir	nal places. The Cl	R should be round	led to a whole nun	ıber.		THE REAC	H CONDITION IN	DEX (RCI) >>	1.32			
						RCI= (Sum of	all CI's)/5, exce	ept if stream is ep	hemeral RCI = (Riparian Cl/2)			
							COMPENSA	TION REQUIRE	MENT (CR) >>	104			
						<u></u>	CR = R0	CI X L _I X IF					
INSERT PHO	TOS:												



CAPTION. Assessment is limited to areas within the temporary ROW.

DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER



CL STA	CL STAKEOUT POINTS: S-EF12 CROSS SECTION B (PIPE CL)					
	PR	E-CROSSING		POST-C	ROSSING	
	NODTUINC	FASTING		VERT.	HORZ.	
PT.LUC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.	
TS-L	13463028.30	1949564.31	1092.02			
BS-L	13463027.19	1949568.03	1087.75			
THW	13463026.80	1949570.05	1086.40			
BS-R	13463021.94	1949592.31	1087.61			
TS-R	13463020.05	1949598.27	1092.83			



SURVEY NOTES:

1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on March 23, 2018.

2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.

3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).

4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.

5. All section views shown are left to right facing downstream.

6. Cross-section B shot at location of pipe centerline (based on best professional judgement).

	LEGEND
	STUDY AREA (EASEMENT)
	EXISTING SURVEY-LOCATED THALWEG
EW	EXISTING SURVEY-LOCATED EDGE OF WATER (AS NECESSARY)
	EXISTING CONTOUR LINE (MAJOR)
	EXISTING CONTOUR LINE (MINOR)
1087.1+	EXISTING SURVEYED GROUND SHOT ELEVATION
\underline{A}	BENCHMARK POINT (WSSI)





EXISTING GRADE