Baseline Assessment – Stream Attributes

Reach S-F8 (Pipeline ROW) Perennial Spread I Franklin County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Lack of habitat
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: RB US VIEW Location, Orientation, Photographer Initials: Downstream at ROW/LOD on right bank looking S upstream, DW



Location, Orientation, Photographer Initials: Upstream at ROW/LOD on right bank looking N downstream, DW



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking N downstream, DW



Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking E at right streambank, DW



Photo Type: RB CL Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking W at left streambank, DW



Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking S upstream, DW



Photo Type: LB DS VIEW Location, Orientation, Photographer Initials: Upstream at ROW/LOD on left bank looking N downstream, DW



Location, Orientation, Photographer Initials: Upstream at ROW/LOD on left bank looking S upstream, DW

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mou	Mountain Valley Pipeline IMPACT COORDII (in Decimal Degi		Lat. 37.057724 Lon79.836406		WEATHER:	WEATHER: Sunny		DATE:	Augus	st 26, 2021	
IMPACT STREAM/SITE IE (watershed size {acreage}			S-F8, 5	29.23 ac		MITIGATION STREAM CLASS./SITE ID AND (watershed size {acreage}, unaltered or in					Comments:		
STREAM IMPACT LENGTH:	83	FORM OF MITIGATION		MIT COORDINATES: (in Decimal Degrees)	Lat.	Lon.		PRECIPITATION PAST 48 HRS:			Mitigation Length:		
Column No. 1- Impact Existin	g Condition (Del	bit)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation Projected at Five Post Completion (Credit)	e Years	Column No. 4- Mitigation Proje Post Completion (C			Column No. 5- Mitigation Project	ed at Maturity	(Credit)
Stream Classification:	Pere	nnial	Stream Classification:			Stream Classification:	0	Stream Classification:	0		Stream Classification:	0	
Percent Stream Channel S	lope	1.05	Percent Stream Channel Slo	рре		Percent Stream Channel Slope	0	Percent Stream Channel Slo	оре	0	Percent Stream Channel St	ope	0
HGM Score (attach o	lata forms):		HGM Score (attach	· ·		HGM Score (attach data forms):		HGM Score (attach da			HGM Score (attach da	ata forms):	
Hydrology		Average	Hydrology	Average		Hydrology	Average	Hydrology		Average	Hydrology		Average
Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	0		Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat		0
PART I - Physical, Chemical and	d Biological Indic	cators	PART I - Physical, Chemical an	d Biological Indicators		PART I - Physical, Chemical and Biological	Indicators	PART I - Physical, Chemical and I	Biological Indicate	ors	PART I - Physical, Chemical and	Biological Ind	licators
	Points Scale Range	Site Score		Points Scale Range Site Score		Points Scale Ran	ige Site Score		Points Scale Range	Site Score		Points Scale Rang	nge Site Score
PHYSICAL INDICATOR (Applies to all stream	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitte WVDEP Water Quality Indicators (General Specific Conductivity		20 17 20 18 20 10 15 20 20 16 176 0.88 reams)	USEPA RBP (Low Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Pool Substrate Characterization 3. Pool Variability 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Channel Sinuosity 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitten WVDEP Water Quality Indicators (General) Specific Conductivity	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20 Poor 0 0 and Perennial Streams)		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 0-20 2. Embeddedness 0-20 3. Velocity/ Depth Regime 0-20 4. Sediment Deposition 0-20 5. Channel Flow Status 0-20 6. Channel Alteration 0-20 7. Frequency of Riffles (or bends) 0-20 9. Vegetative Protection (LB & RB) 0-20 10. Riparian Vegetative Zone Width (LB & RB) 0-20 0-20 10. Riparian Vegetative Zone Width (LB & RB) 0-20 0	1 0 0 Streams)	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitten WVDEP Water Quality Indicators (General) Specific Conductivity		0 0 ams)	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General Specific Conductivity		0 0 Streams)
pH 6.0-8.0 = 80 points DO >5.0 = 30 points Sub-Total	0-80 0-1	7.27 6.67	рН DO Sub-Total	10-30		DO 10-30 Sub-Total	0	pH DO Sub-Total	5-90 0-1	0	DO Sub-Total	5-90	0
BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial	Streams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intermittent and Pere	nnial Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennial	Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Peren	nnial Streams)
WV Stream Condition Index (WVSCI) 0 Sub-Total	0-100 0-1	0	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1		WV Stream Condition Index (WVSCI) 0-100 0- Sub-Total 0-100 0-	1	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1	0	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1	.1
PART II - Index and I	Jnit Score	Unit Score	PART II - Index and	Unit Score		PART II - Index and Unit Score	et Unit Score	PART II - Index and Ur		Unit Score	PART II - Index and U	Jnit Score	t Unit Score
								**					
0.940	83	78.02	0	0 0		0 0	0	0	0	0	0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY			

WEATHER CONDITIONS	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny Has there been a heavy rain in the last 7 days? Yes No Air Temperature 0 C Other
SITE LOCATION MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph)
	RDAD Pige Guzgort Pige Support
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field/ Agric	Pasture Industria	rcial	Local Watershed NPS Pollution No evidence ☐ Some potential sources Obvious sources Local Watershed Erosion None Moderate Heavy				
RIPARIA VEGETA (18 meter	TION	Trees	SI SI	hrubs	Ominant species present Grasses Herbaceous				
INSTREA FEATURI		Estimat Estimat Samplin Area in Estimat	ed Reach Length ed Stream Width g Reach Area km² (m²x1000) ed Stream Depth Velocity m	m m m² km²	Canopy Cover Partly open Partly shaded Shaded High Water Markm Proportion of Reach Represented by Stream Morphology Types Riffle % Run % Pool% No Channelized Yes No Dam Present Yes No				
LARGE V DEBRIS	VOODY		of LWDm	n ² /km ² (LWD/	reach area)				
AQUATION VEGETA		Roote Floati Domin a	e the dominant type and d emergent Re ng Algae At unt species present of the reach with aquat	ooted submerge tached Algae					
Spo Dis pH Tur			cature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Chemical Fishy Other				
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser			Relict shells Other	_			
INC	ORGANIC SUBS		COMPONENTS 00%)		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)				
Substrate Type	Diamete	er	% Composition in Sampling Reach	Substrate Type	Characteristic % Composition in Sampling Area				
Bedrock Boulder	> 256 mm (10")			Detritus	sticks, wood, coarse plant materials (CPOM)				
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-2			Muck-Mud	black, very fine organic (FPOM)				
Sand	0.06-2mm (gritt	y)		Marl	grey, shell fragments				

Silt

Clay

0.004-0.06 mm

< 0.004 mm (slick)

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY			

	Habitat	Condition Category									
	Parameter	Optimal	Suboptimal	Marginal	Poor						
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.						
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						
sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.						
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).						
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.						
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.						
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat	Condition Category									
	Parameter	Optimal	Suboptimal	Marginal	Poor						
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.						
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.						
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.						
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0						
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0						
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.						
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0						
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0						
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.						
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0						
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0						

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME	LOCATION							
STATION # RIVERMILE	STREAM CLASS							
LAT LONG	RIVER BASIN							
STORET#	AGENCY							
INVESTIGATORS		LOT NUMBER						
FORM COMPLETED BY	DATETIME	REASON FOR SURVEY						
HADITAT TVDES Indicate the negrountage of each habitat time present								

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Franklin County Stream ID: S-F8

Stream Name: UNT to Maggodee Creek

HUC Code: 03010101 Basin: Upper Roanoke

Survey Date: 8/26/2021 Surveyors: JM, DW Type: Representative

T 1	D + DTIGI E		LE COUNT	I 5	DD 4 1 11	T. 0/	0/ C
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cur
	Silt/Clay	< .062	S/C	^	26	26.00	26.00
	Very Fine	.062125		-	0	0.00	26.00
	Fine	.12525		•	0	0.00	26.00
	Medium	.255	SAND	A	0	0.00	26.00
	Coarse	.50-1.0		•	0	0.00	26.00
.0408	Very Coarse	1.0-2		A	0	0.00	26.00
.0816	Very Fine	2 -4		•	0	0.00	26.00
.1622	Fine	4 -5.7		-	1	1.00	27.00
.2231	Fine	5.7 - 8		A	4	4.00	31.00
.3144	Medium	8 -11.3		•	7	7.00	38.00
.4463	Medium	11.3 - 16	GRAVEL	•	8	8.00	46.00
.6389	Coarse	16 -22.6		•	7	7.00	53.00
.89 - 1.26	Coarse	22.6 - 32		•	4	4.00	57.00
1.26 - 1.77	Vry Coarse	32 - 45		A	2	2.00	59.00
1.77 -2.5	Vry Coarse	45 - 64		*	4	4.00	63.00
2.5 - 3.5	Small	64 - 90		^	4	4.00	67.00
3.5 - 5.0	Small	90 - 128	T	-	5	5.00	72.00
5.0 - 7.1	Large	128 - 180	COBBLE	*	6	6.00	78.00
7.1 - 10.1	Large	180 - 256		*	8	8.00	86.00
10.1 - 14.3	Small	256 - 362		A	2	2.00	88.00
14.3 - 20	Small	362 - 512		^	0	0.00	88.00
20 - 40	Medium	512 - 1024	BOULDER	^	0	0.00	88.00
40 - 80	Large	1024 -2048		^	0	0.00	88.00
80 - 160	Vry Large	2048 -4096	1	A	0	0.00	88.00
	Bedrock		BDRK	A	12	12.00	100.0
				Totals:	100		

RIVERMORPH PARTICLE SUMMARY

UNT to Maggodee Creek

River Name: UNT to Maggode Reach Name: S-F8
Sample Name: Representative 08/26/2021

Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	26 0 0 0 0 0 1 4 7 8 7 4 2 4 4 5 6 8 2 0 0 0 1 2	26.00 0.00 0.00 0.00 0.00 0.00 1.00 4.00 7.00 8.00 7.00 4.00 2.00 4.00 2.00 4.00 5.00 6.00 8.00 2.00 0.00 0.00 0.00	26.00 26.00 26.00 26.00 26.00 27.00 31.00 38.00 46.00 53.00 57.00 59.00 63.00 67.00 72.00 78.00 86.00 88.00 88.00 88.00 88.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.04 9.89 19.77 237 Bedrock Bedrock 26 0 37 23 2		

Total Particles = 100.

			Stroar	n Ass	ASSM	ont Fo	orm (F	orm '	1)		
					tream Method	lology for use	in Virginia		• ,		
Project #	Projec	ct Name (App		Locality	Cowardin	HUC	Date	SAR#	Impact	Impact	
22865.06	Mountain Valley Pipeline (Mountain Franklin Valley Pipeline, LLC) County				Class. R3	03010101	8/26/2021	S-F8	Length 83	Factor 1	
Nam	Name(s) of Evaluator(s)			e and Informa	ition				SAR Length		
	JM, DW			odee Creek					83		
1. Channel C	ondition: Asse	ss the cross-secti	on of the stream a	and prevailing con	dition (erosion, ag	gradation)					
	Opti	imal	Subo	ptimal	Conditional Catego	ory ginal	D.	oor	Sev	oro	
	and	اسمار پر افزالاس	1		1						
Channel Condition	Very little incision or 100% stable banks. protection or natur. (80-100%). AND/07 bankfull benches as to their original fi developed wide ban channel bars and tr Transient sediment less than 100	Vegetative surface al rock, prominent R Stable point bars / re present. Access loodplain or fully ikfull benches. Mid- ansverse bars few. t deposition covers	erosion or unproted of banks are s Vegetative protec prominent (60 Depositional feat stability. The bat shahility are well dhas access to be newly developed portions of the I sediment covers	ew areas of active cted banks. Majority table (60-80%), ition or natural rock +80%) AND/OR tures contribute to tures contribute to flood flow effined. Stream likely ankfull benches, or Ifoodplains along reach. Transient s 10-40% of the bottom.	Poor. Banks more or Poor due to k Erosion may be pr both banks. Vege 40-60% of banks. S vertical or und 40-60% Sediment transient, control Deposition that co may be forming/p shaped channel:	less than Severe or stable than Severe bower bank slopes. esent on 40-60% of fattive protection on streambanks may be ercut. AND/OR may be temporary / ibute instability. Intribute to stability, resent. AND/OR V-s have vegetative % of the banks and	laterally unstabl further. Majority of vertical. Erosion pu banks. Vegetative on 20-40% of bank to prevent erosion. the stream is cov. Sediment is tempnature, and contri AND/OR V-shap vegetative protect	cised. Vertically / E. Likely to widen both banks are near esent on 60-80% of protection present s., and is insufficient AND/OR 60-80% of ered by sediment. borary / transient in buting to instability. bed channels have tion is present on and stable sediment	Streambed below av majority of banks Vegetative protecti than 20% of banks	stability. Severe ed within the banks. erage rooting depth, vertical/undercut. on present on less, to bank sloughing banks on 80-100%. g channel. Greater bed is covered by uting to instability.	
_					to sta	es which contribute ability.		n is absent.	subterranean flow.		CI
Scores	3	3	2	.4		2	1	.6	1		2.40
	BUFFERS: Assess both bank's 100 foot riparian areas along the Conditional COptimal Suboptimal		nditional Cate	gory Marginal Poor				NOTES>>			
Riparian Buffers	Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas.		High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
			High	Low	High	Low	High	Low			
Scores	1.	.5	1.2	1.1	0.85	0.75	0.6	0.5	1		
2. Determine sq	urian areas along each stream bank into Condition Categories and Condition Scores using the descriptors. Ensure the sums of % Riparian										
	iparian Area and S % Riparian Area>	10%	arian category in t	ne blocks below.			RIOCKS	equal 100 100%			
Right Bank	Score >	0.85	0.5					100/0			
	% Riparian Area>	30%	70%					100%	CI= (Sum % RA * Sci	0.54	CI
Left Bank	Score >	0.6	0.5					100/0	Lt Bank CI >	0.53	0.53
3. INSTREAM	/I HABITAT: Va			and depths; wood	y and leafy debris	; stable substrate;	low embededness	s; shade; undercu	t banks; root mats;		
complexes, stabl									NOTES>>		
Instream	Opti	imal	Subo	ptimal	al Category Mar	ginal	Po	oor	NUIES>>		
Habitat/ Available Cover	Optimal Habitat elements are typically present in greater than 50% of the reach.		Stable habitat ele present in 30-50% adequate for r	ments are typically of the reach and are maintenance of ations.	Stable habitat ele present in 10-30% adequate for i	ments are typically of the reach and are maintenance of ations.	Habitat elements listed above are		t ess		CI.
Scores	1.5		1			Stream (1 50			

Scores

1.5

1.2

0.9

0.5

High / Low

1.50

Stream Impact Assessment Form Page 2											
Project #	Project Name (Applicant)		Locality	Cowardin Class.	нис	Date	SAR#	Impact Length	Impact Factor		
22865.06	Mountain Valley Pipeline (Mountain Valley Pipeline, LLC)		Franklin County	R3	03010101	8/26/2021	S-F8	83	1		
4. CHANNEL ALTERATION: Stream crossings, riprap, concrete, gabions, or concrete blocks, straightening of channel, channelization, embankments, spoil piles, constrictions, livestock											
	Conditional Category NOTES>>										
	Negligible Mi		nor	Moderate		Severe					
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	20-40% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	of the channel alterations listed in	60 - 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	Greater than 80% o by any of the chann in the parameter g 80% of banks sho riprap, or	el alterations listed uidelines AND/OR ored with gabion,				
Scores	1.5	1.3	1.1	0.9	0.7	0.	5				

REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH

NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number.

THE REACH CONDITION INDEX (RCI) >> 1.07

RCI= (Sum of all CI's)/5, except if stream is ephemeral RCI = (Riparian CI/2)

COMPENSATION REQUIREMENT (CR) >>


CR = RCI X L_I X IF




 ${\color{red}{\sf CAPTION}}. \ {\color{blue}{\sf Assessment}} \ {\color{blue}{\sf is}} \ {\color{blue}{\sf limited}} \ {\color{blue}{\sf to}} \ {\color{blue}{\sf areas}} \ {\color{blue}{\sf within}} \ {\color{blue}{\sf the}} \ {\color{blue}{\sf temporary}} \ {\color{blue}{\sf ROW}}.$

DESCRIBE PROPOSED IMPACT:


PROVIDED UNDER SEPARATE COVER






1 inch = 20 ft.

CL STAKEOUT POINTS: S-F8 CROSS SECTION B (PIPE CL)											
	PR	E-CROSSING		POST-C	ROSSING						
DT LOC	NODTHING	FACTING		VERT.	HORZ.						
PT. LOC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.						
TS-L	13457675.18	1979817.75	874.53								
BS-L	13457673.44	1979819.16	874.33								
THW	13457671.20	1979820.66	873.72								
BS-R	13457658.39	1979830.27	874.56								
TS-R	13457650.92	1979835.45	878.76								






0+10 0+20 0+30

DISTANCE ALONG CROSS-SECTION (FT)

SURVEY NOTES:

- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on October 4, 2018.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or



PRE-CROSSING PHOTOS

268.6)

Horizontal Datum: NAD 1983 UTM ZONE 1

Sheet #

1 of 1

Approved

NAS

Vertical Datum: NAVD 88

Boundary and Topo Source:


PFS SIH

Computer File Name:

2865_03 S-I MP 268-278 Sheets.dwg

Survey\22000s\22800\22865.03\Spread I Work Dwgs

WSSI 2' C.I. Topo



EL.: 873.1

 $0+40 \quad 0+50$