Reach S-F9a (Timber Mat Crossing) Intermittent Spread I Franklin County, Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	\checkmark
RBP Physical Characteristics Form	\checkmark
Water Quality Data	N/A – No flow
RBP Habitat Form	\checkmark
RBP Benthic Form	\checkmark
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	\checkmark
RiverMorph Data Sheet	\checkmark
USM Form (Virginia Only)	\checkmark
Longitudinal Profile and Cross Sections	\checkmark

Spread I Stream S-F9a (Timber Mat Crossing) Franklin County



Photo Type: US VIEW Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking E upstream, CL



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking W downstream, CL

DEQ Permit #21-0416

Spread I Stream S-F9a (Timber Mat Crossing) Franklin County



Photo Type: LB CL Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking NW at right streambank, CL



Photo Type: RB CL Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking SE at left streambank, CL

DEQ Permit #21-0416

Spread I Stream S-F9a (Timber Mat Crossing) Franklin County



Photo Type: US COND Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking SE upstream, CL



Photo Type: DS VIEW Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking NW downstream, CL

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	37.047172	Lon.	-79.813	WEATHER:	Sunny	DATE:	8/26/2021
	D AND SITE DESCRIPTION:), unaltered or impairments)	S-F9a	17.4ac		MITIGATION STREAM CLAS (watershed size (acrea			:		Comments:	
STREAM IMPACT LENGTH:	20 FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existin	ng Condition (Debit)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation Post Complet		Years	Column No. 4- Mitigation Proje Post Completion (6		Column No. 5- Mitigation Project	ted at Maturity (Credit)
tream Classification:	Intermittent	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel S	Slope 5.29	Percent Stream Channel Sic	pe		Percent Stream Channel	Slope	0	Percent Stream Channel Sl	ope 0	Percent Stream Channel S	lope 0
HGM Score (attach o	data forms):	HGM Score (attach o	lata forms):		HGM Score (attac	ch data forms):		HGM Score (attach da	ata forms):	HGM Score (attach o	lata forms):
	Average		Average				Average		Average		Aver
Hydrology Biogeochemical Cycling Habitat	0.36 0.39 0.34666667	Hydrology Biogeochemical Cycling Habitat	0		Hydrology Biogeochemical Cycling Habitat		0	Hydrology Biogeochemical Cycling Habitat	0	Hydrology Biogeochemical Cycling Habitat	0
PART I - Physical, Chemical and		PART I - Physical, Chemical and	Biological Indicators		PART I - Physical, Chemical	and Biological I	ndicators	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range Site Score		Points Scale Range Site Score			Points Scale Ran	e Site Score		Points Scale Range Site Score		Points Scale Range Site S
IYSICAL INDICATOR (Applies to all stream	ns classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all strea	ms classifications)		PHYSICAL INDICATOR (Applies to all streams	s classifications)	PHYSICAL INDICATOR (Applies to all stream	s classifications)
SEPA RBP (High Gradient Data Sheet)		USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	
Epifaunal Substrate/Available Cover Embeddedness	0-20 0	1. Epifaunal Substrate/Available Cover 2. Pool Substrate Characterization	0-20		1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20		1. Epifaunal Substrate/Available Cover	0-20	1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20
Velocity/ Depth Regime	0-20 3 0-20 0	2. Pool Substrate Characterization 3. Pool Variability	0-20		2. Embeddedness 3. Velocity/ Depth Regime	0-20		2. Embeddedness 3. Velocity/ Depth Regime	0-20	 2. Embeddedness 3. Velocity/ Depth Regime 	0-20
Sediment Deposition	0-20 16	4. Sediment Deposition	0-20		4. Sediment Deposition	0-20		4. Sediment Deposition	0-20	4. Sediment Deposition	0-20
Channel Flow Status	0-20 0.4 0	5. Channel Flow Status	0-20		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	5. Channel Flow Status	0-20
Channel Alteration	0-20 0-1 16	6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20 0-1	6. Channel Alteration	0-20
Frequency of Riffles (or bends)	0-20 0	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
Bank Stability (LB & RB)	0-20 14	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20
Vegetative Protection (LB & RB)	0-20 14	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20
. Riparian Vegetative Zone Width (LB & RB)	0-20 18	10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)			10. Riparian Vegetative Zone Width (LB & RB)	0-20	 Riparian Vegetative Zone Width (LB & RB) 	0-20
tal RBP Score	Marginal 81	Total RBP Score	Poor 0		Total RBP Score	Poor	0	Total RBP Score	Poor 0	Total RBP Score	Poor 0
Ib-Total HEMICAL INDICATOR (Applies to Intermitte	0.405	Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		Sub-Total CHEMICAL INDICATOR (Applies to Intermit	tent and Perennial	0 Streams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermitter	0	Sub-Total CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)
DEP Water Quality Indicators (Genera		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Gene		,	WVDEP Water Quality Indicators (General		WVDEP Water Quality Indicators (General	-
ecific Conductivity		Specific Conductivity			Specific Conductivity	rai)		Specific Conductivity	·/	Specific Conductivity	")
100-199 - 85 points	0-90		0-90			0-90			0-90		0-90
	0-80 0-1	рН	5-90 0-1		pH	5-90 0-		рН	5-90 0-1	pH	5-90 0-1
5.6-5.9 = 45 points	0-80		5-90			P-90			5-90		5-90
)	10-30	DO	10-30		DO	10-30		DO	10-30	DO	10-30
ıb-Total		Sub-Total	0		Sub-Total	10-50	0	Sub-Total	0	Sub-Total	
IOLOGICAL INDICATOR (Applies to Interm	nittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)		BIOLOGICAL INDICATOR(Applies to Inte	rmittent and Perei	nial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	nittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interr	nittent and Perennial Stream
V Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
0	0-100 0-1		0-100 0-1			0-100 0-1			0-100 0-1		0-100 0-1
ub-Total	0	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	0
PART II - Index and	Unit Score	PART II - Index and	Unit Score		PART II - Index a	nd Unit Score		PART II - Index and U	Init Score	PART II - Index and	Unit Score
Index	Linear Feet Unit Score	Index	Linear Feet Unit Score		Index	Linear Fee	t Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit S

0.475

20 9.49166667

			High-G			ter Strea			a	Versio	on 10-20-17
				Field [Data She	et and C		-			
Dr		RH, CL	(allay Dinalin					Latitude/UT	•		
Pro		Franklin Co	alley Pipelin	le			. L	ongitude/U ⁻ . San	pling Date:		
9	AR Number:			Length (ft):	94	Stream Tu	(ne:			0/20/21	_
57	SAR Number: S-F9a Reach Length (ft): 94 Stream Type: Intermittent Stream Top Strata: Shrub/Herb Strata (determined from percent calculated in V _{CCANOPY})								•		
Site	' and Timing:				,		Before Proje		.,		•
	Variables						,				
1	V _{CCANOPY}	Average pe equidistant	ercent cover points along at least one	g the stream	n. Measure	only if tree/s	apling cove	r is at least :			Not Used, <20%
	List the per		neasuremer				rop oliulu (,10100.)			
	0	0	0	0	0	0	0	0	60	80	
2	V _{EMBED}		nbeddednes								2.8
			tream. Sele d area surroi								
		to the follow of 1. If the	ving table. I bed is comp	f the bed is losed of bec	an artificial : drock, use a	surface, or o rating score	composed or e of 5.	f fine sedime	ents, use a	rating score	
		Embedded Minshall 19	ness rating f	or gravel, c	obble and b	oulder partic	cles (rescale	ed from Platt	s, Megahan	i, and	
		Rating	Rating Des	cription							
		5	<5 percent	of surface of		rounded, or				()	
		4				, surrounded					
		3				d, surrounde d, surrounde	,				
		1	>75 percen	t of surface		irrounded, o				al surface)]
			point below							-	
	5	2	4	4	1 4	1	1	1 4	1	5	
	4	4	4	4	5	4	5	4	4	1	
3	V _{SUBSTRATE}	Median stre along the s	eam channe tream; use t	l substrate p he same po	particle size. ints and par	. Measure a ticles as use	it no fewer t ed in V _{EMBED}	han 30 roug 	hly equidist	ant points	3.25 in
			ches to the r			n point below	/ (bedrock s	hould be co	unted as 99	in, asphalt	
			and or finer		,						
	3.30 1.30	6.30 3.60	3.40 0.08	1.50 2.00	0.08	0.08	6.10 0.08	0.08 8.10	2.20 0.08	1.20 0.08	
	4.50	4.90	3.90	0.08	5.20	3.60	3.70	3.50	4.10	3.20	
4	V _{BERO}	Total perce	nt of eroded	stream cha	annel bank.	Enter the to	tal number	of feet of er	oded bank o	on each	
			e total perce	entage will b	e calculated	l If both bar	nks are eroo	ded, total er	osion for the	e stream	0 %
		may be up	Left Bank:	0	ft		Right Bank:	0	ft		
			Leit Darik.	0	п		RIGHT DAHK.	0	n		
Sample	e Variables	5-9 within t	he entire ri	parian/buff	er zone adj	acent to the	e stream ch	annel (25 fe	eet from ea	ch bank).	
5	V_{LWD}		down woody								0.0
			ch. Enter the t of stream v			e ou -wide b	wher and w	iu in the cha	mei, and th	ie amount	0.0
		•			Number of	f downed wo)		
6	V _{TDBH}	•	oh of trees (r				g cover is a	t least 20%)	. Trees are	at least 4	Not Used
		List the dbh	cm) in diame n measurem) within the	buffer on ea	ch side of		
		the stream	below: Left Side					Right Side			
	0		Lon Olde			0		. agrit Olde			
7	V _{SNAG}		snags (at le		, ,	•		Enter numb	er of snags	on each	0.0
		รเนย บเ เทย	stream, and	are arrioun	- hei 100 166	Fr will be call	oulateu.				0.0
			Left Side:		0		Right Side:		0		-
8	V _{SSD}		saplings and r is <20%).								48.9
			of stream will			ya anu shilu.	s on eachs		acam, and	ane amount	-0.3
			Left Side:		4		Right Side:	4	2		

9	V _{SRICH}	Group 1 in		1.0								
				nd the subir	ndex will be	calculated 1	rom these d		0	0 (4 0)		
-	Acer rubru		p 1 = 1.0	Magnalia	rinatala		Ailanthus a			2 (-1.0)	L oniooro io	nonico
				Magnolia tr							Lonicera ja	
_	Acer sacch			Nyssa sylv			Albizia julib				Lonicera ta	
_	Aesculus fi			Oxydendrum			Alliaria peti				Lotus corni	
_	Asimina tri			Prunus ser			Alternanthe				Lythrum sa	
_	Betula alleg			Quercus al							Microstegiur	
_	Betula lent			Quercus co			Aster tatari				Paulownia	
_	Carya alba			Quercus in			Cerastium		num	_	Polygonum o	
]	Carya glab			Quercus pr			Coronilla va				Pueraria m	
1	Carya oval			Quercus ru			Elaeagnus u				Rosa multi	
_	Carya ovat			Quercus ve			Lespedeza				Sorghum h	
_	Cornus flor			Sassafras			Lespedeza				Verbena bi	rasiliensis
_	Fagus grar			Tilia amerio			Ligustrum ot					
_	Fraxinus a			Tsuga cana			Ligustrum s	sinen	se			
	Liriodendron	•		Ulmus ame	ericana							
	Magnolia a	cuminata										
		1	Species in	Group 1					1	Species in	Group 2	
•	e Variables The four su V _{DETRITUS}	bplots shoι Average pe	ild be place ercent cover clude. Enter	of leaves, so the percen	equidistant sticks, or oth	t ly along ea ler organic r	•	the st	ream. debris ·			m each 10.00 %
				Side	-		Right	t Side		0.5		
		0	15	0	5	20	15		0	25		
11	V _{HERB}						asure only if there may b	be sev	veral la	yers of gro	und cover	79 %
		vegetation each subpl	ot.		1 200% are a					of ground ve		
		each subpl	ot. Left	Side	1 200% are a	accepted. E	Righ	t Side	e	-		
	e Variable 1 V _{WLUSE}	each subpl	Left 85	Side 10 chment of t	95	accepted. E		t Side		75		0.33
		each subpl	ot. Left 85 e entire cate	Side 10 chment of t	95 95 he stream.	80 80 ned:	Righ	t Side	e	75 Runoff	% in Catch	Running
		each subpl	ot. Left 85 e entire cate	Side 10 chment of t	95 95 he stream.	80 80 ned:	Righ	t Side	e	75		Running Percent
	V _{WLUSE}	each subpl	ot. Left 85 e entire cate Average of F Land	Side 10 chment of t Runoff Score	95 95 he stream.	80 80 ned:	Righ	t Side	e	75 Runoff	% in Catch	Running Percent
	V _{WLUSE}	each subpl	e entire cato Average of F Land	Side 10 chment of t Runoff Score Use (Choos cover)	95 95 he stream.	80 80 ned:	Righ	t Side	e	75 Runoff Score	% in Catch ment	Running Percent (not >100
	V _{WLUSE} Forest and n Forest and n	each subpl 100 2 within the Weighted A ative range (<	e entire cate Average of F Land	Side 10 chment of t Runoff Score Use (Choos cover) cover)	95 95 the stream. a for watersh se From Dro	80 80 ned:	Righ	t Side	e	75 Runoff Score 0.5 1	% in Catch ment 8.42 1.3	Running Percent (not >100 8.42 9.72
	V _{WLUSE} Forest and n Forest and n	each subpl 100 2 within the Weighted A ative range (<	e entire cate Average of F Land	Side 10 chment of t Runoff Score Use (Choos cover) cover)	95 95 the stream. a for watersh se From Dro	80 80 ned:	Righ	t Side		75 Runoff Score 0.5	% in Catch ment 8.42	Running Percent (not >100 8.42
	V _{WLUSE} Forest and n Forest and n	each subpl 100 2 within the Weighted A ative range (<	e entire cate Average of F Land	Side 10 chment of t Runoff Score Use (Choos cover) cover)	95 95 the stream. a for watersh se From Dro	80 80 ned:	Righ	t Side		75 Runoff Score 0.5 1	% in Catch ment 8.42 1.3	Running Percent (not >100 8.42 9.72
	V _{WLUSE} Forest and n Forest and n	each subpl 100 2 within the Weighted A ative range (<	e entire cate Average of F Land	Side 10 chment of t Runoff Score Use (Choos cover) cover)	95 95 the stream. a for watersh	80 80 ned:	Righ	t Side		75 Runoff Score 0.5 1	% in Catch ment 8.42 1.3	Running Percent (not >100 8.42 9.72
	V _{WLUSE} Forest and n Forest and n	each subpl 100 2 within the Weighted A ative range (<	e entire cate Average of F Land	Side 10 chment of t Runoff Score Use (Choos cover) cover)	95 95 the stream. a for watersh	80 80 ned:	Righ	t Side		75 Runoff Score 0.5 1	% in Catch ment 8.42 1.3	Running Percent (not >100 8.42 9.72
	V _{WLUSE} Forest and n Forest and n	each subpl 100 2 within the Weighted A ative range (<	e entire cate Average of F Land	Side 10 chment of t Runoff Score Use (Choos cover) cover)	95 95 the stream. a for watersh	80 80 ned:	Righ	t Side		75 Runoff Score 0.5 1	% in Catch ment 8.42 1.3	Running Percent (not >100 8.42 9.72
	V _{WLUSE} Forest and n Forest and n	each subpl 100 2 within the Weighted A ative range (<	e entire cate Average of F Land	Side 10 chment of t Runoff Score Use (Choos cover) cover)	95 95 the stream. a for watersh	80 80 ned:	Righ	t Side		75 Runoff Score 0.5 1	% in Catch ment 8.42 1.3	Running Percent (not >100 8.42 9.72
	V _{WLUSE} Forest and n Forest and n Open space	each subpl 100 2 within the Weighted A ative range (<	e entire cate Average of F Land	Side 10 chment of t Runoff Score Use (Choos cover) cover)	95 95 the stream. a for watersh	80 80 ned:	Right 85	t Side		75 Runoff Score 0.5 1	% in Catch ment 8.42 1.3	Running Percent (not >100 8.42 9.72
12	V _{WLUSE} Forest and n Open space	each subpl 100 2 within the Weighted A ative range (> ative range (> (pasture, lawr S-F9a	Land 250% ground 175% ground 15, parks, etc.)	Side 10 chment of t Runoff Score Use (Choos cover) cover) , grass cover	95 95 95 95 95 95 95 95 95 95	accepted. E	Right 85	t Side	e 000 • • • •	75 Runoff Score 0.5 1 0.3	% in Catch ment 8.42 1.3 90.28	Running Percent (not >100 8.42 9.72 100
v	VwLUSE Forest and n Forest and n Open space	each subpl 100 2 within the Weighted A ative range (> ative range (> (pasture, lawr S-F9a Value	VSI	Side 10 chment of t Runoff Score Use (Choos cover) cover) grass cover	95 95 95 95 95 95 95 95 95 95	accepted. E	Righ 85 85 No	t Side	e 000 * * * * * * * * *	75 Runoff Score 0.5 1 0.3	% in Catch ment 8.42 1.3	Running Percent (not >100 8.42 9.72 100
v	V _{WLUSE} Forest and n Open space	each subpl 100 2 within the Weighted A ative range (> ative range (> (pasture, lawr S-F9a	Land 250% ground 175% ground 15, parks, etc.)	Side 10 chment of t Runoff Score Use (Choos cover) cover) , grass cover - Land Cov. (NLCD), fr	95 95 95 95 95 95 95 95 95 95	accepted. E 80 ned: op List) s was comp at satellite es are bas	Right 85 85 No Deted using imagery ar ed off of fie	t Side	e 00 V V V V V V V V V V V V V V V V V V	75 Runoff Score 0.5 1 0.3 National L pplementz ed stream	% in Catch ment 8.42 1.3 90.28 90.28	Running Percent (not >100 8.42 9.72 100
V V V	VwLUSE Forest and n Forest and n Open space	each subpl 100 2 within the Weighted A ative range (> (pasture, lawr G-F9a Value Not Used,	VSI	Side 10 chment of t Runoff Score Use (Choos cover) cover) , grass cover - Land Cov. (NLCD), fr	95 95 95 95 95 95 95 95 95 95	accepted. E 80 ned: op List) s was comp at satellite es are bas	Right 85 85 No Deted using imagery ar ed off of fie	t Side	e 00 V V V V V V V V V V V V V V V V V V	75 Runoff Score 0.5 1 0.3 National L pplementz ed stream	% in Catch ment 8.42 1.3 90.28	Running Percent (not >100 8.42 9.72 100
V V V _c	VwLUSE Forest and n Open space	each subpl 100 2 within the Weighted A ative range (> (pasture, lawr G-F9a Value Not Used, <20%	VSI Not Used	Side 10 chment of t Runoff Score Use (Choos cover) cover) , grass cover - Land Cov. (NLCD), fr	95 95 95 95 95 95 95 95 95 95	accepted. E 80 ned: op List) s was comp at satellite es are bas	Right 85 85 No Deted using imagery ar ed off of fie	t Side	e 00 V V V V V V V V V V V V V V V V V V	75 Runoff Score 0.5 1 0.3 National L pplementz ed stream	% in Catch ment 8.42 1.3 90.28 90.28	Running Percent (not >100 8.42 9.72 100
V V V V S	VwLUSE Forest and n Open space	each subpl 100 2 within the Weighted A ative range (< ative range (> (pasture, lawr (pasture, lawr S-F9a Value Not Used, <20% 2.8 3.25 in	VSI Not Used 0.74 1.00	Side 10 chment of t Runoff Score Use (Choos cover) cover) , grass cover - Land Cov. (NLCD), fr	95 95 95 95 95 95 95 95 95 95	accepted. E 80 ned: op List) s was comp at satellite es are bas	Right 85 85 No Deted using imagery ar ed off of fie	t Side	e 00 V V V V V V V V V V V V V V V V V V	75 Runoff Score 0.5 1 0.3 National L pplementz ed stream	% in Catch ment 8.42 1.3 90.28 90.28	Running Percent (not >100 8.42 9.72 100
V V V _c V _s V _B	VwLUSE Forest and n Forest and n Open space (ariable CANOPY SUBSTRATE SERO	each subpl 100 2 within the Weighted A ative range (> (pasture, lawr S-F9a Value Not Used, <20% 2.8 3.25 in 0 %	VSI Not Used 0.74 1.00 1.00	Side 10 chment of t Runoff Score Use (Choos cover) cover) , grass cover - Land Cov. (NLCD), fr	95 95 95 95 95 95 95 95 95 95	accepted. E 80 ned: op List) s was comp at satellite es are bas	Right 85 85 No Deted using imagery ar ed off of fie	t Side	e 00 V V V V V V V V V V V V V V V V V V	75 Runoff Score 0.5 1 0.3 National L pplementz ed stream	% in Catch ment 8.42 1.3 90.28 90.28	Running Percent (not >100 8.42 9.72 100
V V V V S V L	VwLUSE Forest and m Forest and m Open space (ariable (canopy substrate sero wd	each subpl 100 2 within the Weighted A ative range (> ative range (> (pasture, lawr S-F9a Value Not Used, <20% 2.8 3.25 in 0 % 0.0	VSI Not Used 0.74 1.00 0.00	Side 10 chment of t Runoff Score Use (Choos cover) cover) , grass cover - Land Cov. (NLCD), fr	95 95 95 95 95 95 95 95 95 95	accepted. E 80 ned: op List) s was comp at satellite es are bas	Right 85 85 No Deted using imagery ar ed off of fie	t Side	e 00 V V V V V V V V V V V V V V V V V V	75 Runoff Score 0.5 1 0.3 National L pplementz ed stream	% in Catch ment 8.42 1.3 90.28 90.28	Running Percent (not >100 8.42 9.72 100
V V V V S V L	VwLUSE Forest and n Forest and n Open space (ariable CANOPY SUBSTRATE SERO	each subpl 100 2 within the Weighted A ative range (> (pasture, lawr S-F9a Value Not Used, <20% 2.8 3.25 in 0 %	VSI Not Used 0.74 1.00 1.00	Side 10 chment of t Runoff Score Use (Choos cover) cover) , grass cover - Land Cov. (NLCD), fr	95 95 95 95 95 95 95 95 95 95	accepted. E 80 ned: op List) s was comp at satellite es are bas	Right 85 85 No Deted using imagery ar ed off of fie	t Side	e 00 V V V V V V V V V V V V V V V V V V	75 Runoff Score 0.5 1 0.3 National L pplementz ed stream	% in Catch ment 8.42 1.3 90.28 90.28	Running Percent (not >100 8.42 9.72 100
V Vc Vs VB VL VT	VwLUSE Forest and m Forest and m Open space (ariable (canopy substrate sero wd	each subpl 100 2 within the Weighted A ative range (> ative range (> (pasture, lawr S-F9a Value Not Used, <20% 2.8 3.25 in 0 % 0.0	VSI Not Used 0.74 1.00 0.00	Side 10 chment of t Runoff Score Use (Choos cover) cover) , grass cover - Land Cov. (NLCD), fr	95 95 95 95 95 95 95 95 95 95	accepted. E 80 ned: op List) s was comp at satellite es are bas	Right 85 85 No Deted using imagery ar ed off of fie	t Side	e 00 V V V V V V V V V V V V V V V V V V	75 Runoff Score 0.5 1 0.3 National L pplementz ed stream	% in Catch ment 8.42 1.3 90.28 90.28	Running Percent (not >100 8.42 9.72 100
V Vc Vs VB VL VT	VwLUSE Forest and n Forest and n Open space (ariable CANOPY SMBED SUBSTRATE RERO WD DBH	each subpl 100 2 within the Weighted A ative range (< ative range (> (pasture, lawr (pasture, lawr S-F9a Value Not Used, 2.8 3.25 in 0 % 0.0 Not Used	VSI Not Used Not Used	Side 10 chment of t Runoff Score Use (Choos cover) cover) , grass cover - Land Cov. (NLCD), fr	95 95 95 95 95 95 95 95 95 95	accepted. E 80 ned: op List) s was comp at satellite es are bas	Right 85 85 No Deted using imagery ar ed off of fie	t Side	e 00 V V V V V V V V V V V V V V V V V V	75 Runoff Score 0.5 1 0.3 National L pplementz ed stream	% in Catch ment 8.42 1.3 90.28 90.28	Running Percent (not >100 8.42 9.72 100
V 12 V _c V _c V _b V _b V _b V _b V _b V _b V _b	VwLUSE Forest and m Forest and m Open space (ariable CCANOPY SMBED SUBSTRATE SERO WD DBH SNAG SSD	each subpl 100 2 within the Weighted A ative range (< ative range (> (pasture, lawr S-F9a Value Not Used, <20% 2.8 3.25 in 0 % 0.0 Not Used 0.0 48.9	VSI Not Used 0.74 1.00 Not Used 0.75	Side 10 chment of t Runoff Score Use (Choos cover) cover) , grass cover - Land Cov. (NLCD), fr	95 95 95 95 95 95 95 95 95 95	accepted. E 80 ned: op List) s was comp at satellite es are bas	Right 85 85 No Deted using imagery ar ed off of fie	t Side	e 00 V V V V V V V V V V V V V V V V V V	75 Runoff Score 0.5 1 0.3 National L pplementz ed stream	% in Catch ment 8.42 1.3 90.28 90.28	Running Percent (not >100 8.42 9.72 100
V 12 V _E V _S V _B V _C V _T V _S V _S	VwLUSE Forest and m Forest and m Open space Compension (Compension) Compension Compensio	each subpl 100 2 within the Weighted A ative range (< ative range (> (pasture, lawr S-F9a Value Not Used, <20% 2.8 3.25 in 0 % 0.0 Not Used 0.0 48.9 0.00	VSI Not Used 0.75 0.00 Not Used 0.75 0.00	Side 10 chment of t Runoff Score Use (Choos cover) cover) , grass cover - Land Cov. (NLCD), fr	95 95 95 95 95 95 95 95 95 95	accepted. E 80 ned: op List) s was comp at satellite es are bas	Right 85 85 No Deted using imagery ar ed off of fie	t Side	e 00 V V V V V V V V V V V V V V V V V V	75 Runoff Score 0.5 1 0.3 National L pplementz ed stream	% in Catch ment 8.42 1.3 90.28 90.28	Running Percent (not >100 8.42 9.72 100
V 12 V _E V _E V _B V _L V _T V _S V _S V _D	VwLUSE Forest and m Forest and m Open space Cariable CANOPY BUBSTRATE SUBSTR	each subpl 100 2 within the Weighted A ative range (< ative range (> (pasture, lawr (pasture, lawr S-F9a Value Not Used, <20% 2.8 3.25 in 0 % 0.0 Not Used 0.0 48.9 0.00 10.0 %	VSI Not Used 0.75 0.00 0.12	Side 10 chment of t Runoff Score Use (Choos cover) cover) , grass cover - Land Cov. (NLCD), fr	95 95 95 95 95 95 95 95 95 95	accepted. E 80 ned: op List) s was comp at satellite es are bas	Right 85 85 No Deted using imagery ar ed off of fie	t Side	e 00 V V V V V V V V V V V V V V V V V V	75 Runoff Score 0.5 1 0.3 National L pplementz ed stream	% in Catch ment 8.42 1.3 90.28 90.28	Running Percent (not >100 8.42 9.72 100
V 12 Vc Vc Vs Vs Vs Vs Vs Vs Vs Vs Vs Vs Vs Vs	VwLUSE Forest and m Forest and m Open space Compension (Compension) Compension Compensio	each subpl 100 2 within the Weighted A ative range (< ative range (> (pasture, lawr S-F9a Value Not Used, <20% 2.8 3.25 in 0 % 0.0 Not Used 0.0 48.9 0.00	VSI Not Used 0.75 0.00 Not Used 0.75 0.00	Side 10 chment of t Runoff Score Use (Choos cover) cover) , grass cover - Land Cov. (NLCD), fr	95 95 95 95 95 95 95 95 95 95	accepted. E 80 ned: op List) s was comp at satellite es are bas	Right 85 85 No Deted using imagery ar ed off of fie	t Side	e 00 V V V V V V V V V V V V V V V V V V	75 Runoff Score 0.5 1 0.3 National L pplementz ed stream	% in Catch ment 8.42 1.3 90.28 90.28	Running Percent (not >100 8.42 9.72 100

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: Mountain Valley Pipeline Location: Franklin County Sampling Date: 8/26/21	Project Site	Before Project
Subclass for this SAR:		
Intermittent Stream		
Uppermost stratum present at this SAR:	SAR number:	S-F9a

Uppermost stratum present at this SAR: Shrub/Herb Strata

Functional Results Summary:

Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.36
Biogeochemical Cycling	0.39
Habitat	0.29

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	2.77	0.74
V _{SUBSTRATE}	Median stream channel substrate particle size.	3.25	1.00
V _{BERO}	Total percent of eroded stream channel bank.	0.00	1.00
V _{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	48.94	0.75
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
VDETRITUS	Average percent cover of leaves, sticks, etc.	10.00	0.12
V _{HERB}	Average percent cover of herbaceous vegetation.	78.75	1.00
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.33	0.35

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-F9a	LOCATION Franklin Country					
STATION # RIVERMILE		STREAM CLASS Intermittent				
LAT <u>37.047172</u> LO	DNG <u>-79.813</u>	RIVER BASIN Upper Roanoke				
STORET #		AGENCY VADE	EQ			
INVESTIGATORS RH, CL	-					
FORM COMPLETED BY	CL	DATE 8/26/21 TIME 13:00		REASON FOR SURVEY Baseline Assessment		
WEATHER CONDITIONS	Now		Past 24 hours \checkmark	Has there been a heavy rain in the last 7 days? Yes No		
CONDITIONS	storm	(heavy rain)		Air Temperature ³³ ⁰ C		
	rain (steady rain) (intermittent)	-			
	% %c	oud cover	√ <u></u> % '	Other		
SITE LOCATION/MAP	Draw a map of the sit	e and indicate the	areas sample	ed (or attach a photograph)		
	1		13	Pistream		
	38			is in the second s		
			~			
		~	V C			
		<	14			
		00	Ja	Dense		
		Las	101	veg.		
		Uy.	50	11		
		\sim		YYYY		
				195		
				S V V		
	D .	pecl				
	1.15	proc				
			11			
			141	(
			/ (0	gwn-		
	-		' /	241.8061		
			1			
	l f	bridge,	(KO)	W		
	L	13 Juge/		•		
STREAM	<u>St</u> ream Subsystem		S	Stream Type		
CHARACTERIZATION	–	ermittent Tida		Coldwater Varmwater		
	Stream Origin	□Spring-fed		Catchment Area_0.07 km ²		
	Non-glacial montane	Mixture of	origins			

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse Forest Commercial Field/Pasture Industrial Agricultural Other Residential Indicate the dominant type and record the domin Trees Shrubs Dominant species present Persicaria pensylvanica	Local Watershed NPS Pollution Image: Polynomial Sources Image: Dobious Sources Local Watershed Erosion Image: Polynomial Sources Image: Dobious Sources Image: Polynomial Sources Image: Polyno
INSTREAM FEATURES	Estimated Reach Length 28.7 m Estimated Stream Width 0.6 m Sampling Reach Area 17.5 m² Area in km² (m²x1000) km² Estimated Stream Depth 0 m Surface Velocity (at thalweg) 0 m/sec	Canopy Cover □Partly shaded □Shaded I Partly open □Partly shaded □Shaded High Water Mark 3 m Proportion of Reach Represented by Stream Morphology Types Riffle MA % Run % Pool % V No Dam Present Yes No
LARGE WOODY DEBRIS	LWDm ² Density of LWDm ² /km ² (LWD/ read	ch area)
AQUATIC VEGETATION	Indicate the dominant type and record the domin Rooted emergent Floating Algae Dominant species present Persicaria pensylvanica Portion of the reach with aquatic vegetation 55	nant species present ☐Rooted floating ☐Free floating
WATER QUALITY	Temperature N/A 0 C Specific Conductance N/A Dissolved Oxygen N/A pH NA/ Turbidity N/A WQ Instrument Used N/A	Water Odors Normal/None Sewage Petroleum Chemical Fishy Other NO FLOW Water Surface Oils Slick Slick Sheen Other NO FLOW Other NO FLOW Turbidity (if not measured) Turbid Clear Slightly turbid Opaque Stained
SEDIMENT/ SUBSTRATE	Odors □ Petroleum □ Chemical □ Anaerobic □ Petroleum □ Other □ None □ None Oils □ Absent □ Slight □ Moderate □ Profuse	Deposits Sludge Sawdust Paper fiber Sand Relict shells Other ↓poking at stones which are not deeply embedded, are the undersides black in color? Yes No

INC	ORGANIC SUBSTRATE (should add up to 1		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)				
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area		
Bedrock			Detritus	sticks, wood, coarse plant	2		
Boulder	> 256 mm (10")]	materials (CPOM)	3		
Cobble	64-256 mm (2.5"-10")	45	Muck-Mud	black, very fine organic			
Gravel	2-64 mm (0.1"-2.5")	20		(FPOM)			
Sand	0.06-2mm (gritty)	5	Marl	grey, shell fragments			
Silt	0.004-0.06 mm	20]				
Clay	< 0.004 mm (slick)	10]				

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-F9a	LOCATION Franklin County			
STATION # RIVERMILE	STREAM CLASS Intermittent			
LAT <u>37.047172</u> LONG <u>-79.813</u>	RIVER BASIN Upper Roanoke			
STORET #	AGENCY VADEQ			
INVESTIGATORS RH, CL				
FORM COMPLETED BY	DATE <u>8/26/21</u> TIME <u>13:25</u> AM PM REASON FOR SURVEY Baseline Assessment			

	Habitat		Condition	Category		
	Parameter	Optimal	Suboptimal	Marginal	Poor	
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.	
	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
ı sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.	
ed ir	score 3 💌	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).	
ıram	_{SCORE} 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.	
	_{SCORE} 16 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.	
	SCORE U	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	a Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	_{SCORE} 16 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
samp	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE 7	Left Bank 10 9	8 7 6	5 4 3	2 1 0
i to b	SCORE 7	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameter	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	$score \frac{7}{7}$	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 7	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 9	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score 81

A-8 Appendix A-1: Habitat Assessment and Physicochemical Characterization Field Data Sheets - Form 2

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-F	9a	LOCATION Franklin County	
STATION #	RIVERMILE	STREAM CLASS Intermitten	t
LAT 37.047172	LONG79.813	RIVER BASIN Upper Roano	ke
STORET #		AGENCY VADEQ	
INVESTIGATORS R	H, CL		LOT NUMBER
FORM COMPLETED	^{BY} CL	DATE <u>8/26/21</u> TIME <u>13:20</u>	REASON FOR SURVEY Baseline Assessment
HABITAT TYPES	Indicate the percentage of Cobble%Sn Submerged Macrophytes	ags% 🗍 Vegetated B	
SAMPLE COLLECTION	Gear used □D-frame How were the samples coll Indicate the number of jat □CobbleSn □Submerged Macrophytes	lected? □wading □fi s/kicks taken in each habitat ty ags □Vegetated B	rom bank
GENERAL COMMENTS	Dry; no benthics		

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County:	Franklin County	Stream ID:	S-F9a
Stream Name:	UNT to Blackwater River		
HUC Code:	03010101	Basin:	Upper Roanoke
Survey Date:	8/26/2021		
Surveyors:	CL, RH		
Type:	Representative		

	1		LE COUNT				1
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	•	33	33.00	33.00
	Very Fine	.062125		•	7	7.00	40.00
	Fine	.12525		•	8	8.00	48.00
	Medium	.255	SAND	• •	5	5.00	53.00
	Coarse	.50-1.0		•	4	4.00	57.00
.0408	Very Coarse	1.0-2		▲ ▼	5	5.00	62.00
.0816	Very Fine	2 -4		▲ ▼	1	1.00	63.00
.1622	Fine	4 -5.7		▲ ▼	3	3.00	66.00
.2231	Fine	5.7 - 8		• •		0.00	66.00
.3144	Medium	8 -11.3		* *	1	1.00	67.00
.4463	Medium	11.3 - 16	GRAVEL	▲ ▼	1	1.00	68.00
.6389	Coarse	16 -22.6]	▲ ▼		0.00	68.00
.89 - 1.26	Coarse	22.6 - 32]	▲ ▼	1	1.00	69.00
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	2	2.00	71.00
1.77 -2.5	Vry Coarse	45 - 64]	▲ ▼	2	2.00	73.00
2.5 - 3.5	Small	64 - 90		▲ ▼	7	7.00	80.00
3.5 - 5.0	Small	90 - 128	COBBLE	▲ ▼	6	6.00	86.00
5.0 - 7.1	Large	128 - 180	COBBLE	▲ ▼	8	8.00	94.00
7.1 - 10.1	Large	180 - 256		▲ ▼	3	3.00	97.00
10.1 - 14.3	Small	256 - 362		▲ ▼	2	2.00	99.00
14.3 - 20	Small	362 - 512		▲ ▼	1	1.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	▲ ▼		0.00	100.00
40 - 80	Large	1024 -2048]	▲ ▼		0.00	100.00
80 - 160	Vry Large	2048 -4096		▲ ▼		0.00	100.00
	Bedrock		BDRK	▲ ▼		0.00	100.00
				Totals:	100		
	Total Tally:						

River Name: Reach Name: Sample Name: Survey Date:	UNT to Blackwa S-F9a Representative 08/26/2021	ter River	
Size (mm)	тот #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	33 7 8 5 4 5 1 3 0 1 1 0 1 2 2 7 6 8 3 2 1 0 0 0	33.00 7.00 8.00 5.00 4.00 5.00 1.00 3.00 0.00 1.00 1.00 2.00 2.00 7.00 6.00 8.00 3.00 2.00 1.00 0.00 1.00 0.00 1.00 0.00 1.00 0.00 1.00 0.00 1.00 0.00 1.00 0.00 1.00 0.00 1.00 0.00 1.00 0.00 1.00 0.00 1.00 0.00 1.00 0.00 1.00 0.00 1.00 0.0	33.00 40.00 48.00 53.00 57.00 62.00 63.00 66.00 66.00 67.00 68.00 68.00 69.00 71.00 73.00 80.00 80.00 80.00 94.00 97.00 99.00 100.00 100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.03 0.08 0.35 115.33 205.33 511.98 33 29 11 24 3 0		

Total Particles = 100.

			Strear	Unified S	tream Method	ology for use	in Virginia				
					able channels cla Cowardin				Impact	Impact	
Project #		ct Name (App	,	Locality	Class.	HUC	Date	SAR #	Length	Factor	
22865.06		/alley Pipeline ley Pipeline, L	•	Franklin County	R4	03010101	8/26/21	S-F9a	20	1	
Nam	e(s) of Evalua		Stream Name		ition			1	SAR Length		
	CL, RH		UNT to Black	water River					20		
Channel C	ondition: Asse	ss the cross-secti	on of the stream a	nd prevailing con							
	Opt	imal	Subo	ptimal	Conditional Catego	^{ry} ginal	P	oor	Sev	ere	
Channel Condition	protection or natur (80-100%). AND/OF bankfull benches a to their original f	Vegetative surface al rock, prominent R Stable point bars / re present. Access loodplain or fully akfull benches. Mid- ransverse bars few. t deposition covers	erosion or unprotect of banks are sl Vegetative protect prominent (60 Depositional feat stability. The bar channels are well du has access to bankf developed flo portions of the r	ew areas of active ted banks. Majority table (60-80%). tion or natural rock. -80%) AND/OR ures contribute to hkfull and low flow fined. Stream likely ull benches, or newly optianis along reach. Transient 0-40% of the stream tom.	Poor. Banks more s Poor due to low Erosion may be pr both banks. Vegel 40-60% of banks. S vertical or undue 40-60% Sediment Deposition that co may be forming/p shaped channels protection on > 40	er bank slopes. seent on 40-60% of ative protection on treambanks may be prout. AND/OR may be temporary / ibute instability. thribute to stability, thribute to stability, seent. AND/OR V- have vegetative % of the banks and as which contribute	laterally unstabl further. Majority of vertical. Erosion p banks. Vegetativ on 20-40% of banh to prevent erosion. the stream is cov Sediment is temp nature, and contri AND/OR V-shap vegetative protec 40% of the banks -	cised. Vertically / e. Likely to widen both banks are near resent on 60-80% of a protection present is, and is insufficient AND/OR 60-80% of ered by sediment. oorary / transient in butting to instability. bed channels have tion is present on > and stable sediment n is absent.	present. Erosion/raw AND/OR Aggradin	stability. Severe ed within the banks. erage rooting depth, vertical/undercut. on present on less is not preventing b banks on 80-100%. g channel. Greater b bd is covered by uting to instability. channels and/or	CI
Scores		3	2	.4		2	1	.6	1	1	2.40
200100	 `	-	-		<u>،</u>			-	I		2.40
RIPARIAN	I BUFFERS: A	ssess both bank's		areas along the enditional Cate		measurements of	length & width ma	ay be acceptable)	NOTES>>		
RIPARIAN	1	ssess both bank's imal	Con Subo High Suboptimal:	ditional Cate	gory Marg	ginal Low Marginal: Non-maintained,	Pe High Poor: Lawns, mowed, and	por	NOTES>>		
RIPARIAN Riparian Buffers	Opt	imal > 3 inches) present, e canopy cover. within the riparian	Con Subo	ditional Cate	gory High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh	<mark>ginal</mark> Low Marginal:	Pe High Poor: Lawns,		NOTES>>		
Riparian	Opt	imal > 3 inches) present, e canopy cover. within the riparian	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained	Low Suboptimal: Riparian areas with tree stratum (dbh si 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense	Gory High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30%	Jinal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained	Pi High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable	NOTES>>		
Riparian	Opt	imal > 3 inches) present, e canopy cover. within the riparian	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	jinal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.	Provide a state of the second and maintained areas, no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.	NOTES>>		
Riparian Buffers Scores Delineate ripa Determine squ	Opt	imal > 3 inches) present, e canopy cover, within the riparian as5 ach stream bank ach by measuring	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating lengt	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cate	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30%	jinal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	Pri High Poor: Lawns, mowed, and maintained areas, parsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian	NOTES>>		
Riparian Buffers Scores Delineate ripa Determine squ	Opt Tree stratum (dbh = with > 60% tree Wetlands located are Wetlands located are uare footage for ea uare footage footage for ea uare footage footage for ea uare footage foo	imal > 3 inches) present, c canopy cover, within the riparian as5 ach stream bank ach by measuring Score for each ripa	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating leng arian category in th	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cate	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30%	jinal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	Pri High Poor: Lawns, mowed, and maintained areas, parsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6	Door Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100	NOTES>>		
Riparian Buffers Scores Delineate ripa Determine squ Enter the % R	Opt	imal > 3 inches) present, e canopy cover, within the riparian as5 ach stream bank ach by measuring	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating lengt	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cate	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30%	jinal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	Pri High Poor: Lawns, mowed, and maintained areas, parsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian	NOTES>>		
Riparian Buffers Scores Delineate ripa Determine squ Enter the % R	Opt	imal 3 inches) present, canopy cover. within the riparian as. 5 ach stream bank ach by measuring Score for each ripa 10% 0.6	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating lengt arian category in th 90% 0.85	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cate	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30%	jinal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	Pri High Poor: Lawns, mowed, and maintained areas, parsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lost, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100	CI= (Sum % RA * Sc		
Riparian Buffers Scores Delineate ripa Determine squ Enter the % R Right Bank	Opt Tree stratum (dbh > with > 60% tree Wetlands located are Vetlands located are 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	imal > 3 inches) present, e canopy cover. within the riparian as. .5 ach stream bank ach by measuring Score for each ripa 10% 0.6	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating lengt arian category in th 90% 0.85	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cate	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30%	jinal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	Pri High Poor: Lawns, mowed, and maintained areas, parsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % F	Door Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100	CI= (Sum % RA * Sc Rt Bank CI >	0.83	CI
Riparian Buffers Scores Delineate ripa Determine squ Enter the % R Right Bank	Opt Tree stratum (dbh > with > 60% tree Wetlands located are Vetlands located are 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	imal 3 inches) present, canopy cover. within the riparian as. 5 ach stream bank ach by measuring Score for each ripa 10% 0.6 10% 0.6	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating lengt arian category in th 90% 0.85	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cale he blocks below.	Gory Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 ition Scores using culators are provid	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors. ed for you below.	Provide a second	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100%	Cl= (Sum % RA * Sc Rt Bank Cl > Lt Bank Cl >	0.83 0.83	
Riparian Buffers Scores Delineate ripa Determine squ Enter the % R Right Bank Left Bank	Opt Tree stratum (dbh > with > 60% tree Wetlands located are Vetlands located are 1. Trian areas along e uare footage for ea tiparian Area and S % Riparian Area> Score > % Riparian Area> Score > M HABITAT: Va	imal 3 inches) present, canopy cover. within the riparian as. 5 ach stream bank ach by measuring Score for each ripa 10% 0.6 10% 0.6	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating lengt arian category in th 90% 0.85	Aditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	y and leafy debris;	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors. ed for you below.	Provide a second	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100%	CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > banks; root mats; S	0.83 0.83	
Riparian Buffers Scores Delineate ripa Determine squ Enter the % R Right Bank Left Bank INSTREAM mplexes, stabl	Opt Tree stratum (dbh : with > 60% tree Wetlands located are Wetlands located are tiparian areas along e uare footage for ea tiparian Area and S % Riparian Area> Score > % Riparian Area Score > % Riparian Area Score > % Riparian Area	imal 3 inches) present, a canopy cover. within the riparian ass. 5 ach stream bank ach by measuring Score for each ripa 10% 0.6 10% 0.6 ried substrate size	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating lenge arian category in th 90% 0.85 90% 0.85	Aditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	y and leafy debris; al Category	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors. ed for you below. stable substrate; I	Provide a second	Coor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lost, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100% 100% States undercut	Cl= (Sum % RA * Sc Rt Bank Cl > Lt Bank Cl >	0.83 0.83	<u>CI</u> 0.83
Riparian Buffers Scores Delineate ripa Determine squ Enter the % R Right Bank Left Bank INSTREAN mplexes, stabl	Opt Tree stratum (dbh : with > 60% tree Wetlands located are Wetlands located are tiparian areas along e uare footage for ea tiparian Area and S % Riparian Area> Score > % Riparian Area Score > % Riparian Area Score > % Riparian Area	imal 3 inches) present, canopy cover. within the riparian as. 5 ach stream bank ach by measuring Score for each ripa 10% 0.6 10% 0.6	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating lenge arian category in th 90% 0.85 90% 0.85	Aditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	y and leafy debris; al Category	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors. ed for you below.	Provide a second state of the second state of	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100%	CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > banks; root mats; S	0.83 0.83	
Riparian Buffers Scores Delineate ripa Determine squ Enter the % R Right Bank Left Bank	Opt Tree stratum (dbh > with > 60% tree Wetlands located are Wetlands located are 1. Trian areas along e uare footage for ea tiparian Area and S % Riparian Area Score > % Riparian Area> Score > % Riparian Area> Score > M HABITAT: Va le features. Habitat elements are	imal 3 inches) present, a canopy cover. within the riparian as. 5 ach stream bank ach by measuring Score for each ripa 10% 0.6 10% 0.6 ried substrate size	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating lengt arian category in th 90% 0.85 90% 0.85 es, water velocity a Stable habitat elen present in 30-50% o adequate for n	Aditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	In the second seco	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water, if present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors. ed for you below. stable substrate; I ginal ments are typically of the reach and are	Provide a second	Coor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lost, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100% 100% States undercut	CI= (Sum % RA * So Rt Bank CI > Lt Bank CI > banks; root mats; S	0.83 0.83	

Reach R3-R4 File: C:\Users\dan.weidenhof\Documents\Documents\VA Stream Sampling\0 QAQC SUBMITTALS\QAQC working 1st submittal\S-F9a_20210930CB\9. S-F9a_USM_MVP_20210930CB.xlsx

Project #	Project Name (App	licant)	Locality	Cowardin Class.	нис	Date	SAR #	Impact Length	Impact Factor	
22865.06	Mountain Valley Pipeline Valley Pipeline, L		Franklin County	R4	03010101	8/26/21	S-F9a	20	1	
. CHANNEL	ALTERATION: Stream crossin			ncrete blocks, strai	ightening of chanr	el, channelization	, embankments, s	poil piles, constricti	ions, livestock	
			Conditiona	al Category				NOTES>>		
	Negligible	Mi	nor	Mod 40 - 60% of reach	lerate 60 - 80% of reach	Ser	vere			
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	20-40% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	is disrupted by any of the channel alterations listed in the parameter	is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	by any of the chan in the parameter of 80% of banks sh	of reach is disrupted nel alterations listed guidelines AND/OR ored with gabion, r cement.			CI
Scores	1.5	1.3	1.1	0.9	0.7	0	.5			1.30
	REACH	CONDITION	INDEX and	STREAM CO	NDITION UN	ITS FOR TH	IS REACH			
NOTE: The Cls a	and RCI should be rounded to 2 deci	mal places. The Cl	R should be round	ded to a whole nun	nber.		THE REACH		NDEX (RCI) >>	1.01
						RCI= (Sum o			phemeral RCI = (· · · · · · · · · · · · · · · · · · ·
							COMPENSA	TION REQUIRE	MENT (CR) >>	20
NSERT PHO	DTOS: (WSSI Photo Location)	DIRECTI 98 deg(ON T)		4721°N 31305°W		CR = RC CURACY 5 m ATUM WGS84			
INSERT PHO		DIRECTI 98 deg(ON T)				CURACY 5 m			
INSERT PHO		bIRECTI 98 deg(en T				CURACY 5 m			
INSERT PHO		birectii 98 deg(CURACY 5 m	een Wilh Dera		

DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER

Reach R3-R4 File: C:\Users\dan.weidenhof\Documents\Documents\VA Stream Sampling\0 QAQC SUBMITTALS\QAQC working 1st submittal\S-F9a_20210930CB\9. S-F9a_USM_MVP_20210930CB.xlsx







