Baseline Assessment – Stream Attributes

Reach S-F9b (Pipeline ROW) Perennial Spread I Franklin County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	Perennial stream
	(not shadeable, slope less than 4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	No Riffles
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: US VIEW

Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking S upstream, RAH



Photo Type: DS COND

Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking N downstream, RAH



Photo Type: LB CL Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking NE at right streambank, RAH



Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking SW at left streambank, RAH




Photo Type: US COND Location, Orientation, Photographer Initials: Upstream at ROW looking SE upstream, RAH



Photo Type: DS VIEW

Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking NW downstream, RAH

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Мо	ountain Va	alley Pipeline		COORDINATES: cimal Degrees)	Lat.	37.049238	Lon.	-79.817223		WEATHER:		Sunny	DATE:	8/2	27/2021	
IMPACT STREAM/SITE ID / (watershed size {acreage}, t				S-F9b; 59	0.92 Acres			MITIGATION STREAM CLASS. (watershed size {acreag							Comments:			
STREAM IMPACT LENGTH:	76	FORM C		RESTORATION (Levels I-III)		OORDINATES: cimal Degrees)	Lat.		Lon.			PRECIPITATION PAST 48 HRS:		No	Mitigation Length:			
Column No. 1- Impact Existing	Condition (Debit	t)		Column No. 2- Mitigation Existing Co	ondition - Base	eline (Credit)		Column No. 3- Mitigation P Post Completion		Years		Column No. 4- Mitigation Proje Post Completion (ars	Column No. 5- Mitigation Projecte	d at Maturity	(Credit))
Stream Classification:	Perenr	nial		Stream Classification:				Stream Classification:		0	Si	Stream Classification:	0)	Stream Classification:		0	
Percent Stream Channel Slo	ре	0.55		Percent Stream Channel Slo	ре			Percent Stream Channel S	оре	0		Percent Stream Channel Slo	ре	0	Percent Stream Channel SI	pe		0
HGM Score (attach da	ita forms):			HGM Score (attach d	lata forms):			HGM Score (attach	data forms):			HGM Score (attach da	ita forms):		HGM Score (attach da	ta forms):		
		Average				Average				Average				Average			A	Average
Hydrology			Ŀ	Hydrology				Hydrology			H	łydrology			Hydrology			
Biogeochemical Cycling Habitat		0		Biogeochemical Cycling Habitat		0		Biogeochemical Cycling Habitat		0		Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat			0
PART I - Physical, Chemical and I	Biological Indicat	tors		PART I - Physical, Chemical and	l Biological Ind	licators		PART I - Physical, Chemical a	nd Biological In	dicators		PART I - Physical, Chemical and	Biological Indic	ators	PART I - Physical, Chemical and	Siological Inc	dicators	,
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Range	Site Score		Points Scale Ran	nge S	Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		F	PHYSICAL INDICATOR (Applies to all streams of	classifications)			PHYSICAL INDICATOR (Applies to all stream	s classifications)		PI	PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		
USEPA RBP (High Gradient Data Sheet)				USEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)			U	JSEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			
Epifaunal Substrate/Available Cover	0-20	18	II-	Epifaunal Substrate/Available Cover	0-20			Epifaunal Substrate/Available Cover	0-20		II	. Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20		
2. Embeddedness	0-20	9	2	Pool Substrate Characterization	0-20			2. Embeddedness	0-20		-	2. Embeddedness	0-20		2. Embeddedness	0-20		
Velocity/ Depth Regime Sediment Deposition	0-20 0-20	15 17	3	Pool Variability Sediment Deposition	0-20 0-20			Velocity/ Depth Regime Sediment Deposition	0-20 0-20			B. Velocity/ Depth Regime B. Sediment Deposition	0-20 0-20		Velocity/ Depth Regime Sediment Deposition	0-20 0-20		
5. Channel Flow Status	0-20	10		5. Channel Flow Status	0-20			5. Channel Flow Status	0-20			5. Channel Flow Status	0-20		5. Channel Flow Status	0-20		
6. Channel Alteration	0-20 0-1	19	2	6. Channel Alteration	0-20 0-1			6. Channel Alteration	0-20 0-1			6. Channel Alteration	0-20 0-1		6. Channel Alteration	0-20 0-	-1	
7. Frequency of Riffles (or bends)	0-20	18	7	7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20		II	. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20		
8. Bank Stability (LB & RB)	0-20	18	Ė	8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20			B. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		
9. Vegetative Protection (LB & RB)	0-20	18	9	9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20			Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		
10. Riparian Vegetative Zone Width (LB & RB)	0-20	18	1	10. Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB & RB)	0-20			Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20		
Total RBP Score	Suboptimal	160		Total RBP Score	Poor	0		Total RBP Score	Poor	0		otal RBP Score	Poor	0	Total RBP Score	Poor		0
Sub-Total		0.8		Sub-Total		0		Sub-Total		0		Sub-Total		0	Sub-Total			0
CHEMICAL INDICATOR (Applies to Intermittent		eams)	-	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial St	reams)		CHEMICAL INDICATOR (Applies to Intermitte		treams)		CHEMICAL INDICATOR (Applies to Intermitter		reams)	CHEMICAL INDICATOR (Applies to Intermitter		Streams))
WVDEP Water Quality Indicators (General) Specific Conductivity				WVDEP Water Quality Indicators (General) Specific Conductivity				WVDEP Water Quality Indicators (General Specific Conductivity	l)			WVDEP Water Quality Indicators (General) Specific Conductivity	<u> </u>		WVDEP Water Quality Indicators (General) Specific Conductivity			
Specific Conductivity	T	07.4	1	Specific Conductivity	I			Specific Conductivity	T		2	specific Conductivity			Specific conductivity			
<=99 - 90 points	0-90	37.1			0-90				0-90				0-90			0-90		
pH		(3)	E	pH		(1)		рН			pl	Н			рН			
6.0-8.0 = 80 points	0-80	7.17			5-90				5-90				5-90 0-1			5-90	i-1	
DO		931	i i	DO		(1)		DO			D	00			DO			
	10-30	8.63	Ī		10-30				10-30				10-30			10-30		
>5.0 = 30 points Sub-Total	1	1	-	Sub-Total		0		Sub-Total		0	0.	Sub-Total		0	Sub-Total			
BIOLOGICAL INDICATOR (Applies to Intermitt	tent and Perennial S	Streams)	l l	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial	Streams)		BIOLOGICAL INDICATOR (Applies to Inter	nittent and Peren	nial Streams)		BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perenn		BIOLOGICAL INDICATOR (Applies to Interm	ittent and Pere	nnial Stre	reams)
WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				VV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			
0	0-100 0-1				0-100 0-1				0-100 0-1				0-100 0-1			0-100 0-	i-1	
Sub-Total	· · · · ·	0	5	Sub-Total	l l	0		Sub-Total	1 1	0	Sı	Sub-Total		0	Sub-Total			0
	•	•	<u> </u>														•	
PART II - Index and Ur	nit Score			PART II - Index and I	Jnit Score			PART II - Index an	d Unit Score			PART II - Index and U	nit Score		PART II - Index and U	nit Score		
lad	Linear Fred	Unit Co		last	LingerFr	Unit Caraca		le dess	Line Free	Unit Corre		lade:	Linear Fra	Unit Cours	la de co	Linear	4 11	mit Co
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score	Index	Linear Fee	et Un	nit Score
0.900	76	68.4		0	0	0		0	0	0		0	0	0	0	0		0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION					
STATION # RIVERMILE	STREAM CLASS	STREAM CLASS				
LAT LONG	RIVER BASIN					
STORET#	AGENCY					
INVESTIGATORS						
FORM COMPLETED BY	DATE	REASON FOR SURVEY				

WEATHER CONDITIONS	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) % cloud cover clear/sunny Has there been a heavy rain in the last 7 days? Yes No Air Temperature O C Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) Down Stream Pipe Cl Veg. Veg. Veg.
	ROW/ Bridge
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Swamp and bog Other Stream Type Coldwater Warmwater Catchment Area km²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field/ Agric	Pasture Industria	rcial	Local Watershed NPS Pollution No evidence ☐ Some potential sources Obvious sources Local Watershed Erosion None Moderate Heavy	
RIPARIA VEGETA (18 meter	TION	Trees	SI SI	hrubs	Ominant species present Grasses Herbaceous	
INSTREA FEATURI		Estimat Estimat Samplin Area in Estimat	ed Reach Length ed Stream Width g Reach Area km² (m²x1000) ed Stream Depth Velocity m	m m m² km²	Canopy Cover Partly open Partly shaded Shaded High Water Markm Proportion of Reach Represented by Stream Morphology Types Riffle % Run% Pool% Channelized Yes No Dam Present Yes No	
LARGE V DEBRIS	VOODY		of LWDm	n ² /km ² (LWD/	reach area)	
AQUATION VEGETA		Roote Floati Domin a	e the dominant type and d emergent Re ng Algae At unt species present of the reach with aquat	ooted submerge tached Algae		
WATER (QUALITY	Specific Dissolve pH Turbidi	cature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Chemical Fishy Other	
SEDIMENT/ SUBSTRATE Odors Norr Cher Othe Oths Abso					Relict shells Other	_
INC	ORGANIC SUBS		COMPONENTS 00%)		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)	
Substrate Type	Diamete	er	% Composition in Sampling Reach	Substrate Type	Characteristic % Composition in Sampling Area	
Bedrock Boulder	> 256 mm (10")			Detritus	sticks, wood, coarse plant materials (CPOM)	
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-2			Muck-Mud	black, very fine organic (FPOM)	
Sand	0.06-2mm (gritt	y)		Marl	grey, shell fragments	

Silt

Clay

0.004-0.06 mm

< 0.004 mm (slick)

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.				
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).				
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditi	on Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
Parameters to be	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS		LOT NUMBER			
FORM COMPLETED BY	DATETIME	REASON FOR SURVEY			
HADITAT TYPES Indicate the percentage of	and habitat type present				

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County:
Stream Name: UNT to Blackwater River Stream ID: S-F9b

03010101 Upper Roanoke HUC Code: Basin:

Survey Date: 8/27/2021 Surveyors: RH, CL Representative Type:

			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	*	36	36.00	36.00
	Very Fine	.062125		4	5	5.00	41.00
	Fine	.12525		4	12	12.00	53.00
	Medium	.255	SAND	•	4	4.00	57.00
	Coarse	.50-1.0		•	8	8.00	65.00
.0408	Very Coarse	1.0-2		4	11	11.00	76.00
.0816	Very Fine	2 -4		4	3	3.00	79.00
.1622	Fine	4 -5.7	1	*	3	3.00	82.00
.2231	Fine	5.7 - 8	1	*	1	1.00	83.00
.3144	Medium	8 -11.3	1	*	2	2.00	85.00
.4463	Medium	11.3 - 16	GRAVEL	*	5	5.00	90.00
.6389	Coarse	16 -22.6	1	*		0.00	90.00
.89 - 1.26	Coarse	22.6 - 32		*	4	4.00	94.00
1.26 - 1.77	Vry Coarse	32 - 45		•		0.00	94.00
1.77 -2.5	Vry Coarse	45 - 64		•		0.00	94.00
2.5 - 3.5	Small	64 - 90		•	2	2.00	96.00
3.5 - 5.0	Small	90 - 128]	*	2	2.00	98.00
5.0 - 7.1	Large	128 - 180	COBBLE	A		0.00	98.00
7.1 - 10.1	Large	180 - 256	1	A	1	1.00	99.00
10.1 - 14.3	Small	256 - 362		*		0.00	99.00
14.3 - 20	Small	362 - 512	1	*		0.00	99.00
20 - 40	Medium	512 - 1024	BOULDER	A		0.00	99.00
40 - 80	Large	1024 -2048	1	A		0.00	99.00
80 - 160	Vry Large	2048 -4096	1	^		0.00	99.00
	Bedrock		BDRK	^	1	1.00	100.00
				Totals:	100		

RIVERMORPH PARTICLE SUMMARY

UNT to Blackwater River

River Name: Reach Name: Sample Name: Reach Name: S-F9b
Sample Name: Representative
Survey Date: 08/27/2021

Size (mm)	тот #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	36 5 12 4 8 11 3 3 1 2 5 0 4 0 0 2 2 2 0 1 0 0 0	36.00 5.00 12.00 4.00 8.00 11.00 3.00 3.00 1.00 2.00 5.00 0.00 4.00 0.00 2.00 2.00 2.00 2.00 2.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 1.00 0.0	36.00 41.00 53.00 57.00 65.00 76.00 79.00 82.00 83.00 85.00 90.00 94.00 94.00 94.00 94.00 98.00 98.00 99.00 99.00 99.00 99.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.03 0.06 0.22 9.65 77 Bedrock 36 40 18 5		

Total Particles = 100.

Stream Assessment Form (Form 1) Unified Stream Methodology for use in Virginia e channels classified as intermittent or perennial Cowardin **Impact** Impact Project # Project Name (Applicant) Locality HUC Date SAR# Class _ength Factor Mountain Valley Pipeline (Mountain Franklin 22865.06 R3 03010101 8/27/2021 S-F9b 76 1 Valley Pipeline, LLC) County SAR Length Name(s) of Evaluator(s) Stream Name and Information **UNT to Blackwater River** RH, CL 76 1. Channel Condition: Assess the cross-section of the stream and prevailing condition (erosion, aggradation) Optimal Suboptimal Poor Severe Marginal Slightly incised, few areas of active Often incised, but less than Severe or Very little incision or active erosion; 80 Overwidened/incised. Vertically / Deeply incised (or excavated) 100% stable banks. Vegetative surfact protection or natural rock, prominent sion or unprotected banks. Majority of banks are stable (60-80%). vertical/lateral instability. Severe ision, flow contained within the bank Banks more stable than Severe laterally unstable. Likely to wid Majority of both bar Channel 80-100%). AND/OR Stable point bars Vegetative protection or natural rock Erosion may be present on 40-60% of vertical. Erosion present on 60-80% of Streambed below average rooting depth Condition bankfull benches are present. Access to their original floodplain or fully both banks. Vegetative protection on 40-60% of banks. Streambanks may be prominent (60-80%) AND/OR Depositional features contribute to banks. Vegetative protection present on 20-40% of banks, and is insufficient majority of banks vertical/undercut. Vegetative protection present on less leveloped wide bankfull benches. Mid stability. The bankfull and low flow vertical or undercut. AND/OR to prevent erosion. AND/OR 60-80% o than 20% of banks, is not preventing channel bars and transverse bars few. Transient sediment deposition covers less than 10% of bottom. 40-60% Sediment may be temporary transient, contribute instability. Deposition that contribute to stability, hannels are well defined. Stream like as access to bankfull benches,or new the stream is covered by sediment. Sediment is temporary / transient in erosion. Obvious bank sloughing sent. Erosion/raw banks on 80-100% developed floodplains along nature, and contributing to instability AND/OR Aggrading channel. Greater portions of the reach. Transient liment covers 10-40% of the stream may be forming/present. AND/OR V-shaped channels have vegetative AND/OR V-shaped channels have vegetative protection is present on > than 80% of stream bed is covered by deposition, contributing to instability. bottom protection on > 40% of the banks and 40% of the banks and stable sediment Multiple thread channels and/or depositional features which contribute deposition is absent subterranean flow to stability. CI 3 2.4 3.00 Scores 1.6 NOTES>> 2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable) **Conditional Category** NOTES>> Optimal Suboptimal Marginal Poor Low Marginal: Non-maintained High Poor: Lawns High Suboptima Low Suboptimal High Marginal Low Poor: dense herbaceou maintained areas Riparian areas wit Riparian areas with egetation, ripariar reas lacking shrub Non-maintained nurseries: no-till Impervious ree stratum (dbh ree stratum (dbh : nse herbaceo cropland; actively 3 inches) present 3 inches) present Tree stratum (dbh > 3 inches) present vegetation with and tree stratum grazed pasture, spoil lands. Riparian with 30% to 60% with 30% to 60% hay production, onds, open wate If present, tree either a shrub laye or a tree layer (db parsely vegetated non-maintained with > 60% tree canopy cover. nuded surfaces tree canopy cove and containing bot tree canopy cover and a maintained **Buffers** Wetlands located within the riparian row crops, active areas. > 3 inches) area, recently feed lots, trails, o herbaceous and understory. Recer cutover (dense resent, with <30% stratum (dbh >3 seeded and other comparable shrub layers or a inches) present, with <30% tree stabilized, or othe conditions tree canopy cover non-maintained vegetation). comparable understory. canopy cover with maintained condition. understory. High Low High Low High Low 1.5 0.85 0.5 Scores 1.2 1.1 0.75 0.6 Delineate riparian areas along each stream bank into Condition Categories and Condition Scores using the descriptors Ensure the sums Determine square footage for each by measuring or estimating length and width. Calculators are provided for you below of % Riparian Enter the % Riparian Area and Score for each riparian category in the blocks below Blocks equal 100 % Riparian Area> 20% 80% 100% Right Bank 0.85 Score > CI= (Sum % RA * Scores*0.01)/2 % Riparian Area> 20% 80% 100% Rt Bank CI > 0.80 CI Left Bank 0.80 Score > 0.85 0.80 3. INSTREAM HABITAT: Varied substrate sizes, water velocity and depths; woody and leafy debris; stable substrate; low embededness; shade; undercut banks; root mats; SAV; riffle/pool complexes, stable features **Conditional Category** NOTES>> Instream Optimal Suboptimal Marginal Poor Habitat/ Stable habitat elements are typically Stable habitat elements are typically Habitat elements listed above are Available labitat elements are typically present resent in 30-50% of the reach and are esent in 10-30% of the reach and ar lacking or are unstable. Habitat greater than 50% of the reach adequate for maintenance of adequate for maintenance of nents are typically present in less than 10% of the reach. Cover populations. populations Stream Gradient CI

Scores

1.5

1.2

0.9

0.5

High / Low

1 50

Stream Impact Assessment Form Page 2									
Project #	Project Name (App	Locality	Cowardin Class.	нис	Date	SAR#	Impact Length	Impact Factor	
22865.06	Mountain Valley Pipeline Valley Pipeline, L	•	Franklin County	R3	03010101	8/27/2021	S-F9b	76	1
4. CHANNEL ALTERATION: Stream crossings, riprap, concrete, gabions, or concrete blocks, straightening of channel, channelization, embankments, spoil piles, constrictions, livestock									
		al Category	<u> </u>			NOTES>>			
	Negligible	Minor		Moderate 40 - 60% of reach 1 60 - 80% of reach		Severe			
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	disrupted by any of the channel	is disrupted by any of the channel alterations listed in the parameter guidelines. If	is disrupted by any of the channel	Greater than 80% o by any of the chann in the parameter gi 80% of banks sh riprap, or	el alterations listed uidelines AND/OR ored with gabion,		
		I		recovered.	recovered.				

REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH

NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number.

THE REACH CONDITION INDEX (RCI) >> 1.36

RCI= (Sum of all Cl's)/5, except if stream is ephemeral RCI = (Riparian Cl/2)

COMPENSATION REQUIREMENT (CR) >> 103

CR = RCI X L_I X IF


INSERT PHOTOS:




CAPTION. Assessment is limited to areas within the temporary ROW.


DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER






CL STAKEOUT POINTS: S-F9b CROSS SECTION B (PIPE CL)								
	PR	PRE-CROSSING						
DT LOC	NODTHING	FACTING		VERT.	HORZ.			
PT. LOC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.			
TS-L	13454662.97	1985476.62	937.41					
BS-L	13454652.42	1985458.29	934.09					
THW	13454654.67	1985461.95	933.83					
BS-R	13454656.55	1985465.22	934.10					
TS-R	13454649.53	1985453.06	938.39					



SURVEY NOTES:

- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on September 6, 2018.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountain Valley Pipeline
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. All section views shown are left to right facing downstream.
- 6. Cross-section B shot at location of pipe centerline (based on best professional



LEGEND

EXISTING SURVEY-LOCATED THALWEG

EXISTING CONTOUR LINE (MAJOR)

EXISTING CONTOUR LINE (MINOR)


BENCHMARK POINT (WSSI)


EXISTING SURVEYED GROUND SHOT ELEVATION

937.7 **+**

EXISTING SURVEY-LOCATED EDGE OF WATER (AS NECESSARY)

STUDY AREA (EASEMENT)





CROSS SECTION LEGEND EXISTING GRADE

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

CROSS SECTION H: 1"=10' V: 1"=5'



PHOTO TAKEN LOOKING DOWNSTREAM ALONG LEFT BANK ON 03/28/2018



PHOTO TAKEN LOOKING UPSTREAM ALONG LEFT BANK ON 03/28/2018



PHOTO TAKEN LOOKING DOWNSTREAM




ALONG RIGHT BANK ON 03/28/2018

POST-CROSSING PHOTOS
PENDING CROSSING

PHOTO TAKEN LOOKING



PHOTO TAKEN LOOKING



269.

indary and Topo Sour

oundary a AVP VSSI 2' C.I	. Торо	ource:
Design	Draft	Approved
EJC	MGE	NAS
	Sheet # 1 of 1	

Computer File Name: :\Survey\22000s\22800\22865.03\Spread I Work Dwgs 2865_03 S-I MP 268-278 Sheets.dwg