

Baseline Assessment – Stream Attributes

Reach S-G16 (Timber Mat Crossing)

Perennial

Spread I

Franklin County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope less than 4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	✓
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	✓
Longitudinal Profile and Cross Sections	✓

Spread I Stream S-G16 (Timber Mat) Franklin County



Photo Type: DS COND US
Location, Orientation, Photographer Initials: Downstream at LOC looking S downstream, RAH



Photo Type: LB CL
Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking W at left streambank, RAH

Spread I Stream S-G16 (Timber Mat) Franklin County



Photo Type: RB CL

Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking E at right streambank, RAH



Photo Type: DS VIEW

Location, Orientation, Photographer Initials: Upstream at LOC looking S Downstream, RAH

Spread I Stream S-G16 (Timber Mat) Franklin County



Photo Type: US VIEW

Location, Orientation, Photographer Initials: Downstream at ROW looking N Upstream, RAH

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-G16		LOCATION Franklin County
STATION # _____ RIVERMILE _____		STREAM CLASS Perennial
LAT 36.96864 LONG -79.642174		RIVER BASIN Upper Roanoke
STORET # _____		AGENCY VADEQ
INVESTIGATORS RH CL		
FORM COMPLETED BY RH	DATE 8/24/2021 TIME 1041	REASON FOR SURVEY Baseline Assessment

WEATHER CONDITIONS	<div style="display: flex; justify-content: space-between;"> <div> <p>Now</p> <div style="display: flex; align-items: center;"> <div style="margin-right: 5px;"> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> </div> <div> <p>storm (heavy rain)</p> <p>rain (steady rain)</p> <p>showers (intermittent)</p> <p>%cloud cover _____</p> <p>clear/sunny</p> </div> </div> </div> <div> <p>Past 24 hours</p> <div style="display: flex; align-items: center;"> <div style="margin-right: 5px;"> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> </div> <div> <p>storm (heavy rain)</p> <p>rain (steady rain)</p> <p>showers (intermittent)</p> <p>%cloud cover _____</p> <p>clear/sunny</p> </div> </div> </div> <div> <p>Has there been a heavy rain in the last 7 days?</p> <p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Air Temperature 32.2 °C</p> <p>Other _____</p> </div> </div>
SITE LOCATION/MAP	<p>Draw a map of the site and indicate the areas sampled (or attach a photograph)</p>
STREAM CHARACTERIZATION	<div style="display: flex; justify-content: space-between;"> <div> <p>Stream Subsystem</p> <p><input checked="" type="checkbox"/> Perennial <input type="checkbox"/> Intermittent <input type="checkbox"/> Tidal</p> <p>Stream Origin</p> <p><input type="checkbox"/> Glacial <input type="checkbox"/> Spring-fed</p> <p><input type="checkbox"/> Non-glacial montane <input checked="" type="checkbox"/> Mixture of origins</p> <p><input type="checkbox"/> Swamp and bog <input type="checkbox"/> Other _____</p> </div> <div> <p>Stream Type</p> <p><input type="checkbox"/> Coldwater <input checked="" type="checkbox"/> Warmwater</p> <p>Catchment Area _____ km²</p> </div> </div>

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES	Predominant Surrounding Landuse <input checked="" type="checkbox"/> Forest <input type="checkbox"/> Commercial <input type="checkbox"/> Field/Pasture <input type="checkbox"/> Industrial <input type="checkbox"/> Agricultural <input type="checkbox"/> Other _____ <input type="checkbox"/> Residential	Local Watershed NPS Pollution <input checked="" type="checkbox"/> No evidence <input type="checkbox"/> Some potential sources <input type="checkbox"/> Obvious sources Local Watershed Erosion <input checked="" type="checkbox"/> None <input type="checkbox"/> Moderate <input type="checkbox"/> Heavy
RIPARIAN VEGETATION (18 meter buffer)	Indicate the dominant type and record the dominant species present <input type="checkbox"/> Trees <input checked="" type="checkbox"/> Shrubs <input type="checkbox"/> Grasses <input type="checkbox"/> Herbaceous Dominant species present <u>Alnus Serruota</u>	
INSTREAM FEATURES	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> Estimated Reach Length <u>16.8</u> m Estimated Stream Width <u>1.5</u> m Sampling Reach Area <u>25.5</u> m² Area in km² (m²x1000) _____ km² Estimated Stream Depth <u>0.2</u> m Surface Velocity (at thalweg) <u>0.4</u> m/sec </div> <div style="width: 45%;"> Canopy Cover <input checked="" type="checkbox"/> Partly open <input type="checkbox"/> Partly shaded <input type="checkbox"/> Shaded High Water Mark <u>0.2</u> m Proportion of Reach Represented by Stream Morphology Types Riffle ³⁴ _____ % Run ³³ _____ % Pool ³³ _____ % Channelized <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Dam Present <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No </div> </div>	
LARGE WOODY DEBRIS	LWD <u>N/A</u> m ² Density of LWD _____ m ² /km ² (LWD/ reach area)	
AQUATIC VEGETATION	Indicate the dominant type and record the dominant species present <input checked="" type="checkbox"/> Rooted emergent <input type="checkbox"/> Rooted submergent <input type="checkbox"/> Rooted floating <input type="checkbox"/> Free floating <input type="checkbox"/> Floating Algae <input type="checkbox"/> Attached Algae Dominant species present <u>Ludwigia Palustris</u> Portion of the reach with aquatic vegetation <u>5</u> %	
WATER QUALITY	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> Temperature <u>21.2u/21.6d</u> °C Specific Conductance <u>72.9u/73.0d</u> ms/cm Dissolved Oxygen <u>8.85u/9.58d</u> mg/L pH <u>7.61u/7.68d</u> SU Turbidity <u>N/A</u> WQ Instrument Used <u>YSI</u> </div> <div style="width: 45%;"> Water Odors <input checked="" type="checkbox"/> Normal/None <input type="checkbox"/> Sewage <input type="checkbox"/> Petroleum <input type="checkbox"/> Chemical <input type="checkbox"/> Fishy <input type="checkbox"/> Other _____ Water Surface Oils <input type="checkbox"/> Slick <input type="checkbox"/> Sheen <input type="checkbox"/> Globs <input type="checkbox"/> Flecks <input checked="" type="checkbox"/> None <input type="checkbox"/> Other _____ Turbidity (if not measured) <input checked="" type="checkbox"/> Clear <input type="checkbox"/> Slightly turbid <input type="checkbox"/> Turbid <input type="checkbox"/> Opaque <input type="checkbox"/> Stained <input type="checkbox"/> Other _____ </div> </div>	
SEDIMENT/SUBSTRATE	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> Odors <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Sewage <input type="checkbox"/> Petroleum <input type="checkbox"/> Chemical <input type="checkbox"/> Anaerobic <input type="checkbox"/> None <input type="checkbox"/> Other _____ Oils <input checked="" type="checkbox"/> Absent <input type="checkbox"/> Slight <input type="checkbox"/> Moderate <input type="checkbox"/> Profuse </div> <div style="width: 45%;"> Deposits <input type="checkbox"/> Sludge <input type="checkbox"/> Sawdust <input type="checkbox"/> Paper fiber <input type="checkbox"/> Sand <input type="checkbox"/> Relict shells <input type="checkbox"/> Other _____ Looking at stones which are not deeply embedded, are the undersides black in color? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No </div> </div>	

INORGANIC SUBSTRATE COMPONENTS (should add up to 100%)			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)		
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock		50	Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder	> 256 mm (10")	5			
Cobble	64-256 mm (2.5"-10")	10	Muck-Mud	black, very fine organic (FPOM)	
Gravel	2-64 mm (0.1"-2.5")	20			
Sand	0.06-2mm (gritty)	10	Marl	grey, shell fragments	
Silt	0.004-0.06 mm	5			
Clay	< 0.004 mm (slick)				

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAMES-G16		LOCATION Franklin County	
STATION # _____ RIVERMILE _____		STREAM CLASS Perennial	
LAT 36.96864 LONG -79.642174		RIVER BASIN Upper Roanoke	
STORET # _____		AGENCY VADEQ	
INVESTIGATORS RH CL			
FORM COMPLETED BY RH		DATE 8/24/2021 TIME 1100 AM PM	REASON FOR SURVEY Baseline Assessment

	Habitat Parameter	Condition Category			
		Optimal	Suboptimal	Marginal	Poor
Parameters to be evaluated in sampling reach	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE 15	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50-75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
	SCORE 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
	SCORE 13	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE 13	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat Parameter	Condition Category			
	Optimal	Suboptimal	Marginal	Poor
6. Channel Alteration SCORE 14 <input type="text"/>	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
7. Frequency of Riffles (or bends) SCORE 16 <input type="text"/>	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
8. Bank Stability (score each bank) Note: determine left or right side by facing downstream. SCORE 8 <input type="text"/> SCORE 8 <input type="text"/>	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected. Left Bank 10 9 Right Bank 10 9	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion. 8 7 6 8 7 6	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods. 5 4 3 5 4 3	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars. 2 1 0 2 1 0
9. Vegetative Protection (score each bank) SCORE 7 <input type="text"/> SCORE 7 <input type="text"/>	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally. Left Bank 10 9 Right Bank 10 9	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining. 8 7 6 8 7 6	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining. 5 4 3 5 4 3	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height. 2 1 0 2 1 0
10. Riparian Vegetative Zone Width (score each bank riparian zone) SCORE 7 <input type="text"/> SCORE 7 <input type="text"/>	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone. Left Bank 10 9 Right Bank 10 9	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally. 8 7 6 8 7 6	Width of riparian zone 6-12 meters; human activities have impacted zone a great deal. 5 4 3 5 4 3	Width of riparian zone <6 meters; little or no riparian vegetation due to human activities. 2 1 0 2 1 0

Total Score 149

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-G16		LOCATION Franklin County	
STATION # _____ RIVERMILE _____		STREAM CLASS Perennial	
LAT <u>36.96864</u> LONG <u>-79.642174</u>		RIVER BASIN Upper James	
STORET # _____		AGENCY VADEQ	
INVESTIGATORS KB and TC		LOT NUMBER _____	
FORM COMPLETED BY KB		DATE <u>9/09/2021</u> TIME <u>1300</u>	REASON FOR SURVEY Baseline Assessment

HABITAT TYPES	Indicate the percentage of each habitat type present <input checked="" type="checkbox"/> Cobble <u>65</u> % <input type="checkbox"/> Snags _____ % <input type="checkbox"/> Vegetated Banks _____ % <input checked="" type="checkbox"/> Sand <u>35</u> % <input type="checkbox"/> Submerged Macrophytes _____ % <input type="checkbox"/> Other (_____) _____ %
SAMPLE COLLECTION	Gear used <input type="checkbox"/> D-frame <input checked="" type="checkbox"/> kick-net <input type="checkbox"/> Other _____ How were the samples collected? <input checked="" type="checkbox"/> wading <input type="checkbox"/> from bank <input type="checkbox"/> from boat Indicate the number of jabs/kicks taken in each habitat type. <input checked="" type="checkbox"/> Cobble <u>4</u> <input type="checkbox"/> Snags _____ <input type="checkbox"/> Vegetated Banks _____ <input type="checkbox"/> Sand _____ <input type="checkbox"/> Submerged Macrophytes _____ <input type="checkbox"/> Other (_____) _____
GENERAL COMMENTS	4 kicks done in riffle habitats.

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

Sample ID Collection Date		S-G16 09-09-2021
ORDER	GENUS/SPECIES	COUNT
	Ephemeroptera Acentrella sp.	4
	Ephemeroptera Baetis sp.	13
	Ephemeroptera Caenis sp.	8
	Ephemeroptera Diphetor hageni	2
	Ephemeroptera Epeorus sp.	1
	Ephemeroptera Ephemerellidae	2
	Ephemeroptera Isonychia sp.	2
	Ephemeroptera Leucrocota sp.	3
	Ephemeroptera Maccaffertium sp.	10
	Ephemeroptera Stenacron sp.	1
	Plecoptera Eccoptura xanthenes	2
	Plecoptera Leuctra sp.	1
	Trichoptera Cheumatopsyche sp.	11
	Trichoptera Hydropsyche sp.	9
	Trichoptera Hydropsyche sp.	34
	Trichoptera Polycentropodidae	1
	Odonata Ophiogomphus sp.	1
	Coleoptera Ectopria sp.	1
	Coleoptera Optioservus sp.	4
	Coleoptera Oulimnius sp.	2
	Coleoptera Psephenus sp.	13
	Diptera-Chironomidae Corynoneura sp.	1
	Diptera-Chironomidae Cricotopus sp.	9
	Diptera-Chironomidae Cryptochironomus sp.	1
	Diptera-Chironomidae Dicrotendipes sp.	1
	Diptera-Chironomidae Limnophyes sp.	1
	Diptera-Chironomidae Micropsectra sp.	3
	Diptera-Chironomidae Microtendipes sp.	11
	Diptera-Chironomidae Parakiefferiella sp.	3
	Diptera-Chironomidae Paratanytarsus sp.	2
	Diptera-Chironomidae Polypedilum sp.	2
	Diptera-Chironomidae Rheotanytarsus sp.	3
	Diptera-Chironomidae Stempellinella sp.	2
	Diptera-Chironomidae Sublettea sp.	6
	Diptera-Chironomidae Tanytarsus sp.	9
	Diptera-Chironomidae Thienemanniella sp.	1
	Diptera-Chironomidae Thienemannimyia gr. sp.	3
	Diptera-Chironomidae Tvetenia sp.	1
	Diptera Anopheles sp.	1
	Diptera Antocha sp.	1
	Diptera Ceratopogoninae	1
	Diptera Dasyhelea sp.	3
	Diptera Dicranota sp.	5
	Diptera Diptera	1
	Diptera Hemerodromia sp.	6
	Diptera Hexatoma sp.	2
	Diptera Limonia sp.	1
	Diptera Simulium sp.	12
	Diptera Tabanidae	1
	Annelida Naididae	32
	Annelida tubificoid Naididae w/o cap setae	2
	Bivalvia Sphaeriidae	1
	Gastropoda Pleuroceridae	14
	Acari Acari	2
	Other Organisms Turbellaria	1
TOTAL		270

Sample ID Collection Date		S-G16 09-09-2021
WVSCI Metric Values		
Total taxa		26
EPT taxa		10
% EPT		38.5
% Chironomidae		21.9
% 2 Dominant		34.4
HBI		5.26
WVSCI Metric Scores		
Total taxa		123.8
EPT taxa		76.9
% EPT		41.9
% Chironomidae		78.9
% 2 Dominant		102.4
HBI		66.7
WVSCI Metric Scores		
Total taxa		100.0
EPT taxa		76.9
% EPT		41.9
% Chironomidae		78.9
% 2 Dominant		100.0
HBI		66.7
WVSCI Total Score		77.4

WVSCI Thresholds
Unimpaired = > 68.00
Gray Zone = 60.61 to 68.00
Impaired = <60.61

WOLMAN PEBBLE COUNT FORM

County:	Franklin County
Stream Name:	Strawfield Creek
HUC Code:	3010101
Survey Date:	8/24/2021
Surveyors:	RH CL
Type:	Representative

Stream ID: S-G16

Basin: Upper Roanoke

PEBBLE COUNT							
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	▲ ▼	12	12.00	12.00
	Very Fine	.062-.125	S A N D	▲ ▼	6	6.00	18.00
	Fine	.125-.25		▲ ▼	6	6.00	24.00
	Medium	.25-.5		▲ ▼	6	6.00	30.00
	Coarse	.50-1.0		▲ ▼	3	3.00	33.00
.04-.08	Very Coarse	1.0-2		▲ ▼	1	1.00	34.00
.08 -.16	Very Fine	2 -4		G R A V E L	▲ ▼	2	2.00
.16 - .22	Fine	4 -5.7	▲ ▼		5	5.00	41.00
.22 - .31	Fine	5.7 - 8	▲ ▼		3	3.00	44.00
.31 - .44	Medium	8 -11.3	▲ ▼		4	4.00	48.00
.44 - .63	Medium	11.3 - 16	▲ ▼		6	6.00	54.00
.63 - .89	Coarse	16 -22.6	▲ ▼		6	6.00	60.00
.89 - 1.26	Coarse	22.6 - 32	▲ ▼		3	3.00	63.00
1.26 - 1.77	Vry Coarse	32 - 45	▲ ▼		3	3.00	66.00
1.77 -2.5	Vry Coarse	45 - 64	▲ ▼		6	6.00	72.00
2.5 - 3.5	Small	64 - 90	C O B B L E		▲ ▼	2	2.00
3.5 - 5.0	Small	90 - 128		▲ ▼		0.00	74.00
5.0 - 7.1	Large	128 - 180		▲ ▼	2	2.00	76.00
7.1 - 10.1	Large	180 - 256		▲ ▼		0.00	76.00
10.1 - 14.3	Small	256 - 362	B O U L D E R	▲ ▼	1	1.00	77.00
14.3 - 20	Small	362 - 512		▲ ▼		0.00	77.00
20 - 40	Medium	512 - 1024		▲ ▼		0.00	77.00
40 - 80	Large	1024 -2048		▲ ▼		0.00	77.00
80 - 160	Vry Large	2048 -4096		▲ ▼		0.00	77.00
	Bedrock		BDRK	▲ ▼	23	23.00	100.00
				Totals:	100		
	Total Tally:						

RIVERMORPH PARTICLE SUMMARY

River Name: Strawfield Creek
Reach Name: S-G16
Sample Name: Representative
Survey Date: 08/24/2021

Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062	12	12.00	12.00
0.062 - 0.125	6	6.00	18.00
0.125 - 0.25	6	6.00	24.00
0.25 - 0.50	6	6.00	30.00
0.50 - 1.0	3	3.00	33.00
1.0 - 2.0	1	1.00	34.00
2.0 - 4.0	2	2.00	36.00
4.0 - 5.7	5	5.00	41.00
5.7 - 8.0	3	3.00	44.00
8.0 - 11.3	4	4.00	48.00
11.3 - 16.0	6	6.00	54.00
16.0 - 22.6	6	6.00	60.00
22.6 - 32.0	3	3.00	63.00
32 - 45	3	3.00	66.00
45 - 64	6	6.00	72.00
64 - 90	2	2.00	74.00
90 - 128	0	0.00	74.00
128 - 180	2	2.00	76.00
180 - 256	0	0.00	76.00
256 - 362	1	1.00	77.00
362 - 512	0	0.00	77.00
512 - 1024	0	0.00	77.00
1024 - 2048	0	0.00	77.00
Bedrock	23	23.00	100.00






D16 (mm)	0.1
D35 (mm)	3
D50 (mm)	12.87
D84 (mm)	Bedrock
D95 (mm)	Bedrock
D100 (mm)	Bedrock
Silt/Clay (%)	12
Sand (%)	22
Gravel (%)	38
Cobble (%)	4
Boulder (%)	1
Bedrock (%)	23

Total Particles = 100.

Stream Assessment Form (Form 1)

Unified Stream Methodology for use in Virginia

For use in wadeable channels classified as intermittent or perennial

Project #	Project Name (Applicant)	Locality	Cowardin Class.	HUC	Date	SAR #	Impact Length	Impact Factor			
22865.06	Mountain Valley Pipeline (Mountain Valley Pipeline, LLC)	Franklin County	R3	03010101	8/24/2021	S-G16	30	1			
Name(s) of Evaluator(s)		Stream Name and Information					SAR Length				
RH CL		Strawfield Creek					96				
1. Channel Condition: Assess the cross-section of the stream and prevailing condition (erosion, aggradation)											
Conditional Category											
Channel Condition	Optimal	Suboptimal		Marginal		Poor		Severe			
	 <p>Very little incision or active erosion; 80-100% stable banks. Vegetative surface protection or natural rock, prominent (80-100%). AND/OR Stable point bars / bankfull benches are present. Access to their original floodplain or fully developed wide bankfull benches. Mid-channel bars and transverse bars few. Transient sediment deposition covers less than 10% of bottom.</p>	 <p>Slightly incised, few areas of active erosion or unprotected banks. Majority of banks are stable (60-80%). Vegetative protection or natural rock prominent (60-80%) AND/OR Depositional features contribute to stability. The bankfull and low flow channels are well defined. Stream likely has access to bankfull benches, or newly developed floodplains along portions of the reach. Transient sediment covers 10-40% of the stream bottom.</p>		 <p>Often incised, but less than Severe or Poor. Banks more stable than Severe or Poor due to lower bank slopes. Erosion may be present on 40-60% of both banks. Vegetative protection on 40-60% of banks. Streambanks may be vertical or undercut. AND/OR 40-60% Sediment may be temporary / transient, contribute instability. Deposition that contribute to stability, may be forming/present. AND/OR V-shaped channels have vegetative protection on > 40% of the banks and depositional features which contribute to stability.</p>		 <p>Overwidened/incised. Vertically / laterally unstable. Likely to widen further. Majority of both banks are near vertical. Erosion present on 60-80% of banks. Vegetative protection present on 20-40% of banks, and is insufficient to prevent erosion. AND/OR 60-80% of the stream is covered by sediment. Sediment is temporary / transient in nature, and contributing to instability. AND/OR V-shaped channels have vegetative protection is present on > 40% of the banks and stable sediment deposition is absent.</p>		 <p>Deeply incised (or excavated), vertical/lateral instability. Severe incision, flow contained within the banks. Streambed below average rooting depth, majority of banks vertical/undercut. Vegetative protection present on less than 20% of banks, is not preventing erosion. Obvious bank sloughing present. Erosion/raw banks on 80-100%. AND/OR Aggrading channel. Greater than 80% of stream bed is covered by deposition, contributing to instability. Multiple thread channels and/or subterranean flow.</p>			
Scores	3	2.4		2		1.6		1		2.40	
NOTES>>											
2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable)											
Conditional Category								NOTES>>			
Riparian Buffers	Optimal	Suboptimal		Marginal		Poor					
	Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas.	High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.				
Scores	1.5	1.2	1.1	0.85	0.75	0.6	0.5				
1. Delineate riparian areas along each stream bank into Condition Categories and Condition Scores using the descriptors.						Ensure the sums					
2. Determine square footage for each by measuring or estimating length and width. Calculators are provided for you below.						of % Riparian					
3. Enter the % Riparian Area and Score for each riparian category in the blocks below.						Blocks equal 100					
Right Bank	% Riparian Area>	90%	10%					100%			
	Score >	0.85	0.6								
								CI= (Sum % RA * Scores*0.01)/2			
Left Bank	% Riparian Area>	90%	10%					100%	Rt Bank CI >	0.83	CI
	Score >	0.85	0.6						Lt Bank CI >	0.83	0.83
3. INSTREAM HABITAT: Varied substrate sizes, water velocity and depths; woody and leafy debris; stable substrate; low embededness; shade; undercut banks; root mats; SAV; riffle/pool complexes, stable features.											
Instream Habitat/ Available Cover	Conditional Category							NOTES>>			
	Optimal	Suboptimal		Marginal		Poor					
	Habitat elements are typically present in greater than 50% of the reach.	Stable habitat elements are typically present in 30-50% of the reach and are adequate for maintenance of populations.		Stable habitat elements are typically present in 10-30% of the reach and are adequate for maintenance of populations.		Habitat elements listed above are lacking or are unstable. Habitat elements are typically present in less than 10% of the reach.					
Scores	1.5	1.2		0.9		0.5		Stream Gradient High / Low		CI 1.50	

Stream Impact Assessment Form Page 2

Project #	Project Name (Applicant)	Locality	Cowardin Class.	HUC	Date	SAR #	Impact Length	Impact Factor
22865.06	Mountain Valley Pipeline (Mountain Valley Pipeline, LLC)	Franklin County	R3	03010101	8/24/2021	S-G16	30	1

4. CHANNEL ALTERATION: Stream crossings, riprap, concrete, gabions, or concrete blocks, straightening of channel, channelization, embankments, spoil piles, constrictions, livestock

Channel Alteration	Conditional Category						NOTES>>	
	Negligible	Minor		Moderate		Severe		
	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	20-40% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	40 - 60% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	60 - 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines AND/OR 80% of banks shored with gabion, riprap, or cement.		
Scores	1.5	1.3	1.1	0.9	0.7	0.5		CI 1.50

REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH

NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number.

THE REACH CONDITION INDEX (RCI) >>

1.25

RCI= (Sum of all CI's)/5, except if stream is ephemeral RCI = (Riparian CI/2)

COMPENSATION REQUIREMENT (CR) >>

38


CR = RCI X L_i X IF

INSERT PHOTOS:

DIRECTION
190 deg(T)

36.96876°N
079.64217°W

ACCURACY 5 m
DATUM WGS84



S-G16 ds view

Taken With
Context Camera


2021-08-24
11:18:20-04:00

DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER





Reach R3-R4

File: [https://tetrattechinc.sharepoint.com/teams/MVPStreamWetlandAssessment/Shared Documents/General/01. Virginia Field Data Management/03. Preliminary QAQC \(working files\)/S-G16_20211004KEH/9. S-G16_USM_MVP_20211004KEH.xlsx](https://tetrattechinc.sharepoint.com/teams/MVPStreamWetlandAssessment/Shared Documents/General/01. Virginia Field Data Management/03. Preliminary QAQC (working files)/S-G16_20211004KEH/9. S-G16_USM_MVP_20211004KEH.xlsx)




SURVEY NOTES:

- This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on October 10, 2018.
- Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).
- WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- All section views shown are left to right facing downstream.
- Cross-section B shot at location of pipe centerline (based on best professional judgement).




NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.


S-G16 BASELINE THALWEG PROFILE



PROFILE
SCALE: H: 1"=10'
V: 1"=5'



CL STAKEOUT POINTS: S-G16 CROSS SECTION B (PIPE CL)					
PT. LOC.	PRE-CROSSING			POST-CROSSING	
	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.
TS-L	13426005.81	2036948.92	763.65	----	----
BS-L	13426005.82	2036951.51	760.87	----	----
THW	13426005.00	2036955.91	760.33	----	----
BS-R	13426003.86	2036963.96	761.05	----	----
TS-R	13426001.90	2036977.25	764.49	----	----



Wetland Studies and Solutions, Inc.
a DAVEY company

5340 Wellington Branch Drive • Suite 100
Gainesville, Virginia 20155
Phone: 703-679-5600 • Fax: 703-679-5601
www.wetlands.com

Profile and Cross-Sections Baseline Survey

Prepared For: MVP

Crossing S-G16 - Strawfield Creek (MP 282.0)
Franklin County, Virginia

Copyright © 2021 Wetland Studies and Solutions, Inc.

REVISIONS			DATE: October, 2021	SCALE: AS NOTED
No.	Description	Rev. By		

Horizontal Datum: NAD 1983 UTM ZONE 17N

Vertical Datum: NAVD 88

Boundary and Topo Source: MVP

WSSI 2' C.I. Topo

Design	Draft	Approved
EJC	SIH	NAS

Sheet #
1 of 1

Computer File Name:
L:\Survey\22000\22000\22000\22000.dwg
22005_05-51-MP-279-291-Shooting.dwg