Baseline Assessment – Stream Attributes

Reach S-G18 (Pipeline ROW) Intermittent Spread I Franklin County, Virginia

Data	Included			
Photos	✓			
SWVM Form	✓			
FCI Calculator and HGM Form	✓			
RBP Physical Characteristics Form	✓			
Water Quality Data	N/A –Low flow			
RBP Habitat Form	✓			
RBP Benthic Form	✓			
Benthic Identification Sheet	N/A –Low flow			
Wolman Pebble Count	✓			
RiverMorph Data Sheet	✓			
USM Form (Virginia Only)	✓			
Longitudinal Profile and Cross Sections	✓			

Spread I Stream S-G18 (Pipeline ROW) Franklin County



Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking E upstream, BH



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking W downstream, BH

Spread I Stream S-G18 (Pipeline ROW) Franklin County



Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking N while standing on left bank,



Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking S while standing on right bank, BH

Spread I Stream S-G18 (Pipeline ROW) Franklin County



Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking NE upstream, BH



Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking W downstream, BH

(v2.1, Sept 2015)		MO	untam vaney Pipeline			cimal Degrees)	Lat.	37.009236	Lon.	-73.734236		WEATHER.		Sullily		DATE.	8/27/2	2021
IMPACT STREAM/SITE ID (watershed size (acreage),				S-G18;	17.36			MITIGATION STREAM CLASS. (watershed size {acreage			N:					Comments:		
STREAM IMPACT LENGTH:	81	FORM O MITIGATIO		vels I-III)		OORDINATES: cimal Degrees)	Lat.		Lon.			PRECIPITATION PAST 48 HRS:		No		Mitigation Length:		
Column No. 1- Impact Existing	g Condition (Del	bit)	Column No. 2- Mitigat	ion Existing Co	ndition - Base	line (Credit)		Column No. 3- Mitigation Pr Post Completio		Years		Column No. 4- Mitigation Proje Post Completion (ears		Column No. 5- Mitigation Project	ed at Maturity (C	redit)
Stream Classification:	Intern	nittent	Stream Classification:					Stream Classification:		0	Si	Stream Classification:		0	Strea	m Classification:	0	
Percent Stream Channel S		4.04	Percent Stream		'			Percent Stream Channel S		0		Percent Stream Channel Sl		0		Percent Stream Channel S		0
HGM Score (attach d	ata forms):		HGM S	core (attach da	ata forms):			HGM Score (attach	data forms):			HGM Score (attach da	ata forms):			HGM Score (attach d	ata forms):	
	0.34	Average				Average				Average	ļ.,			Average				Average
Hydrology Biogeochemical Cycling Habitat	0.52 0.09	0.31666667	Hydrology Biogeochemical Cycling Habitat			0		Hydrology Biogeochemical Cycling Habitat		0	В	Hydrology Biogeochemical Cycling		0		ology eochemical Cycling		0
PART I - Physical, Chemical and		cators	PART I - Physica	I, Chemical and	Biological Inc	licators		PART I - Physical, Chemical a	nd Biological In	dicators	В	PART I - Physical, Chemical and	Biological Indi	icators	nabita	PART I - Physical, Chemical and	Biological Indic	ators
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all stream	s classifications)	•	PHYSICAL INDICATOR (Appli	es to all streams cl	lassifications)			PHYSICAL INDICATOR (Applies to all stream	s classifications)	•	PI	PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYS	SICAL INDICATOR (Applies to all streams	s classifications)	
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient I					USEPA RBP (High Gradient Data Sheet)				JSEPA RBP (High Gradient Data Sheet)				A RBP (High Gradient Data Sheet)		
	0-20	0	Epifaunal Substrate/Availab		0-20			Epifaunal Substrate/Available Cover	0-20			. Epifaunal Substrate/Available Cover	0-20			faunal Substrate/Available Cover	0-20	
Embeddedness Velocity/ Depth Regime	0-20	0	 Pool Substrate Characteriza Pool Variability 	ation	0-20			Embeddedness Velocity/ Depth Regime	0-20			P. Embeddedness B. Velocity/ Depth Regime	0-20			beddedness ocity/ Depth Regime	0-20	
Sediment Deposition	0-20	6	Sediment Deposition		0-20			Sediment Deposition	0-20			. Sediment Deposition	0-20			diment Deposition	0-20	
5. Channel Flow Status	0-20	Ö	Channel Flow Status		0-20			5. Channel Flow Status	0-20		5.	i. Channel Flow Status	0-20			annel Flow Status	0-20	
6. Channel Alteration	0-20	17	Channel Alteration		0-20			6. Channel Alteration	0-20			6. Channel Alteration	0-20			annel Alteration	0-20	
7. Frequency of Riffles (or bends)	0-20	0	Channel Sinuosity		0-20			7. Frequency of Riffles (or bends)	0-20			'. Frequency of Riffles (or bends)	0-20			quency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	14	8. Bank Stability (LB & RB)		0-20			8. Bank Stability (LB & RB)	0-20			I. Bank Stability (LB & RB)	0-20			nk Stability (LB & RB)	0-20	
Vegetative Protection (LB & RB)	0-20	16 11	 Vegetative Protection (LB & 10. Riparian Vegetative Zone Wid 		0-20			Vegetative Protection (LB & RB)	0-20			Vegetative Protection (LB & RB) Riparian Vegetative Zone Width (LB & RB)	0-20			getative Protection (LB & RB)	0-20	
Riparian Vegetative Zone Width (LB & RB) Total RBP Score	Marginal	60	Total RBP Score	in (LD & RD)	Poor	0		10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	Poor	0		otal RBP Score	Poor	0	Total	parian Vegetative Zone Width (LB & RB) RBP Score	Poor	0
Sub-Total	Marginar	0.345	Sub-Total		FOOI	0		Sub-Total	FOOI	0		Sub-Total	FUUI	0	Sub-T		FOOI	0
CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial St		CHEMICAL INDICATOR (Appl	ies to Intermittent a	and Perennial St	reams)		CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial S	itreams)	С	CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial S	Streams)	CHEN	MICAL INDICATOR (Applies to Intermitte	nt and Perennial Str	eams)
WVDEP Water Quality Indicators (Genera	I)		WVDEP Water Quality Indica	tors (General)				WVDEP Water Quality Indicators (Genera	il)			NVDEP Water Quality Indicators (General)			EP Water Quality Indicators (General	i)	
Specific Conductivity			Specific Conductivity					Specific Conductivity			S	Specific Conductivity			Speci	ific Conductivity		
100-199 - 85 points	0-90				0-90				0-90				0-90				0-90	
pn	0-1		рп	1	0-1			pn	0-1		pi	JIT .	0-1		pn		0-1	
5.6-5.9 = 45 points	0-80				5-90				5-90				5-90				5-90	
DO			DO					DO			D	00			DO			
	10-30				10-30				10-30				10-30				10-30	
Sub-Total			Sub-Total			0		Sub-Total		0	Si	Sub-Total		0	Sub-T	otal		0
BIOLOGICAL INDICATOR (Applies to Intermi	ttent and Perennial	Streams)	BIOLOGICAL INDICATOR(A)	oplies to Intermitten	nt and Perennial	Streams)		BIOLOGICAL INDICATOR(Applies to Intern	nittent and Perenr	nial Streams)		BIOLOGICAL INDICATOR (Applies to Interm	ittent and Peren	nial Streams)		OGICAL INDICATOR (Applies to Interm	nittent and Perenni	ial Streams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index	(WVSCI)				WV Stream Condition Index (WVSCI)			w	VV Stream Condition Index (WVSCI)			wv s	tream Condition Index (WVSCI)		
0	0-100 0-1				0-100 0-1				0-100 0-1				0-100 0-1				0-100 0-1	
Sub-Total		0	Sub-Total			0	l	Sub-Total		0	Si	Sub-Total		0	Sub-T	otal		0
PART II - Index and U	Init Score		PART	'II - Index and U	Init Score		1	PART II - Index and	d Unit Score		1	PART II - Index and U	nit Score			PART II - Index and U	Init Score	
PART II TIIIUUX BIIU C	J 00018		FARI	cox and o	55516			PART II - IIIUGA GIII				. ART II - IIIUUX AIIU U	00016			. ART II - IIIdex and C	555.6	
Index	Linear Feet	Unit Score	Index		Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score
0.445	81	36.01125	0		0	0		0	0	0		0	0	0		0	0	0

High-Gradient Headwater Streams in Appalachia Field Data Sheet and Calculator											
	Toom:	Tetra tech	CB Bh	Field L	oata Sne	et and C			M Northing:	37 000236	
Dro				10					-		
110			untain Valley Pipeline Longitude/UTM Easting: -79.754238 Tead I, Franklin County Sampling Date: 8/27/21								
				-				Oan	ipiling Date.	0/2//2/	
SA	AR Number:	S-G18	Reach	Length (ft):	75	Stream Ty	/pe: Interi	mittent Strea	m		
Top Strata: Shrub/Herb Strata (determined from percent calculated in V _{CCANOPY})											
Site a	and Timing:	Project Site				•	Before Proje	ct			—
Sample Variables 1-4 in stream channel											
1 Vocasion Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 roughly									Not Used, <20%		
ı	List the per	cent cover i	measureme	nts at each	point below:						•
	0										
		_									
2	V_{EMBED}	•							ughly equidis	•	3.8
surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediments, use a rating score of 1. If the bed is composed of bedrock, use a rating score of 5. Embeddedness rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and										Measure at least	
			Rating Des	crintion							30 points
		5			overed. sur	rounded. or	buried by fi	ne sedimen	t (or bedroc	k)	oo points
		4					d, or buried			,	
		3					ed, or buried				
		2 1					ed, or buried		diment ent (or artifici	ial aurfaca)	
	I ist the rati	-	point below		covered, sc	irrourided, c	n bunea by	iiile sediiile	in (or artifici	iai suriace)	
	5	5	5	3	4	5	2	2	5	5	
	4	5	2	2	5	4	5	5	3	1	
	5	1	5								
3	V _{SUBSTRATE}		eam channe tream; use t						ghly equidis	tant points	0.08 in
	•		ches to the 0.0 in, sand			•	w (bedrock	should be c	ounted as 9	9 in,	
	0.08	0.08					4.40	0.70	0.00	0.00	
	3.10	0.08	0.08	0.10 1.30	3.60 0.08	0.08 3.90	4.10 0.08	0.70	0.08 1.10	0.08	
	0.08	0.08	0.90	1.30	0.06	3.90	0.06	0.06	1.10	0.30	
	0.06	0.20	0.06								
4	V_{BERO}		e total perce						roded bank rosion for th		53 %
		,	Left Bank:	20) ft	I	Right Bank:	20) ft	l	

Sampl	ample Variables 5-9 within the entire riparian/buffer zone adjacent to the stream channel (25 feet from each bank).										
5	V_{LWD}	stream rea	ch. Enter th		rom the enti ulated.	re 50'-wide	eter and 36 ir buffer and w	vithin the ch	nannel, and t		2.7
	\/	A					oody stems:		2 () Trace or		
6	V_{TDBH}			measure on neter. Enter			ng cover is a	at least 20%	o). Trees are	e at least 4	Not Used
		•	•				in) within the	buffer on e	each side of		
		the stream		nonto or ina	Tradar a coc	(at loadt 1	,	bullet en e	odom ordo or		
			Left Side					Right Side			
7	V	Number of	anaga (at la	act 4" dbb	and 26" tall)	nor 100 for	at of otroom	Enternum	bor of anoga	on oach	
7	V_{SNAG}			d the amour			et of stream. alculated.	Enter num	iber of snag	s on eacn	0.0
			Left Side:		0		Right Side:		0	l	
8	V_{SSD}						hes dbh) per ubs on each				100.0
				tream will be			ubs on each	side of the	Sirearri, arro	ule	100.0
	Left Side: 35 Right Side: 40										
9	V_{SRICH}						am reach. C ive species p				0.00
							from these of		ııı sırata. Op	Jecies	0.00
		Grou	p 1 = 1.0								
	Acer rubru	m		Magnolia ti	ripetala		Ailanthus a	Itissima	✓	Lonicera ja	ponica
	Acer sacch	harum		Nyssa sylv	atica		Albizia julib	rissin		Lonicera ta	tarica
	Aesculus f	lava		Oxydendrun	n arboreum		Alliaria peti	olata		Lotus corni	culatus
	Asimina tri	loba		Prunus sei	rotina		Alternanthe	era		Lythrum sa	licaria
	Betula alleg	ghaniensis		Quercus a	lba		philoxeroid		✓	Microstegiun	n vimineum
	Betula lent	ta		Quercus co	occinea		Aster tatari	cus		Paulownia	tomentosa
	Carya alba	ì		Quercus in	nbricaria		Cerastium	fontanum		Polygonum d	cuspidatum
	Carya glab	ora		Quercus p	rinus		Coronilla va	aria		Pueraria m	ontana
	Carya ova	lis		Quercus ru	ıbra		Elaeagnus u	mbellata	V	Rosa multii	flora
	Carya ova	ta		Quercus ve	elutina		Lespedeza	bicolor		Sorghum h	alepense
	Cornus flo			Sassafras			Lespedeza			Verbena br	•
	Fagus grai			Tilia ameri			Ligustrum ob				
	Fraxinus a			Tsuga can		<u> </u>	Ligustrum s				
	Liriodendror			Ulmus ame			5				
	Magnolia a			G. G.//C	· · · · · · · · · · · · ·						
	agriona c										
		1	Species in	Group 1				4	Species in	Group 2	

	e Variables The four sul								zone within	n 25 feet fro	om each
10	V _{DETRITUS}		ercent cover are include.						s <4" diamet ot.	er and	1.50 %
			Left	Side			Righ	t Side		· ·	
		0	5	2		0	2	0			
11	V_{HERB}	Average ne	rcentage co	over of herb	aceous ved	etation (me	acure only if	tree cover	is <20%). D)o not	
.,	▼ HERB	include woo	ody stems a percentage:	t least 4" db	h and 36" t	all. Because	there may	be several	layers of gro	ound cover	99 %
			Left	Side			Righ	Side		'	
		100	95	98		100	98	100			
Sample	e Variable 1	2 within the	e entire cat	chment of	the stream.	ı					
12	V_{WLUSE}	Weighted A	Average of F	Runoff Score	e for watersl	ned:					0.47
	Land Use (Choose From Drop List) Runoff Score % i Cato										Running Percent (not >100)
	Forest and n	ative range (<	▼	0.5	48	48					
	Forest and native range (>75% ground cover)									15	63
	Impervious areas (parking lots, roofs, driveways, etc)								0	12	75
				<u> </u>					0.3	25	100
		▼							0.0	20	100
								_			
	S	-G18					No	tes:			
Va	ariable	Value	VSI								
V _C	CANOPY	Not Used, <20%	Not Used								
VE	MBED	3.8	1.00								
Vs	UBSTRATE	0.08 in	0.04								
V_{BI}	ERO	53 %	0.79								
V_{L}	WD	2.7	0.33								
V _{TI}	DBH	Not Used	Not Used								
V _{SI}		0.0	0.10								
Vs		100.0	1.00								
	RICH	0.00	0.00								
	ETRITUS	1.5 %	0.02								
V _{HI}		99 %	1.00								
	LUSE	0.47	0.49								

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: Mountain Valley Pipeline **Location:** Spread I, Franklin County

Sampling Date: 8/27/21 Project Site Before Project

Subclass for this SAR:

Intermittent Stream

Uppermost stratum present at this SAR: SAR number: S-G18

Shrub/Herb Strata

Functional Results Summary: Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.34
Biogeochemical Cycling	0.52
Habitat	0.09

Variable Measure and Subindex Summary:

Variable			Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V_{EMBED}	Average embeddedness of channel.	3.83	1.00
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.08	0.04
V _{BERO}	Total percent of eroded stream channel bank.	53.33	0.79
V_{LWD}	Number of down woody stems per 100 feet of stream.	2.67	0.33
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	100.00	1.00
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	1.50	0.02
V_{HERB}	Average percent cover of herbaceous vegetation.	98.50	1.00
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.47	0.49

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION			
STATION # RIVERMILE	STREAM CLASS			
LAT LONG	RIVER BASIN			
STORET#	AGENCY			
INVESTIGATORS				
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY		

WEATHER CONDITIONS	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) % cloud cover clear/sunny Has there been a heavy rain in the last 7 days? Yes No Air Temperature Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) S-G18 Dense coming out C/I
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Origin Glacial Spring-fed Non-glacial montane Swamp and bog Stream Type Coldwater Warmwater Catchment Area km² Catchment Area

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field/ Agric	Pasture Industria	rcial	Local Watershed NPS Pollution No evidence □ Some potential sources Obvious sources Local Watershed Erosion None Moderate Heavy				
RIPARIA VEGETA (18 meter	TION	Trees	SI SI	hrubs	Ominant species present Grasses Herbaceous				
INSTREA FEATURI		Estimat Estimat Samplin Area in Estimat	ed Reach Length ed Stream Width g Reach Area km² (m²x1000) ed Stream Depth Velocity m	m m m² km²	Canopy Cover Partly open Partly shaded Shaded High Water Markm Proportion of Reach Represented by Stream Morphology Types Riffle % Run% Pool% Channelized Yes No Dam Present Yes No				
LARGE V DEBRIS	VOODY		LWD m² Density of LWD m²/km² (LWD/ reach area)						
AQUATION VEGETA		Indicate the dominant type and record the dominant species present Rooted emergent Rooted submergent Rooted floating Free floating Floating Algae Attached Algae Dominant species present Portion of the reach with aquatic vegetation %							
WATER (QUALITY	Specific Dissolve pH Turbidi	cature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Chemical Fishy Other				
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser			Relict shells Other	_			
INC	ORGANIC SUBS		COMPONENTS 00%)		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)				
Substrate Type	Diamete	er	% Composition in Sampling Reach	Substrate Type	Characteristic % Composition in Sampling Area				
Bedrock Boulder	> 256 mm (10")			Detritus	sticks, wood, coarse plant materials (CPOM)				
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-2			Muck-Mud	black, very fine organic (FPOM)				
Sand	0.06-2mm (gritty)			Marl	grey, shell fragments				

Silt

Clay

0.004-0.06 mm

< 0.004 mm (slick)

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET#	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY	

	Habitat		Condition	ı Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.		
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.		
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).		
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.		
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.		
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total	Caare	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS		LOT NUMBER			
FORM COMPLETED BY	DATETIME	REASON FOR SURVEY			
HADITAT TYPES Indicate the percentage of	and habitat type present				

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Franklin County Stream ID: S-G18

Stream Name: UNT to Blackwater River

HUC Code: 03010101 Basin: Upper Roanoke

Survey Date: 8/27/2021 Surveyors: CB, BH

Type: Representative/Riffle

			LE COUNT		1	т	
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	*	44	44.00	44.00
	Very Fine	.062125		A	12	12.00	56.00
	Fine	.12525		*	3	3.00	59.00
	Medium	.255	SAND	4	6	6.00	65.00
	Coarse .50-1.0	4	2	2.00	67.00		
.0408	Very Coarse	1.0-2		~	7	7.00	74.00
.0816	Very Fine	2 -4		^	6	6.00	80.00
.1622	Fine	4 -5.7		A	4	4.00	84.00
.2231	Fine	5.7 - 8		A		0.00	84.00
.3144	Medium	8 -11.3		A	1	1.00	85.00
.4463	Medium	11.3 - 16	GRAVEL	A	3	3.00	88.00
.6389	Coarse	16 -22.6	1	^	2	2.00	90.00
.89 - 1.26	Coarse	22.6 - 32		-		0.00	90.00
1.26 - 1.77	Vry Coarse	32 - 45		^		0.00	90.00
1.77 -2.5	Vry Coarse	45 - 64		A	2	2.00	92.00
2.5 - 3.5	Small	64 - 90		^	1	1.00	93.00
3.5 - 5.0	Small	90 - 128		A	5	5.00	98.00
5.0 - 7.1	Large	128 - 180	COBBLE	A	2	2.00	100.00
7.1 - 10.1	Large	180 - 256		A		0.00	100.00
10.1 - 14.3	Small	256 - 362		<u> </u>		0.00	100.00
14.3 - 20	Small	362 - 512	1	<u> </u>		0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	<u> </u>		0.00	100.00
40 - 80	Large	1024 -2048	1	A		0.00	100.00
80 - 160	Vry Large	2048 -4096	1	<u> </u>		0.00	100.00
	Bedrock		BDRK	A		0.00	100.00
				Totals:	100		

RIVERMORPH PARTICLE SUMMARY

UNT to Blackwater River

River Name: Reach Name: Sample Name: S-G18 Representative 08/27/2021 Survey Date:

Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	44 12 3 6 2 7 6 4 0 1 3 2 0 0 2 1 5 2 0 0 0 0 0 0	44.00 12.00 3.00 6.00 2.00 7.00 6.00 4.00 0.00 1.00 3.00 2.00 0.00 0.00 2.00 0.00 2.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	44.00 56.00 59.00 65.00 67.00 74.00 80.00 84.00 84.00 85.00 88.00 90.00 90.00 90.00 92.00 93.00 98.00 100.00 100.00 100.00 100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.02 0.05 0.09 5.7 105.2 180 44 30 18 8		

Total Particles = 100.

Stream Assessment Form (Form 1) Unified Stream Methodology for use in Virginia or use in wadeable channels classified as intermittent or perennial Cowardin Impact Impact Project # Project Name (Applicant) Locality HUC Date SAR# Class _ength Factor Mountain Valley Pipeline (Mountain Franklin 22865.06 R3 or R4 03010101 8/27/21 S-G18 81 1 Valley Pipeline, LLC) County Stream Name and Information SAR Length Name(s) of Evaluator(s) 81 CB, BH UNT To Blackwater River, Franklin County, Spread I 1. Channel Condition: Assess the cross-section of the stream and prevailing condition (erosion, aggradation) Conditional Category Optimal Suboptimal Poor Severe Marginal ery little incision or active erosion; 80 Slightly incised, few areas of active Deeply incised (or excavated), Overwid ened/incised. 100% stable banks. Vegetative sion or unprotected banks. Majorit Poor, Banks more stable than Severe laterally unstable. Likely to widen vertical/lateral instability. Severe of banks are stable (60-80%). or Poor due to lower bank slopes further. Majority of both banks are ncision, flow contained within the Channel prominent (80-100%). AND/OR Stable Vegetative protection or natural rock Erosion may be present on 40-60% of near vertical. Erosion present on 60 banks. Streambed below average Condition pankfull benches are present. Acces to their original floodplain or fully both banks. Vegetative protection on 40-60% of banks. Streambanks may prominent (60-80%) AND/OR Depositional features contribute to banks. Vegetative protection presen on 20-40% of banks, and is insufficier majority of banks vertical/undercut. Vegetative protection present on less stability. The bankfull and low flow channels are well defined. Stream likely has access to bankfull be vertical or undercut. AND/OR 40-60% Sediment may be temporary transient, contribute instability. than 20% of banks, is not preventing eveloped wide bankfull benches. Mic to prevent erosion. AND/OR 60-80% channel bars and transverse bars few Transient sediment deposition covers the stream is covered by sediment. Sediment is temporary / transient in erosion. Obvious bank sloughing present. Erosion/raw banks on 80less than 10% of bottom. benches,or newly developed Deposition that contribute to stability nature, and contributing to instability 100%. AND/OR Aggrading channel. than 80% of stream bed is covered by portions of the reach. Transient sediment covers 10-40% of the may be forming/present. AND/OR V-shaped channels have vegetative AND/OR V-shaped channels have vegetative protection is present on > deposition, contributing to instability. stream hottom protection on > 40% of the banks and 10% of the banks and stable sedimer Multiple thread channels and/or depositional features which contribute deposition is absent subterranean flow CI to stability. 3 2.00 **Scores** 2.4 2 1.6 NOTES>> 2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable) **Conditional Category** NOTES>> Marginal Optimal Suboptimal Poor Low Marginal High Poor: Lawn: ow Suboptimal Non-maintained High Suboptima mowed, and Riparian areas with tree stratum High Marginal nse herbaceoi aintained area Low Poor: Riparian areas Non-maintained, vegetation, with tree stratum nurseries: no-till Impervious (dbh > 3 inches) lense herbaceou riparian areas cropland: actively (dbh > 3 inches) surfaces mine esent, with 30% to 60% tree vegetation with acking shrub and ree stratum (dbh > 3 inches) presen present, with 309 grazed pasture, spoil lands, Riparian either a shrub tree stratum, hav with > 60% tree canopy cover. to 60% tree parsely vegetate lenuded surfaces anopy cover an a maintained layer or a tree layer (dbh > 3 roduction, pond open water. If **Buffers** Wetlands located within the riparian anopy cover ar row crops, active areas. containing both area, recently feed lots, trails, or understory. Recent cutover inches) present with <30% tree present, tree herbaceous and seeded and other comparable conditions. stratum (dbh >3 shrub layers or a abilized, or othe (dense canopy cover inches) present non-maintained comparable vegetation). with <30% tree understory. condition. canopy cover with maintained High Low High Low High Low 1.5 1.2 0.85 0.6 0.5 Scores 1.1 0.75 Delineate riparian areas along each stream bank into Condition Categories and Condition Scores using the descriptors Ensure the sums Determine square footage for each by measuring or estimating length and width. Calculators are provided for you of % Riparian pelow Blocks equal 100 . Enter the % Riparian Area and Score for each riparian category in the blocks below Assessment is limited to % Riparian Area> 20% 30% 50% 100% areas within the Right Bank 0.85 Score > 0.5 0.6 temporary ROW. CI= (Sum % RA * Scores*0.01)/2 % Riparian Area> 20% 40% 40% 100% Rt Bank CI > 0.66 CI Left Bank 0.67 Score > 0.85 0.6 Lt Bank CI > 3. INSTREAM HABITAT: Varied substrate sizes, water velocity and depths; woody and leafy debris; stable substrate; low embededness; shade; undercut banks; root mats; SAV; ffle/pool complexes, stable features **Conditional Category** NOTES>> Instream Optimal Suboptimal Marginal Poor Habitat/ Stable habitat elements are typically Stable habitat elements are typically Habitat elements listed above are **Available** present in 30-50% of the reach and Habitat elements are typically preser present in 10-30% of the reach and lacking or are unstable. Habitat in greater than 50% of the reach are adequate for maintenance of are adequate for maintenance of elements are typically present in less Cover than 10% of the reach. populations populations Stream Gradient

0.9

0.5

High / Low

0.50

Scores

1.5

1.2

	St	ream In	npact A	ssessn	nent Fo	rm Pag	e 2		
Project #	Project Name (App	licant)	Locality	Cowardin Class.	нис	Date	SAR#	Impact length	Impact Factor
22865.06		Mountain Valley Pipeline (Mountain Valley Pipeline, LLC)		R3 or R4	03010101	8/27/21	S-G18	81	1
. CHANNE	L ALTERATION: Stream crossi	ngs, riprap, concr		oncrete blocks, st	traightening of cha	annel, channelizati	ion, embankment	s, spoil piles, consti	rictions, livestock
	Negligible Mi		nor	Moderate		Severe		NOTES >>	
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	of the channel	20-40% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	the parameter guidelines. If	or - 50% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not	by any of the chang in the parameter g 80% of banks sh			
Scores	1.5	1.3	1.1	0.9	0.7	0	.5		
	5540110	ONDITION	NDEV and C	TDEAM CO	NDITION III	IITC EOD TH	IIC DEACH		
	REACH C	ONDITION I	NDEX and S	TREAM CO	NOTTION ON	IIIS FUR IN	IS REAUT		

THE REACH CONDITION INDEX (RCI) >> 0.85

RCI= (Sum of all Cl's)/5, except if stream is ephemeral RCI = (Riparian Cl/2)

COMPENSATION REQUIREMENT (CR) >>


CR = RCI X L_I X IF


INSERT PHOTOS:




DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER





CL ST	CL STAKEOUT POINTS: S-G18 CROSS SECTION B (PIPE CL)													
	PRE-CROSSING	PO:	ST-CROSS	ING										
PT. LOC.	NORTHING	EASTING	ELEV	VERT.	HORZ. DIFF.									
TS-L	13440331.51	2004039.42	995.98											
BS-L	13440329.78	2004039.26	995.05											
THW	13440328.74	2004039.39	994.82											
BS-R	13440327.42	2004039.43	995.00											
TS-R	13440323.07	2004040.04	996.39											



LEGEND STUDY AREA (EASEMENT) EXISTING SURVEY-LOCATED THALWEG EXISTING SURVEY-LOCATED EDGE OF WATER (AS NECESSARY) EXISTING CONTOUR LINE (MAJOR) EXISTING CONTOUR LINE (MINOR) 996.3 + EXISTING SURVEYED GROUND SHOT ELEVATION BENCHMARK POINT (WSSI)

1004

1002

<u>L</u> 1000 .

998


1002


996

_ 1000

SURVEY NOTES:

1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on November 29, 2018.






EX. THALWEG

EL.: 994.8'

0+10 0+20 0+30

0+10 0+20



Sheet #

1 of 1

Computer File Name:

2865_03 S-I MP 268-278 Sheets.dwg

Survey\22000s\22800\22865.03\Spread I Work Dwgs

PRE-CROSSING PHOTOS