

Baseline Assessment – Stream Attributes

Reach S-G22 (Pipeline ROW)

Perennial

Spread I

Franklin County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	✓
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: US VIEW

Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking NE upstream, VM



Photo Type: DS COND

Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking W downstream, VM




Photo Type: LB CL

Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking SE at right streambank, VM



Photo Type: RB CL

Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking N at left streambank, VM



Photo Type: US COND

Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking E upstream, VM




Photo Type: DS VIEW

Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking SE downstream, VM

USACE FILE NO./ Project Name: (v2.1, Sept 2016)			Mountain Valley Pipeline			IMPACT COORDINATES: (in Decimal Degrees)			Lat.	37.019612	Lon.	-79.761958	WEATHER:			Sunny			DATE:			8/27/2021													
IMPACT STREAM/SITE ID AND SITE DESCRIPTION: (watershed size (acreage), unaltered or impairments)						S-G22; 68.33						MITIGATION STREAM CLASS./SITE ID AND SITE DESCRIPTION: (watershed size (acreage), unaltered or impairments)						Comments:																	
STREAM IMPACT LENGTH:			80			FORM OF MITIGATION:			RESTORATION (Levels I-III)			MIT COORDINATES: (in Decimal Degrees)			Lat.		Lon.		PRECIPITATION PAST 48 HRS:			No			Mitigation Length:										
Column No. 1- Impact Existing Condition (Debit)						Column No. 2- Mitigation Existing Condition - Baseline (Credit)						Column No. 3- Mitigation Projected at Five Years Post Completion (Credit)						Column No. 4- Mitigation Projected at Ten Years Post Completion (Credit)						Column No. 5- Mitigation Projected at Maturity (Credit)											
Stream Classification:						Perennial						Stream Classification:						0						Stream Classification:						0					
Percent Stream Channel Slope						32.94						Percent Stream Channel Slope						0						Percent Stream Channel Slope						0					
HGM Score (attach data forms):						Average						HGM Score (attach data forms):						Average						HGM Score (attach data forms):						Average					
Hydrology						0						Hydrology						0						Hydrology						0					
Biogeochemical Cycling						0						Biogeochemical Cycling						0						Biogeochemical Cycling						0					
Habitat						0						Habitat						0						Habitat						0					
PART I - Physical, Chemical and Biological Indicators						PART I - Physical, Chemical and Biological Indicators						PART I - Physical, Chemical and Biological Indicators						PART I - Physical, Chemical and Biological Indicators						PART I - Physical, Chemical and Biological Indicators											
Points Scale Range Site Score						Points Scale Range Site Score						Points Scale Range Site Score						Points Scale Range Site Score						Points Scale Range Site Score											
PHYSICAL INDICATOR (Applies to all streams classifications)						PHYSICAL INDICATOR (Applies to all streams classifications)						PHYSICAL INDICATOR (Applies to all streams classifications)						PHYSICAL INDICATOR (Applies to all streams classifications)						PHYSICAL INDICATOR (Applies to all streams classifications)											
USEPA RBP (High Gradient Data Sheet)						USEPA RBP (Low Gradient Data Sheet)						USEPA RBP (High Gradient Data Sheet)						USEPA RBP (High Gradient Data Sheet)						USEPA RBP (High Gradient Data Sheet)											
1. Epifaunal Substrate/Available Cover 0-20 11						1. Epifaunal Substrate/Available Cover 0-20 0						1. Epifaunal Substrate/Available Cover 0-20 0						1. Epifaunal Substrate/Available Cover 0-20 0						1. Epifaunal Substrate/Available Cover 0-20 0											
2. Embeddedness 0-20 9						2. Embeddedness 0-20 0						2. Embeddedness 0-20 0						2. Embeddedness 0-20 0						2. Embeddedness 0-20 0											
3. Velocity Depth Regime 0-20 11						3. Velocity Depth Regime 0-20 0						3. Velocity Depth Regime 0-20 0						3. Velocity Depth Regime 0-20 0						3. Velocity Depth Regime 0-20 0											
4. Sediment Deposition 0-20 16						4. Sediment Deposition 0-20 0						4. Sediment Deposition 0-20 0						4. Sediment Deposition 0-20 0						4. Sediment Deposition 0-20 0											
5. Channel Flow Status 0-20 13						5. Channel Flow Status 0-20 0-1						5. Channel Flow Status 0-20 0-1						5. Channel Flow Status 0-20 0-1						5. Channel Flow Status 0-20 0-1											
6. Channel Alteration 0-20 16						6. Channel Alteration 0-20 0						6. Channel Alteration 0-20 0						6. Channel Alteration 0-20 0						6. Channel Alteration 0-20 0											
7. Frequency of Riffles (or bends) 0-20 15						7. Frequency of Riffles (or bends) 0-20 0						7. Frequency of Riffles (or bends) 0-20 0						7. Frequency of Riffles (or bends) 0-20 0						7. Frequency of Riffles (or bends) 0-20 0											
8. Bank Stability (LB & RB) 0-20 12						8. Bank Stability (LB & RB) 0-20 0						8. Bank Stability (LB & RB) 0-20 0						8. Bank Stability (LB & RB) 0-20 0						8. Bank Stability (LB & RB) 0-20 0											
9. Vegetative Protection (LB & RB) 0-20 12						9. Vegetative Protection (LB & RB) 0-20 0						9. Vegetative Protection (LB & RB) 0-20 0						9. Vegetative Protection (LB & RB) 0-20 0						9. Vegetative Protection (LB & RB) 0-20 0											
10. Riparian Vegetative Zone Width (LB & RB) 0-20 16						10. Riparian Vegetative Zone Width (LB & RB) 0-20 0						10. Riparian Vegetative Zone Width (LB & RB) 0-20 0						10. Riparian Vegetative Zone Width (LB & RB) 0-20 0						10. Riparian Vegetative Zone Width (LB & RB) 0-20 0											
Total RBP Score Suboptimal 131						Total RBP Score Poor 0						Total RBP Score Poor 0						Total RBP Score Poor 0						Total RBP Score Poor 0											
Sub-Total 0.655						Sub-Total 0						Sub-Total 0						Sub-Total 0						Sub-Total 0											
CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)						CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)						CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)						CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)						CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)											
WVDEP Water Quality Indicators (General)						WVDEP Water Quality Indicators (General)						WVDEP Water Quality Indicators (General)						WVDEP Water Quality Indicators (General)						WVDEP Water Quality Indicators (General)											
Specific Conductivity						Specific Conductivity						Specific Conductivity						Specific Conductivity						Specific Conductivity											
<99 - 90 points 0-90 67.1						<99 - 90 points 0-90 0						<99 - 90 points 0-90 0						<99 - 90 points 0-90 0						<99 - 90 points 0-90 0											
pH						pH						pH						pH						pH											
6.0-8.0 = 80 points 0-80 6.5						6.0-8.0 = 80 points 0-80 0						6.0-8.0 = 80 points 0-80 0						6.0-8.0 = 80 points 0-80 0						6.0-8.0 = 80 points 0-80 0											
DO						DO						DO						DO						DO											
>5.0 = 30 points 10-30 6.95						>5.0 = 30 points 10-30 0						>5.0 = 30 points 10-30 0						>5.0 = 30 points 10-30 0						>5.0 = 30 points 10-30 0											
Sub-Total 1						Sub-Total 0						Sub-Total 0						Sub-Total 0						Sub-Total 0											
BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)						BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)						BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)						BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)						BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)											
WV Stream Condition Index (WVSCI)						WV Stream Condition Index (WVSCI)						WV Stream Condition Index (WVSCI)						WV Stream Condition Index (WVSCI)						WV Stream Condition Index (WVSCI)											
Grey Zone 0-100 0-1 64.5						Grey Zone 0-100 0-1 0						Grey Zone 0-100 0-1 0						Grey Zone 0-100 0-1 0						Grey Zone 0-100 0-1 0											
Sub-Total 0.645						Sub-Total 0						Sub-Total 0						Sub-Total 0						Sub-Total 0											
PART II - Index and Unit Score						PART II - Index and Unit Score						PART II - Index and Unit Score						PART II - Index and Unit Score						PART II - Index and Unit Score											
Index Linear Feet Unit Score						Index Linear Feet Unit Score						Index Linear Feet Unit Score						Index Linear Feet Unit Score						Index Linear Feet Unit Score											
0.767 80 61.3333333						0 0 0						0 0 0						0 0 0						0 0 0											

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-G22		LOCATION Franklin County, Spread I	
STATION # _____ RIVERMILE _____		STREAM CLASS Perennial	
LAT 37.019612 LONG -79.761958		RIVER BASIN Upper Roanoke	
STORET # _____		AGENCY VADEQ	
INVESTIGATORS AJ, VM			
FORM COMPLETED BY AJ, VM		DATE 8/27/2021 TIME 0800	REASON FOR SURVEY Baseline Assessment

WEATHER CONDITIONS	<div style="display: flex; justify-content: space-between;"> <div> Now <input type="checkbox"/> storm (heavy rain) <input type="checkbox"/> rain (steady rain) <input type="checkbox"/> showers (intermittent) <input checked="" type="checkbox"/> %cloud cover <input type="checkbox"/> clear/sunny </div> <div> Past 24 hours <input type="checkbox"/> storm (heavy rain) <input type="checkbox"/> rain (steady rain) <input type="checkbox"/> showers (intermittent) <input type="checkbox"/> %cloud cover <input type="checkbox"/> clear/sunny </div> <div> Has there been a heavy rain in the last 7 days? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Air Temperature 26 °C Other _____ </div> </div>		
SITE LOCATION/MAP	<p>Draw a map of the site and indicate the areas sampled (or attach a photograph)</p> <p>The map shows a stream labeled 'S-G22' flowing from 'Up ST' to 'Down ST'. A 'Timber mat' is marked in red. Two 'Silt Socks' are marked in yellow. Two 'Silt Fence' lines are marked with black lines. Other labels include 'To Va', 'Gas out', 'Gas in', 'From WV', 'Up ST', 'Down ST', 'R Buffer', and 'LOD'.</p>		
STREAM CHARACTERIZATION	<div style="display: flex; justify-content: space-between;"> <div> Stream Subsystem <input checked="" type="checkbox"/> Perennial <input type="checkbox"/> Intermittent <input type="checkbox"/> Tidal Stream Origin <input type="checkbox"/> Glacial <input type="checkbox"/> Spring-fed <input type="checkbox"/> Non-glacial montane <input checked="" type="checkbox"/> Mixture of origins <input type="checkbox"/> Swamp and bog <input type="checkbox"/> Other _____ </div> <div> Stream Type <input type="checkbox"/> Coldwater <input checked="" type="checkbox"/> Warmwater Catchment Area _____ km² </div> </div>		

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES	Predominant Surrounding Landuse <input checked="" type="checkbox"/> Forest <input type="checkbox"/> Commercial <input checked="" type="checkbox"/> Field/Pasture <input type="checkbox"/> Industrial <input type="checkbox"/> Agricultural <input type="checkbox"/> Other _____ <input type="checkbox"/> Residential		Local Watershed NPS Pollution <input checked="" type="checkbox"/> No evidence <input type="checkbox"/> Some potential sources <input type="checkbox"/> Obvious sources Local Watershed Erosion <input checked="" type="checkbox"/> None <input type="checkbox"/> Moderate <input type="checkbox"/> Heavy
RIPARIAN VEGETATION (18 meter buffer)	Indicate the dominant type and record the dominant species present <input checked="" type="checkbox"/> Trees <input checked="" type="checkbox"/> Shrubs <input checked="" type="checkbox"/> Grasses <input type="checkbox"/> Herbaceous Dominant species present <u>Sycamore, American beech, rose, jewel weed, canary grass, smartweed, false nettle, willows daisies, princess tr</u>		
INSTREAM FEATURES	<div style="display: flex; justify-content: space-between;"> <div> Estimated Reach Length <u>57.9</u> m Estimated Stream Width <u>0.6</u> m Sampling Reach Area <u>34.74</u> m² Area in km² (m²x1000) _____ km² Estimated Stream Depth <u>0.1</u> m Surface Velocity (at thalweg) <u>1.2</u> m/sec </div> <div> Canopy Cover <input type="checkbox"/> Partly open <input type="checkbox"/> Partly shaded <input type="checkbox"/> Shaded High Water Mark <u>0.2</u> m Proportion of Reach Represented by Stream Morphology Types Riffle <u>80</u> % Run <u>20</u> % Pool _____ % Channelized <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Dam Present <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No </div> </div>		
LARGE WOODY DEBRIS	LWD <u>0</u> m ² Density of LWD _____ m ² /km ² (LWD/ reach area)		
AQUATIC VEGETATION	Indicate the dominant type and record the dominant species present <input type="checkbox"/> Rooted emergent <input type="checkbox"/> Rooted submergent <input type="checkbox"/> Rooted floating <input type="checkbox"/> Free floating <input type="checkbox"/> Floating Algae <input type="checkbox"/> Attached Algae Dominant species present <u>None</u> Portion of the reach with aquatic vegetation <u>0</u> %		
WATER QUALITY	<div style="display: flex; justify-content: space-between;"> <div> Temperature <u>19.5u/d</u> °C Specific Conductance <u>67.4 ms/cm u/67ms/cm</u> Dissolved Oxygen <u>6.97 mg/L u/6.95mg/L</u> pH <u>6.9u/6.5d</u> SU Turbidity <u>N/A</u> WQ Instrument Used <u>YSI</u> </div> <div> Water Odors <input checked="" type="checkbox"/> Normal/None <input type="checkbox"/> Sewage <input type="checkbox"/> Petroleum <input type="checkbox"/> Chemical <input type="checkbox"/> Fishy <input type="checkbox"/> Other _____ Water Surface Oils <input type="checkbox"/> Slick <input type="checkbox"/> Sheen <input type="checkbox"/> Globs Flecks <input checked="" type="checkbox"/> None <input type="checkbox"/> Other _____ Turbidity (if not measured) <input type="checkbox"/> Clear <input checked="" type="checkbox"/> Slightly turbid <input type="checkbox"/> Turbid <input type="checkbox"/> Opaque <input type="checkbox"/> Stained <input type="checkbox"/> Other _____ </div> </div>		
SEDIMENT/SUBSTRATE	<div style="display: flex; justify-content: space-between;"> <div> Odors <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Sewage <input type="checkbox"/> Petroleum <input type="checkbox"/> Chemical <input type="checkbox"/> Anaerobic <input type="checkbox"/> None <input type="checkbox"/> Other _____ Oils <input checked="" type="checkbox"/> Absent <input type="checkbox"/> Slight <input type="checkbox"/> Moderate <input type="checkbox"/> Profuse </div> <div> Deposits <input type="checkbox"/> Sludge <input type="checkbox"/> Sawdust <input type="checkbox"/> Paper fiber <input type="checkbox"/> Sand <input type="checkbox"/> Relict shells <input type="checkbox"/> Other _____ Looking at stones which are not deeply embedded, are the undersides black in color? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No </div> </div>		

INORGANIC SUBSTRATE COMPONENTS (should add up to 100%)			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)		
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock			Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder	> 256 mm (10")				
Cobble	64-256 mm (2.5"-10")	40	Muck-Mud	black, very fine organic (FPOM)	
Gravel	2-64 mm (0.1"-2.5")	30			
Sand	0.06-2mm (gritty)	10	Marl	grey, shell fragments	
Silt	0.004-0.06 mm	20			
Clay	< 0.004 mm (slick)				

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-G22		LOCATION Franklin County, Spread I	
STATION # _____ RIVERMILE _____		STREAM CLASS Perennial	
LAT 37.019612 LONG -79.761958		RIVER BASIN Upper Roanoke	
STORET # _____		AGENCY VADEQ	
INVESTIGATORS AJ, VM			
FORM COMPLETED BY AJ, VM		DATE 8/27/2021 TIME 0830 AM PM	REASON FOR SURVEY Baseline Assessment

	Habitat Parameter	Condition Category			
		Optimal	Suboptimal	Marginal	Poor
Parameters to be evaluated in sampling reach	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE 11	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50-75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
	SCORE 9	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
	SCORE 11	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE 13	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat Parameter	Condition Category																				
	Optimal					Suboptimal					Marginal					Poor					
6. Channel Alteration SCORE 16	Channelization or dredging absent or minimal; stream with normal pattern.					Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.					Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.					Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.					
	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
7. Frequency of Riffles (or bends) SCORE 15	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.					Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.					Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.					Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.					
	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
8. Bank Stability (score each bank) Note: determine left or right side by facing downstream. SCORE 6 SCORE 6	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.					Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.					Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.					Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.					
	Left Bank	10	9			8	7	6			5	4	3			2	1	0			
	Right Bank	10	9			8	7	6			5	4	3			2	1	0			
9. Vegetative Protection (score each bank) SCORE 5 SCORE 7	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.					70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.					50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.					Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.					
	Left Bank	10	9			8	7	6			5	4	3			2	1	0			
	Right Bank	10	9			8	7	6			5	4	3			2	1	0			
10. Riparian Vegetative Zone Width (score each bank riparian zone) SCORE 9 SCORE 7	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.					Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.					Width of riparian zone 6-12 meters; human activities have impacted zone a great deal.					Width of riparian zone <6 meters; little or no riparian vegetation due to human activities.					
	Left Bank	10	9			8	7	6			5	4	3			2	1	0			
	Right Bank	10	9			8	7	6			5	4	3			2	1	0			

Total Score **131**

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-G22		LOCATION Franklin County, Spread I	
STATION # _____ RIVERMILE _____		STREAM CLASS Perennial	
LAT <u>37.019612</u> LONG <u>-79.761958</u>		RIVER BASIN Upper Roanoke	
STORET # _____		AGENCY VADEQ	
INVESTIGATORS KB, TC		LOT NUMBER _____	
FORM COMPLETED BY KB, TC		DATE <u>9/9/2021</u> TIME <u>0830</u>	REASON FOR SURVEY Baseline Assessment

HABITAT TYPES	Indicate the percentage of each habitat type present <input checked="" type="checkbox"/> Cobble <u>20</u> % <input type="checkbox"/> Snags _____ % <input checked="" type="checkbox"/> Vegetated Banks <u>40</u> % <input checked="" type="checkbox"/> Sand <u>40</u> % <input type="checkbox"/> Submerged Macrophytes _____ % <input type="checkbox"/> Other (_____) _____ %
SAMPLE COLLECTION	Gear used <input type="checkbox"/> D-frame <input checked="" type="checkbox"/> kick-net <input type="checkbox"/> Other _____ How were the samples collected? <input checked="" type="checkbox"/> wading <input type="checkbox"/> from bank <input type="checkbox"/> from boat Indicate the number of jabs/kicks taken in each habitat type. <input checked="" type="checkbox"/> Cobble <u>4</u> <input type="checkbox"/> Snags _____ <input type="checkbox"/> Vegetated Banks _____ <input type="checkbox"/> Sand _____ <input type="checkbox"/> Submerged Macrophytes _____ <input type="checkbox"/> Other (_____) _____
GENERAL COMMENTS	4 kicks done in riffle habitats. Benthics were collected 9/9/2021 and shipped 9/20/2021.

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

Sample ID Collection Date		S-G22 09-09-2021
ORDER	GENUS/SPECIES	COUNT
Ephemeroptera	Acerpenna sp.	1
Ephemeroptera	Baetis sp.	1
Ephemeroptera	Ephemerellidae	2
Ephemeroptera	Maccaffertium sp.	15
Plecoptera	Eccopectura xanthenes	1
Plecoptera	Leuctra sp.	5
Trichoptera	Cheumatopsyche sp.	6
Trichoptera	Diplectrona sp.	13
Trichoptera	Hydropsyche sp.	2
Trichoptera	Pseudostenophylax sp.	2
Odonata	Calopteryx sp.	2
Odonata	Cordulegaster sp.	1
Coleoptera	Anchytarsus bicolor	2
Coleoptera	Ectopria sp.	3
Coleoptera	Optioservus sp.	5
Coleoptera	Oulimnius sp.	4
Coleoptera	Psephenus sp.	5
Coleoptera	Stenelmis sp.	8
Diptera-Chironomidae	Cladotanytarsus sp.	2
Diptera-Chironomidae	Corynoneura sp.	1
Diptera-Chironomidae	Cryptochironomus sp.	1
Diptera-Chironomidae	Micropsectra sp.	4
Diptera-Chironomidae	Orthocladius sp.	1
Diptera-Chironomidae	Parachaetocladius sp.	4
Diptera-Chironomidae	Parametriochnemus sp.	5
Diptera-Chironomidae	Polypedilum sp.	11
Diptera-Chironomidae	Rheocricotopus sp.	1
Diptera-Chironomidae	Rheotanytarsus sp.	7
Diptera-Chironomidae	Stempellinella sp.	6
Diptera-Chironomidae	Tanytarsus sp.	28
Diptera-Chironomidae	Thienemannimyia gr. sp.	6
Diptera-Chironomidae	Trissopelopia sp.	1
Diptera-Chironomidae	Tvetenia sp.	1
Diptera-Chironomidae	Zavrelimyia sp.	1
Diptera	Ceratopogoninae	3
Diptera	Hexatoma sp.	1
Diptera	Pseudolimnophila sp.	1
Diptera	Tabanidae	1
Diptera	Tipula sp.	2
Annelida	tubificoid Naididae w/ cap setae	4
Annelida	tubificoid Naididae w/o cap setae	11
Bivalvia	Pisidium sp.	9
Gastropoda	Pleuroceridae	15
Other Organisms	Nematoda	2
Other Organisms	Turbellaria	1
TOTAL		208

Sample ID Collection Date		S-G22 09-09-2021
WVSCI Metric Values		
Total taxa		21
EPT taxa		7
% EPT		23.1
% Chironomidae		38.5
% 2 Dominant		48.6
HBI		5.35
WVSCI Metric Scores		
Total taxa		100.0
EPT taxa		53.8
% EPT		25.1
% Chironomidae		62.1
% 2 Dominant		80.4
HBI		65.5
WVSCI Total Score		64.5

WVSCI Thresholds

Unimpaired = > 68.00

Gray Zone = 60.61 to 68.00

Impaired = <60.61

WOLMAN PEBBLE COUNT FORM

County: Franklin County
Stream Name: UNT to Poplar Camp Creek
HUC Code: 03010101
Survey Date: 8/27/2021
Surveyors: AJ,VM
Type: Representative

Stream ID: S-G22

Basin: Upper Roanoke

PEBBLE COUNT							
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	▲ ▼		0.00	0.00
	Very Fine	.062-.125	S A N D	▲ ▼		0.00	0.00
	Fine	.125-.25		▲ ▼		0.00	0.00
	Medium	.25-.5		▲ ▼		0.00	0.00
	Coarse	.50-1.0		▲ ▼		0.00	0.00
.04-.08	Very Coarse	1.0-2		▲ ▼		0.00	0.00
.08 -.16	Very Fine	2 -4		G R A V E L	▲ ▼		0.00
.16 - .22	Fine	4 -5.7	▲ ▼			0.00	0.00
.22 - .31	Fine	5.7 - 8	▲ ▼			0.00	0.00
.31 - .44	Medium	8 -11.3	▲ ▼			0.00	0.00
.44 - .63	Medium	11.3 - 16	▲ ▼		12	12.00	12.00
.63 - .89	Coarse	16 -22.6	▲ ▼		5	5.00	17.00
.89 - 1.26	Coarse	22.6 - 32	▲ ▼		3	3.00	20.00
1.26 - 1.77	Vry Coarse	32 - 45	▲ ▼			0.00	20.00
1.77 -2.5	Vry Coarse	45 - 64	▲ ▼			0.00	20.00
2.5 - 3.5	Small	64 - 90	C O B B L E		▲ ▼		0.00
3.5 - 5.0	Small	90 - 128		▲ ▼	12	12.00	32.00
5.0 - 7.1	Large	128 - 180		▲ ▼	15	15.00	47.00
7.1 - 10.1	Large	180 - 256		▲ ▼	3	3.00	50.00
10.1 - 14.3	Small	256 - 362	B O U L D E R	▲ ▼		0.00	50.00
14.3 - 20	Small	362 - 512		▲ ▼		0.00	50.00
20 - 40	Medium	512 - 1024		▲ ▼		0.00	50.00
40 - 80	Large	1024 -2048		▲ ▼		0.00	50.00
80 - 160	Vry Large	2048 -4096		▲ ▼		0.00	50.00
	Bedrock		BDRK	▲ ▼	50	50.00	100.00
				Totals:	100		
	Total Tally:						

RIVERMORPH PARTICLE SUMMARY

River Name: UNT to Poplar Camp Creek
 Reach Name: S-G22
 Sample Name: Representative
 Survey Date: 08/27/2021






Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062	0	0.00	0.00
0.062 - 0.125	0	0.00	0.00
0.125 - 0.25	0	0.00	0.00
0.25 - 0.50	0	0.00	0.00
0.50 - 1.0	0	0.00	0.00
1.0 - 2.0	0	0.00	0.00
2.0 - 4.0	0	0.00	0.00
4.0 - 5.7	0	0.00	0.00
5.7 - 8.0	0	0.00	0.00
8.0 - 11.3	0	0.00	0.00
11.3 - 16.0	12	12.00	12.00
16.0 - 22.6	5	5.00	17.00
22.6 - 32.0	3	3.00	20.00
32 - 45	0	0.00	20.00
45 - 64	0	0.00	20.00
64 - 90	0	0.00	20.00
90 - 128	12	12.00	32.00
128 - 180	15	15.00	47.00
180 - 256	3	3.00	50.00
256 - 362	0	0.00	50.00
362 - 512	0	0.00	50.00
512 - 1024	0	0.00	50.00
1024 - 2048	0	0.00	50.00
Bedrock	50	50.00	100.00
D16 (mm)	21.28		
D35 (mm)	138.4		
D50 (mm)	256		
D84 (mm)	Bedrock		
D95 (mm)	Bedrock		
D100 (mm)	Bedrock		
Silt/Clay (%)	0		
Sand (%)	0		
Gravel (%)	20		
Cobble (%)	30		
Boulder (%)	0		
Bedrock (%)	50		

Total Particles = 100.

Stream Assessment Form (Form 1)

Unified Stream Methodology for use in Virginia

For use in Wadeable channels classified as intermittent or perennial

Project #	Project Name (Applicant)	Locality	Cowardin Class.	HUC	Date	SAR #	Impact Length	Impact Factor
22865.06	Mountain Valley Pipeline (Mountain Valley Pipeline, LLC)	Franklin County	R3	03010101	8/27/2021	S-G22	80	1
Name(s) of Evaluator(s)		Stream Name and Information					SAR Length	
AJ,VM		UNT to Poplar Camp Creek, Franklin County, Spread I					80	
1. Channel Condition: Assess the cross-section of the stream and prevailing condition (erosion, aggradation)								
Conditional Category								
Channel Condition	Optimal	Suboptimal	Marginal	Poor	Severe			
	 Very little incision or active erosion; 80-100% stable banks. Vegetative surface protection or natural rock, prominent (80-100%). AND/OR Stable bankfull benches are present. Access to their original floodplain or fully developed wide bankfull benches. Mid channel bars and transverse bars few. Transient sediment deposition covers less than 10% of bottom.	 Slightly incised, few areas of active erosion or unprotected banks. Majority of banks are stable (60-80%). Vegetative protection or natural rock prominent (60-80%) AND/OR Depositional features contribute to stability. The bankfull and low flow channels are well defined. Stream likely has access to bankfull benches, or newly developed portions of the reach. Transient sediment covers 10-40% of the stream bottom.	 Often incised, but less than Severe or Poor. Banks more stable than Severe or Poor due to lower bank slopes. Erosion may be present on 40-60% of both banks. Vegetative protection on 40-60% of banks. Streambanks may be vertical or undercut. AND/OR 40-60% Sediment may be temporary / transient, contribute instability. Deposition that contribute to stability, may be forming/present. AND/OR V-shaped channels have vegetative protection on > 40% of the banks and depositional features which contribute to stability.	 Overwidened/incised. Vertically / laterally unstable. Likely to widen further. Majority of both banks are near vertical. Erosion present on 60-banks. Vegetative protection present on 20-40% of banks, and is insufficient to prevent erosion. AND/OR 60-80% the stream is covered by sediment. Sediment is temporary / transient in nature, and contributing to instability. AND/OR V-shaped channels have vegetative protection is present on > 40% of the banks and stable sediment deposition is absent.	 Deeply incised (or excavated), vertical/lateral instability. Severe incision, flow contained within the banks. Streambed below average majority of banks vertical/undercut. Vegetative protection present on less than 20% of banks, is not preventing erosion. Obvious bank sloughing present. Erosion/raw banks on 80-100%. AND/OR Aggrading channel. than 80% of stream bed is covered by deposition, contributing to instability. Multiple thread channels and/or subterranean flow.			
Scores	3	2.4	2	1.6	1	CI		
NOTES>>								
2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable)								
Conditional Category								
Riparian Buffers	Optimal	Suboptimal	Marginal	Poor	NOTES>>			
	Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas.	High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with <30% tree canopy cover with maintained understory.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.				
Scores	1.5	High 1.2 Low 1.1	High 0.85 Low 0.75	High 0.6 Low 0.5				
1. Delineate riparian areas along each stream bank into Condition Categories and Condition Scores using the descriptors. 2. Determine square footage for each by measuring or estimating length and width. Calculators are provided for you below. 3. Enter the % Riparian Area and Score for each riparian category in the blocks below.					Ensure the sums of % Riparian Blocks equal 100			
Right Bank	% Riparian Area>	100%					100%	
	Score >	0.85						
								CI= (Sum % RA * Scores*0.01)/2
Left Bank	% Riparian Area>	100%					100%	
	Score >	0.85						
								Rt Bank CI > 0.85 Lt Bank CI > 0.85
3. INSTREAM HABITAT: Varied substrate sizes, water velocity and depths; woody and leafy debris; stable substrate; low embeddedness; shade; undercut banks; root mats; SAV; riffle/pool complexes, stable features.								
Conditional Category								
Instream Habitat/ Available Cover	Optimal	Suboptimal	Marginal	Poor	NOTES>>			
	Habitat elements are typically present in greater than 50% of the reach.	Stable habitat elements are typically present in 30-50% of the reach and are adequate for maintenance of populations.	Stable habitat elements are typically present in 10-30% of the reach and are adequate for maintenance of populations.	Habitat elements listed above are lacking or are unstable. Habitat elements are typically present in less than 10% of the reach.				
Scores	1.5	1.2	0.9	0.5	Stream Gradient High / Low CI 1.20			

Stream Impact Assessment Form Page 2

Project #	Project Name (Applicant)	Locality	Cowardin Class.	HUC	Date	SAR #	Impact length	Impact Factor
22865.06	Mountain Valley Pipeline (Mountain Valley Pipeline, LLC)	Franklin County	R3	03010101	8/27/2021	S-G22	80	1

4. CHANNEL ALTERATION: Stream crossings, riprap, concrete, gabions, or concrete blocks, straightening of channel, channelization, embankments, spoil piles, constrictions, livestock


Channel Alteration	Conditional Category					NOTES>>	CI
	Negligible	Minor	Moderate		Severe		
	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	20-40% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	40 - 60% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	60 - 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines AND/OR 80% of banks shored with gabion, riprap, or cement.	
Scores	1.5	1.3	1.1	0.9	0.7	0.5	1.30

REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH

NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number.




THE REACH CONDITION INDEX (RCI) >>	1.07
RCI= (Sum of all CI's)/5, except if stream is ephemeral RCI = (Riparian CI/2)	
COMPENSATION REQUIREMENT (CR) >>	86
CR = RCI X L _i X IF	

INSERT PHOTOS:






DESCRIBE PROPOSED IMPACT:





PROVIDED UNDER SEPARATE COVER



CL STAKEOUT POINTS: S-G23 CROSS SECTION B (PIPE CL)					
PT. LOC.	PRE-CROSSING			POST-CROSSING	
	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.
TS-L	13444086.65	2001732.40	903.10	----	----
BS-L	13444076.79	2001739.12	901.61	----	----
THW	13444073.23	2001741.19	900.62	----	----
BS-R	13444072.54	2001741.47	900.86	----	----
TS-R	13444066.51	2001745.67	906.82	----	----



PROFILE
SCALE: H: 1"=10'
V: 1"=5'








NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

CROSS SECTION
SCALE: H: 1"=10'
V: 1"=5'

SURVEY NOTES:

- This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on November 29, 2018.
- Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).
- WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- All section views shown are left to right facing downstream.
- Cross-section B shot at location of pipe centerline (based on best professional judgement).



REVISIONS				App. By	SCALE: AS NOTED
No.	Date	Description	Rev. By		
Horizontal Datum: NAD 1983 UTM ZONE 17N					DATE: September, 2021
Vertical Datum: NAVD 88					
Boundary and Topo Source: MVP WSSI 2' C.I. Topo					
Design	Draft	Approved			
EJC	MGE	NAS			
Sheet #					
1 of 1					
Computer File Name: L:\Survey\22046\22046\22046\01\22046.01\22046.01\Work\Drawn\22046.01 5-1 MP 268-278 Sheet.dwg					