Reach S-G5 (Pipeline ROW) Ephemeral Spread I Pittsylvania County, Virginia

Data	Included
Photos	√
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Slope <4%
RBP Physical Characteristics Form	✓
Water Quality Data	\checkmark
RBP Habitat Form	✓
RBP Benthic Form	\checkmark
Benthic Identification Sheet	N/A – Lack of habitat
Wolman Pebble Count	\checkmark
RiverMorph Data Sheet	\checkmark
USM Form (Virginia Only)	\checkmark
Longitudinal Profile and Cross Sections	✓

Spread I Stream S-G5 (Pipeline ROW) Pittsylvania County



Photo Type: DS Downstream at LOC looking SW upstream, BH



Photo Type: US VIEW Upstream at LOC looking NW downstream, BH

Spread I Stream S-G5 (Pipeline ROW) Pittsylvania County



Photo Type: LB CL On thalweg at pipe centerline looking SE at left streambank, BH



Photo Type: RB CL On thalweg at pipe centerline looking NW at right streambank, BH

Spread I

Stream S-G5 (Pipeline ROW) Pittsylvania County



Photo Type: US COND Upstream at LOC looking SW upstream, BH




Photo Type: DS COND at LOC looking NE downstream, BH

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	lame: Mountain Valley Pipeline		IMPACT COORDINATES: (in Decimal Degrees)	Lat.	36.917694	Lon.	-79.496604	WEATHER:	Sunny	DATE:	August 24, 2021
IMPACT STREAM/SITE ID (watershed size (acreage), t		S-G5 / •	43.94 ac		MITIGATION STREAM CLASS/SITE ID AND SITE DESCRIPTION: (watershed size (acreage), unaitered or impairments)					Comments:	
STREAM IMPACT LENGTH:	77 FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existing	Condition (Debit)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation Post Comple		ars	Column No. 4- Mitigation Proje Post Completion (C		Column No. 5- Mitigation Proje	ected at Maturity (Credit)
Stream Classification:	Ephemeral	Stream Classification:			Stream Classification:	C)	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Sic	ope 1.96	Percent Stream Channel Sic	ope		Percent Stream Channe	el Slope	0	Percent Stream Channel Sic	ope 0	Percent Stream Channel	Slope 0
HGM Score (attach da	ata forms):	HGM Score (attach o	data forms):		HGM Score (atta	ach data forms):		HGM Score (attach da	ta forms):	HGM Score (attach	ı data forms):
	Average		Average				Average		Average		Average
Hydrology Biogeochemical Cycling	0	Hydrology Biogeochemical Cycling			Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling		Hydrology Biogeochemical Cycling	
Habitat PART I - Physical, Chemical and I		Habitat PART I - Physical, Chemical and	Biological Indicators		Habitat PART I - Physical, Chemica	al and Biological Indic	-	Habitat PART I - Physical, Chemical and I	Biological Indicators	Habitat PART I - Physical, Chemical a	nd Biological Indicators
····· · ····	Points Scale Range Sile Score	····· ,	Points Scale Range Site Score		,	Points Scale Range	Site Score		Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stre			PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all strest	ams classifications)
JSEPA RBP (High Gradient Data Sheet)		USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Shee	et)		USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)
. Epifaunal Substrate/Available Cover	0-20 0	1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20	 Epifaunal Substrate/Available Cover 	0-20
. Embeddedness . Velocity/ Depth Regime	0-20 12 0-20 0	2. Pool Substrate Characterization 3. Pool Variability	0-20		2. Embeddedness 3. Velocity/ Depth Regime	0-20		2. Embeddedness 3. Velocity/ Depth Regime	0-20	2. Embeddedness 3. Velocity/ Depth Regime	0-20
. Sediment Deposition	0-20 11	4. Sediment Deposition	0-20		4. Sediment Deposition	0-20		4. Sediment Deposition	0-20	4. Sediment Deposition	0-20
. Channel Flow Status	0-20 0.4 0	5. Channel Flow Status	0-20 0.4		5. Channel Flow Status	0-20 0.4		5. Channel Flow Status	0-20	5. Channel Flow Status	0-20
. Channel Alteration	0-20 19	6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20	6. Channel Alteration	0-20
. Frequency of Riffles (or bends)	0-20 0	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
. Bank Stability (LB & RB)	0-20 12	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	Bank Stability (LB & RB)	0-20
. Vegetative Protection (LB & RB)	0-20 10	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20
0. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 10 Suboptimal 74	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 0		 Riparian Vegetative Zone Width (LB & RE Total RBP Score 	B) 0-20 Poor	0	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 Poor 0	 Riparian Vegetative Zone Width (LB & RB) Total RBP Score 	0-20 0
Sub-Total	0.61666667	Sub-Total	0		Sub-Total	FUU	0	Sub-Total	0	Sub-Total	0
CHEMICAL INDICATOR (Applies to Intermitten)		CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Interm	nittent and Perennial Strea		CHEMICAL INDICATOR (Applies to Intermitten		CHEMICAL INDICATOR (Applies to Intermi	
WVDEP Water Quality Indicators (General))	WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Gen	ieral)		WVDEP Water Quality Indicators (General)	1	WVDEP Water Quality Indicators (Gene	ral)
Specific Conductivity		Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity	
	0-90 30.8		0-90			0-90			0-90		0-90
<=99 - 90 points		-11			-0			-11		-11	
	0.1	рп	0.1		рн	0.1		рн	0.1	pn	0.1
6.0-8.0 = 80 points	0-80 0-1 6.97		5-90			5-90			5-90		5-90
00		DO			DO			DO		DO	
	10-30 7.25		10-30			10-30			10-30		10-30
>5.0 = 30 points sub-Total	1	Sub-Total			Sub-Total		0	Sub-Total		Sub-Total	
BIOLOGICAL INDICATOR (Applies to Intermitte		BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Int	termittent and Perennial	Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Inte	ermittent and Perennial Streams)
WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
	0-100 0-1		0-100 0-1			0-100 0-1			0-100 0-1		0-100 0-1
0	0-100 0-1		0-100 0-1			0-100 0-1			0-100 0-1		0-100 0-1
Sub-Total	0	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	0
PART II - Index and U	Init Score	PART II - Index and	Unit Score		PART II - Index	and Unit Score		PART II - Index and Ur	nit Score	PART II - Index and	d Unit Score
Index	Linear Feet Unit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Score

77 62.2416667

0.808

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION						
STATION # RIVERMILE	STREAM CLASS						
LAT LONG	RIVER BASIN	RIVER BASIN					
STORET #	AGENCY						
INVESTIGATORS							
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY					

WEATHER CONDITIONS	Now Past 24 hours Has there been a heavy rain in the last 7 days? Storm (heavy rain) rain (steady rain) showers (intermittent) % Has there been a heavy rain in the last 7 days? Yes No Air Temperature0 C Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph)
	coming coming
	coming the pense
	Bridge Row
STREAM CHARACTERIZATION	Stream Subsystem Perennial Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Mixture of origins Other Catchment Areakm ²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse Forest Commercial Field/Pasture Industrial Agricultural Other Residential Indicate the dominant type and record the domin Trees Shrubs Dominant species present	Grasses Herbaceous
INSTREAM FEATURES	Estimated Reach Length m Estimated Stream Width m Sampling Reach Area ² Area in km² (m²x1000) km² Estimated Stream Depth m Surface Velocity m/sec (at thalweg) m/sec	Canopy Cover Partly open Partly shaded Shaded High Water Mark m Proportion of Reach Represented by Stream Morphology Types Riffle% Run% Riffle% Run% Channelized Yes No Dam Present Yes No
LARGE WOODY DEBRIS AQUATIC VEGETATION	LWDm² Density of LWDm²/km² (LWD/ reac Indicate the dominant type and record the domin Rooted emergent Rooted submergent Floating Algae Attached Algae Dominant species present	ant species present Rooted floating Free floating
WATER QUALITY	Temperature0 C Specific Conductance Dissolved Oxygen pH Turbidity WQ Instrument Used	Water Odors Normal/None Sewage Petroleum Chemical Fishy Other Water Surface Oils Slick Slick Sheen Globs Flecks None Other Turbidity (if not measured) Clear Slightly turbid Opaque Stained Other
SEDIMENT/ SUBSTRATE	Odors Petroleum Normal Sewage Petroleum Chemical Anaerobic None Other	Deposits Sludge Sawdust Paper fiber Sand Relict shells Other Lpoking at stones which are not deeply embedded, are the undersides black in color? Yes No

INC				ORGANIC SUBSTRATE Co (does not necessarily add	
Substrate Type	e Diameter % Composition in Sampling Reach		Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock			Detritus	sticks, wood, coarse plant	
Boulder	> 256 mm (10")			materials (CPOM)	
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic	
Gravel	> 256 mm (10")			(FPOM)	
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments	
Silt	0.004-0.06 mm				
Clay	< 0.004 mm (slick)				

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION					
STATION # RIVERMILE	STREAM CLASS					
LAT LONG	RIVER BASIN					
STORET #	AGENCY					
INVESTIGATORS						
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY				

	Habitat		Condition	ı Category						
	Parameter	Optimal	Suboptimal	Marginal	Poor					
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.					
ted i	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).					
uram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	ı Category				
Parameter	Optimal	Suboptimal	Marginal	Poor			
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
 SCORE 8. Bank Stability (score each bank) Note: determine left or right side by facing downstream. SCORE (LB) SCORE (RB) 9. Vegetative Protection (score each bank) 	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total Score _____

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION							
STATION #	_ RIVERMILE	STREAM CLASS							
LAT	LONG	RIVER BASIN							
STORET #		AGENCY							
INVESTIGATORS			LOT NUMBER						
FORM COMPLETED	BY	DATE TIME	REASON FOR SURVEY						
HABITAT TYPES	Cobble% Sn	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%							
SAMPLE COLLECTION	Indicate the number of jab	lected? wading fi ps/kicks taken in each habitat ty lags Vegetated B	anks Sand						
GENERAL COMMENTS									

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County:PittsylvaniaStreamStream Name:UNT to Harpen CreekHUC Code:03010101HUC Code:03010101Basin:Survey Date:8/24/2021Surveyors:CB, BHType:Representative / Riffle

Stream ID: S-G5

Upper Roanoke

			LE COUNT		-	x : a:	
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	•	11	11.00	11.00
	Very Fine	.062125		•	12	12.00	23.00
	Fine	.12525		•	13	13.00	36.00
	Medium	.255	S A N D	•		0.00	36.00
	Coarse	.50-1.0		▲ ▼	1	1.00	37.00
.0408	Very Coarse	1.0-2		▲ ▼	4	4.00	41.00
.0816	Very Fine	2 -4	GRAVEL	▲ ▼	7	7.00	48.00
.1622	Fine	4 -5.7		•	3	3.00	51.00
.2231	Fine	5.7 - 8		▲ ▼	6	6.00	57.00
.3144	Medium	8 -11.3		▲ ▼	9	9.00	66.00
.4463	Medium	11.3 - 16		▲ ▼	7	7.00	73.00
.6389	Coarse	16 -22.6		•	4	4.00	77.00
.89 - 1.26	Coarse	22.6 - 32		▲ ▼	5	5.00	82.00
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	5	5.00	87.00
1.77 -2.5	Vry Coarse	45 - 64		•	6	6.00	93.00
2.5 - 3.5	Small	64 - 90		▲ ▼	3	3.00	96.00
3.5 - 5.0	Small	90 - 128	COBBLE	▲ ▼	4	4.00	100.00
5.0 - 7.1	Large	128 - 180	COBBLE	▲ ▼		0.00	100.00
7.1 - 10.1	Large	180 - 256		▲ ▼		0.00	100.00
10.1 - 14.3	Small	256 - 362		•		0.00	100.00
14.3 - 20	Small	362 - 512		▲ ▼		0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	▲ ▼		0.00	100.00
40 - 80	Large	1024 -2048	1	* *		0.00	100.00
80 - 160	Vry Large	2048 -4096]	▲ ▼		0.00	100.00
	Bedrock		BDRK	▲ ▼		0.00	100.00
				Totals:	100		
	Total Tally:						


Reach Name: S	NT to Harpen -G5 epresentative 8/24/2021		
Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	$ \begin{array}{c} 11\\ 12\\ 13\\ 0\\ 1\\ 4\\ 7\\ 3\\ 6\\ 9\\ 7\\ 4\\ 5\\ 5\\ 6\\ 3\\ 4\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\$	$11.00 \\ 12.00 \\ 13.00 \\ 0.00 \\ 1.00 \\ 4.00 \\ 7.00 \\ 3.00 \\ 6.00 \\ 9.00 \\ 7.00 \\ 4.00 \\ 5.00 \\ 5.00 \\ 5.00 \\ 5.00 \\ 6.00 \\ 3.00 \\ 4.00 \\ 0.00$	$ \begin{array}{c} 11.00\\ 23.00\\ 36.00\\ 36.00\\ 37.00\\ 41.00\\ 48.00\\ 51.00\\ 57.00\\ 66.00\\ 73.00\\ 77.00\\ 82.00\\ 87.00\\ 93.00\\ 96.00\\ 100.00\\ 100.00\\ 100.00\\ 100.00\\ 100.00\\ 100.00\\ 100.00\\ 100.00\\ 100.00\\ 100.00\\ 100.00 \end{array} $
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Gravel (%) Boulder (%) Bedrock (%)	0.09 0.24 5.13 37.2 81.33 128 11 30 52 7 0 0		

Total Particles = 100.

				For us	Aethodology for sein ephemeral st	treams					
Project #				Locality	Cowardin Class.	HUC	Date	SAR #	Impact Length	Impact Factor	
22865.06		alley Pipeline ey Pipeline, L		Pittslyvania	R6	03010101	8/24/21	S-G5	77	1	
Nam	e(s) of Evaluat		Stream Name	and Informat	ion		I		SAR Length		
	св, вн UNT to Harpe		n Creek				77				
								_			
RIPARIAN	BUFFERS: Ass	sess both bank's 1	100 foot riparian are	eas along the entir	e SAR. (rough me	asurements of leng	gth & width may be	e acceptable)			
	Optimal		Conditional Cateo		<u> </u>		_		NOTES>>		
	Opti	mai	Subo	otimai	iviarg	ginal Low Marginal:	High Poor: Lawns,	oor			
			High Suboptimal:	Low Suboptimal:	High Marginal:	Non-maintained, dense herbaceous	mowed, and maintained areas,	Low Poor:			
			Riparian areas with tree stratum (dbh >	Riparian areas with tree stratum (dbh >	Non-maintained, dense herbaceous	vegetation, riparian	nurseries; no-till	Impervious			
Riparian	Tree stratum (dbh >		3 inches) present, with 30% to 60%	hes) present, 3 inches) present,	vegetation with	areas lacking shrub and tree stratum,	cropland; actively grazed pasture,	surfaces, mine spoil lands,			
Buffers	with > 60% tree can non-maintained und		tree canopy cover	canopy cover and a maintained	either a shrub layer or a tree layer (dbh	hay production, ponds, open water.	sparsely vegetated non-maintained	denuded surfaces, row crops, active			
	area		and containing both herbaceous	understory. Recent	> 3 inches) present, with <30%	If present, tree stratum (dbh >3	area, recently seeded and	feed lots, trails, or other comparable			
			and shrub layers or a non-maintained	cutover (dense vegetation).	tree canopy cover.	inches) present, with <30% tree	stabilized, or other comparable	conditions.			
			understory.			canopy cover with maintained	condition.				
						understory.					
Condition		_	High	Low	High	Low	High	Low			
Scores	1.	5	1.2	1.1	0.85	0.75	0.6	0.5			
Delineate ripa	rian areas along ead	h stream bank in	to Condition Catego	ories and Condition	n Scores using the	descriptors	Ensure	the sums			
	uare footage for eac				-			Riparian			
	-				ators are provided	ior you below.					
Enter the % Ri	iparian Area and Sc						Blocks e	equal 100			
Right Bank	% Riparian Area> Score >	<u>10%</u> 0.85	60% 0.75	30% 0.5				100%	-		
	00010 -	0.00	0.10	0.0					CI= (Sum % RA * Se	cores*0.01)/2	
Left Bank	% Riparian Area>	30%	40%	30%				100%	Rt Bank Cl >	0.69	С
	Score >	0.85	0.75	0.5					Lt Bank Cl >	0.71	0.7
			CONDITION		STREAM CON	NDITION UNI	ts for this				
		2 decimal places. The	CR should be rounded	to a whole number.					CI= (Riparian CI	· /	0.3
DTE: The CIs and R	CI should be rounded to	• • • •							1	,	27
D <i>TE:</i> The CIs and R	CI should be rounded to							COMPENSA			
DTE: The CIs and R	CI should be rounded to							COMPENSA CR = RC	X LF X IF	WENT (CR) >>	
										WENT (CR) >>	
OTE: The Cls and R			CTTON	36	: 01750°AI		ACCURACY 5	CR = RC		MENT (CR) >>	
		DIR	ECTION deg(T)		5.91759°N 9.49653°W		ACCURACY 5 1 DATUM WGS84	CR = RCI			
		DIR						CR = RCI			
		DIR						CR = RCI			
		DIR						CR = RCI			
		DIR						CR = RCI			
		DIR						CR = RCI			
		DIR						CR = RCI		<u>WENT (UR)</u>	
		DIR						CR = RCI			
		DIR						CR = RCI			
		DIR						CR = RCI			
		DIR						CR = RCI			
		DIR						CR = RCI			
		DIR					DATUM WGSBA	CR = RCI			
		DIR						CR = RCI			
		DIRE					DATUM WGSBA	CR = RCI			


DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER



TYPICAL 5-POINT CROSS-SI	ECTION
TS-L TS-F	2
BS-L BS-F	R
TS: TOP OF SLOPE BS: BOTTOM OF SLOPE	
THW: THALWEG (INVERT)	

	PR	PRE-CROSSING			
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	horz. Diff.
TS-L	13408100.33	2079772.84	776.45		
BS-L	13408099.53	2079775.48	774.19		
THW	13408099.50	2079776.51	773.97		
BS-R	13408098.49	2079778.86	774.39		
TS-R	13408094.67	2079783.91	776.50		



SURVEY NOTES:

1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using real time DGPS. Field locations were completed on March 14, 2019.


2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.


3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).

4. WSSI Contour Interval = 2.0'. Interpolated from cross-section and thalweg points without additional breakline shots.


5. All section views shown left to right facing downstream.


6.Cross section B shot at location of pipe centerline (based on field stakes).











 $\frac{\text{CROSS SECTION}}{\text{CALE:}} H: 1"=10'$ V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

Wetland PRE-CROSSING PHOTOS $\mathbf{5}$ 291 ey @ 28°NE (T) @ 36°55'3"N, 79°29'47"W ±16.4ft 804ft Surv MP \sim aseline ek re \mathbf{O} B n $\mathbf{G} \geq \mathbf{G}$ sctions 9 Ia PHOTO TAKEN LOOKING DOWNSTREAM FROM RIGHT BANK ON 03/14/2019 to ia (S $\left[- \right]$ Ŋ sylv \bigcirc and GS rofile S Crossing PHOTO TAKEN LOOKING UPSTREAM FROM BRIDGE ON 03/14/2019 POST-CROSSING PHOTOS PENDING CROSSING App. By By. PHOTO TAKEN LOOKING REVISION PENDING CROSSING PHOTO TAKEN LOOKING Ā Ω No. Horizontal Datum: NAD 1983 UTM ZONE 1 Vertical Datum: NAVD 88 Boundary and Topo Source: MVP WSSI 2' C.I. Topo Design Draft Approved EJC NAS PFS Sheet # 1 of 1

Computer File Name:

Survey\22000s\22800\22865.03\Spread I Work Dwgs 865_03 S-I MP 279-291 Sheets_2.dwg