Reach S-H27 (Pipeline ROW) Ephemeral Spread I Franklin County, Virginia

Data	Included			
Photos	\checkmark			
SWVM Form	\checkmark			
FCI Calculator and HGM Form	N/A – Slope less than 4%			
RBP Physical Characteristics Form	\checkmark			
Water Quality Data	N/A – No flow			
RBP Habitat Form*	✓			
RBP Benthic Form	\checkmark			
Benthic Identification Sheet	N/A – No flow			
Wolman Pebble Count	\checkmark			
RiverMorph Data Sheet	\checkmark			
USM Form (Virginia Only)	\checkmark			
Longitudinal Profile and Cross Sections	\checkmark			

*Modified RBP - no flow

Spread I Stream S-H27 (ROW) Franklin County



Photo Type: US VIEW Location, Orientation, Photographer Initials: Downstream at ROW looking N upstream, RAH



Photo Type: DS COND DS Location, Orientation, Photographer Initials: Downstream at ROW looking SW downstream, RAH

Spread I Stream S-H27 (ROW) Franklin County




Photo Type: LB CL

Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking W at left streambank, RAH



Photo Type: RB CL Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking SE at right streambank, RAH

DEQ Permit #21-0416






Photo Type: US COND Location, Orientation, Photographer Initials: Upstream at LOC looking NE upstream, RAH



Photo Type: DS VIEW Location, Orientation, Photographer Initials: Upstream at LOC looking SW downstream, RAH

USACE FILE NO./ Project Name: (v2.1, Sept 2015)						OORDINATES mal Degrees)		
IMPACT STREAM/SITE ID (watershed size {acreage},					S-H27	; 6.06 ac		
STREAM IMPACT LENGTH:	3(36 FORM OF MITIGATION:						ORDINATES: mal Degrees)
Column No. 1- Impact Existing	J Conditi	on (Del	pit)		Column No. 2- Mitigation Existing Condition - Baseline (Credit)			ne (Credit)
Stream Classification:		Ephemeral			Stream Classification:			
Percent Stream Channel Slo	оре		2.81		Percent Stream Channel SI	ope		
HGM Score (attach da	ata form	s):			HGM Score (attach	data form	ms):	
			Average					Average
Hydrology					Hydrology			
Biogeochemical Cycling			0		Biogeochemical Cycling			0
Habitat					Habitat			· ·
PART I - Physical, Chemical and	Biologica	al Indic	ators	-	PART I - Physical, Chemical an	d Biologi	cal Indic	ators
	Points Scale	Range	Site Score			Points Scale	Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	classificat	ions)	•		PHYSICAL INDICATOR (Applies to all streams	classificatio	ons)	
USEPA RBP (High Gradient Data Sheet)	1				USEPA RBP (Low Gradient Data Sheet)			
1. Epifaunal Substrate/Available Cover	0-20		0		1. Epifaunal Substrate/Available Cover	0-20		
2. Embeddedness	0-20		2		2. Pool Substrate Characterization	0-20]	
3. Velocity/ Depth Regime	0-20		0		3. Pool Variability	0-20	1	
4. Sediment Deposition	0-20		3		4. Sediment Deposition	0-20	1	
5. Channel Flow Status	0-20	1	0		5. Channel Flow Status	0-20	1	
6. Channel Alteration	0-20	0-1	11		6. Channel Alteration	0-20	0-1	
7. Frequency of Riffles (or bends)	0-20	1	0		7. Channel Sinuosity	0-20	1	
3. Bank Stability (LB & RB)		1	7	-	· · · · · · · · · · · · · · · · · · ·			
	0-20	-	-	-	8. Bank Stability (LB & RB)	0-20		
9. Vegetative Protection (LB & RB)	0-20	-	12	-	9. Vegetative Protection (LB & RB)	0-20		
10. Riparian Vegetative Zone Width (LB & RB)	0-20	din al	8	-	10. Riparian Vegetative Zone Width (LB & RB)	0-20		•
Total RBP Score	Marg	linal	43 0.35833333	-	Total RBP Score Sub-Total	Po	or	0
CHEMICAL INDICATOR (Applies to Intermitten WVDEP Water Quality Indicators (General)		nnial Str			CHEMICAL INDICATOR (Applies to Intermitten WVDEP Water Quality Indicators (General)		nnial Strea	
Specific Conductivity					Specific Conductivity		4 L	
100-199 - 85 points pH	0-90			-	pH	0-90		
5.6-5.9 = 45 points	0-80	0-1			P.1.	5-90	0-1	
00		1		-	DO			
Sub-Total	10-30			-	Sub-Total	10-30		0
				_				•
BIOLOGICAL INDICATOR (Applies to Intermitt	ent and Pe	erennial	Streams)	-	BIOLOGICAL INDICATOR (Applies to Intermitt	ent and Per	rennial Str	eams)
WV Stream Condition Index (WVSCI)	0-100	0-1			WV Stream Condition Index (WVSCI)	0-100	0-1	
0 Sub-Total	0-100	0-1	0	-	Sub-Total	0-100		0
			-					•
PART II - Index and U	nit Score)			PART II - Index and	Unit Sco	re	

Index	Linear Feet	Unit Score
0.579	36	20.85

PART II - Index and Unit Score						
Index	Linear Feet	Unit Score				
0	0	0				

8/2	8/25/2021	8					WEATHER:	-79.692272		Lon.	0.000124	36.985124
nments:				Comments:							ION STREAM CLASS./ (watershed size {acreage	
tion Length:				Mitigation Length:	No		PRECIPITATION PAST 48 HRS:			Lon.		
Io. 5- Mitigation Projected at Maturity	aturity (Credit)	d at Maturi	ojected at	Column No. 5- Mitigation Projecte	Irs		Column No. 4- Mitigation Proje Post Completion (C	ears	Five Ye		umn No. 3- Mitigation Pro Post Completior	
ion:	0			Stream Classification:		0	Stream Classification:	0			tion:	Stream Classification:
nt Stream Channel Slope		pe	el Slope	Percent Stream Channel Slo	0)e	Percent Stream Channel Slo	0		оре	ent Stream Channel SI	Percent Stream C
HGM Score (attach data forms):	ns):	a forms):	ch data f	HGM Score (attach da		a forms):	HGM Score (attach da		ns):	data forr	HGM Score (attach	HGM Sco
	A			Hydrology	Average		Hydrology	Average				Hydrology
ycling				Biogeochemical Cycling Habitat	0		Biogeochemical Cycling Habitat	0			Cycling	Biogeochemical Cycling Habitat
Physical, Chemical and Biological Ind	cal Indicators	iological Ir	and Biolo	PART I - Physical, Chemical and I	ators	ological Indica	PART I - Physical, Chemical and E	cators	cal Indic	d Biologi	I - Physical, Chemical an	PART I - Physical, C
				PHYSICAL INDICATOR (Applies to all streams of	Site Score	Points Scale Range	PHYSICAL INDICATOR (Applies to all streams	Site Score	Range	Points Scale		PHYSICAL INDICATOR (Applies
		lassilications		USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		, is)	Classificatio		USEPA RBP (High Gradient Da
		0-20		1. Epifaunal Substrate/Available Cover		0-20	1. Epifaunal Substrate/Available Cover			0-20		1. Epifaunal Substrate/Available
0-20				2. Embeddedness		0-20	2. Embeddedness			0-20		2. Embeddedness
<u> </u>				3. Velocity/ Depth Regime 4. Sediment Deposition		0-20	3. Velocity/ Depth Regime 4. Sediment Deposition		-	0-20	<u> </u>	3. Velocity/ Depth Regime 4. Sediment Deposition
				5. Channel Flow Status		0-20	5. Channel Flow Status			0-20		5. Channel Flow Status
0-*	0-1			6. Channel Alteration		0-20 0-1	6. Channel Alteration		0-1	0-20		6. Channel Alteration
fles (or bends) 0-20		0-20	C	7. Frequency of Riffles (or bends)		0-20	7. Frequency of Riffles (or bends)			0-20	ffles (or bends)	7. Frequency of Riffles (or bends
		0-20	0	8. Bank Stability (LB & RB)		0-20	8. Bank Stability (LB & RB)			0-20		8. Bank Stability (LB & RB)
				9. Vegetative Protection (LB & RB)		0-20	9. Vegetative Protection (LB & RB)			0-20	/	9. Vegetative Protection (LB & RI
· · · · · · · · · · · · · · · · · · ·			B) 0	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0	0-20	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0		0-20	ive Zone Width (LB & RB)	10. Riparian Vegetative Zone Width Total RBP Score
Poor	200r	Poor		Sub-Total	0	Poor	Sub-Total	0	Dr I	Poo		Sub-Total
TOR (Applies to Intermittent and Perennial \$	ennial Streams)	and Perennia	mittent and	CHEMICAL INDICATOR (Applies to Intermittent	•	nd Perennial Stro	CHEMICAL INDICATOR (Applies to Intermittent		nial Strea	t and Peren	ATOR (Applies to Intermitten	CHEMICAL INDICATOR (Applies
	,											
• • • •			ierai)	WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity)		WVDEP Water Quality Indicator Specific Conductivity
0-90		0-90	C			0-90				0-90	·····)	
				рН			рН					рН
5-90	0-1	5-90	5			5-90 0-1			0-1	5-90		
				DO			DO					DO
10-30		10-30	1(10-30				10-30		
I				Sub-Total	0	I	Sub-Total	0				Sub-Total
CATOR (Applies to Intermittent and Perer	d Perennial Str	tent and Per	ntermitten	BIOLOGICAL INDICATOR (Applies to Intermi	ial Streams)	ent and Perenn	BIOLOGICAL INDICATOR (Applies to Intermi	Il Streams)	Perennia	ittent and I	ICATOR (Applies to Interm	BIOLOGICAL INDICATOR (Appl
ion Index (WVSCI)				WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)				tion Index (WVSCI)	WV Stream Condition Index (W
0-100 0-1	0-1	0-100	0-			0-100 0-1			0-1	0-100		
				Sub-Total	0		Sub-Total	0				Sub-Total
			0-	Sub-Total	0			0			tion Index (WVSCI) PART II - Index and	Sub-Total

Index

0

Linear Feet Unit Score

0

0

Index	Linear Feet	Unit Score
0	0	0

PART II - Index and Onit Score					
Index	Linear Feet	Unit Score			
0	0	0			

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET #	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY

WEATHER CONDITIONS	Now Past 24 hours Has there been a heavy rain in the last Yes Has there been a heavy rain in the last Yes storm (heavy rain) rain (steady rain) showers (intermittent) % cloud cover clear/sunny Air Temperature0 C	
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph)	
	Coming In Pipe CL Timber Mat ROW) →
STREAM CHARACTERIZATION	Stream Subsystem Perennial Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Mixture of origins Swamp and bog Catchment Area km ²	

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse Forest Commercial Forest Industrial Agricultural Other Residential Other Indicate the dominant type and record the domin Trees Shrubs Devices the second secon	Local Watershed NPS Pollution No evidence Some potential sources Obvious sources Jocal Watershed Erosion None Moderate Heavy Mant species present Herbaceous
INSTREAM FEATURES	Dominant species present	Canopy Cover Partly open Partly shaded Shaded High Water Mark m Proportion of Reach Represented by Stream Morphology Types Riffle % Riffle % Pool % Channelized Yes No No
LARGE WOODY DEBRIS	LWDm ² Density of LWDm ² /km ² (LWD/ reac	h area)
AQUATIC VEGETATION	Indicate the dominant type and record the domin Rooted emergent Floating Algae Rooted submergent Attached Algae Dominant species present	Rooted floating Free floating
WATER QUALITY	Temperature ⁰ C Specific Conductance Dissolved Oxygen pH Turbidity WQ Instrument Used	Water Odors Normal/None Sewage Petroleum Chemical Fishy Other Water Surface Oils Slick Slick Sheen Globs Flecks None Other Turbidity (if not measured) Clear Slightly turbid Clear Slightly turbid Turbid Opaque Stained Other
SEDIMENT/ SUBSTRATE	Odors Petroleum Normal Sewage Petroleum Chemical Anaerobic None Other Oils Absent Slight	Deposits Sludge Sawdust Paper fiber Sand Relict shells Other

INC	ORGANIC SUBSTRATE (should add up to		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)				
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area		
Bedrock			Detritus	sticks, wood, coarse plant			
Boulder	> 256 mm (10")			materials (CPOM)			
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic			
Gravel	2-64 mm (0.1"-2.5")			(FPOM)			
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments			
Silt	0.004-0.06 mm						
Clay	< 0.004 mm (slick)						

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET #	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted i	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).			
aram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

NOTE: Modified RBP

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category			
	Habitat Parameter	Optimal	Suboptimal	Marginal	Poor		
	Channel eration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.		
sco	ORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Riff	requency of fles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.		
sco	ORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
(sco Note or ri	Bank Stability ore each bank) e: determine left ight side by ng downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.		
sco	ORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
SCO	ORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
9. V Pro each	V egetative tection (score h bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.		
SCO	ORE(LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
SCO	ORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
Veg Wid	Riparian getative Zone lth (score each k riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.		
SCO	ORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
SCO	ORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		

Total Score _____

NOTE: Modified RBP

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION	
STATION #	_ RIVERMILE	STREAM CLASS	
LAT	LONG	RIVER BASIN	
STORET #		AGENCY	
INVESTIGATORS			LOT NUMBER
FORM COMPLETED	BY	DATE TIME	REASON FOR SURVEY
HABITAT TYPES	Indicate the percentage of Cobble% Sn Submerged Macrophytes	ags% Vegetated B	anks% Sand%)%
SAMPLE COLLECTION	Indicate the number of jab	lected? wading fi ps/kicks taken in each habitat ty lags Vegetated B	anks Sand
GENERAL COMMENTS			

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

Basin:

County:Franklin CountyStream Name:UNT toHUC Code:03010101Survey Date:8/25/2021Surveyors:CL RHType:Representative

Stream ID: S-H27

Upper Roanoke

T 1			LE COUNT	D	T (1 //	T: 0/	A/ C
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cur
	Silt/Clay	< .062	S/C	▲ ▼	12	12.00	12.00
	Very Fine	.062125		▲ ▼		0.00	12.00
	Fine	.12525		▲ ▼		0.00	12.00
	Medium	.255	SAND	▲ ▼	1	1.00	13.00
	Coarse	.50-1.0		▲ ▼		0.00	13.00
.0408	Very Coarse	1.0-2		▲ ▼	2	2.00	15.00
.0816	Very Fine	2 -4		▲ ▼	8	8.00	23.00
.1622	Fine	4 -5.7		▲ ▼	9	9.00	32.00
.2231	Fine	5.7 - 8		▲ ▼	4	4.00	36.00
.3144	Medium	8 -11.3		▲ ▼	4	4.00	40.00
.4463	Medium	11.3 - 16	GRAVEL	▲ ▼	7	7.00	47.00
.6389	Coarse	16 -22.6		▲ ▼	3	3.00	50.00
.89 - 1.26	Coarse	22.6 - 32	1		7	7.00	57.00
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	15	15.00	72.00
1.77 -2.5	Vry Coarse	45 - 64	-	▲ ▼	12	12.00	84.00
2.5 - 3.5	Small	64 - 90		▲ ▼	12	12.00	96.00
3.5 - 5.0	Small	90 - 128		▲ ▼	4	4.00	100.0
5.0 - 7.1	Large	128 - 180	COBBLE	▲ ▼		0.00	100.0
7.1 - 10.1	Large	180 - 256		▲ ▼		0.00	100.0
10.1 - 14.3	Small	256 - 362		▲ ▼		0.00	100.0
14.3 - 20	Small	362 - 512	1	▲ ▼		0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	▲ ▼		0.00	100.0
40 - 80	Large	1024 -2048	1	▲ ▼		0.00	100.0
80 - 160	Vry Large	2048 -4096	1	▲ ▼		0.00	100.0
	Bedrock		BDRK			0.00	100.0
				Totals:	100		ļ


Size (mm)	тот #	ITEM %	CUM %
$\begin{array}{r} 0 & - & 0.062 \\ 0.062 & - & 0.125 \\ 0.125 & - & 0.25 \\ 0.25 & - & 0.50 \\ 0.50 & - & 1.0 \\ 1.0 & - & 2.0 \\ 2.0 & - & 4.0 \\ 4.0 & - & 5.7 \\ 5.7 & - & 8.0 \\ 8.0 & - & 11.3 \\ 11.3 & - & 16.0 \\ 16.0 & - & 22.6 \\ 22.6 & - & 32.0 \\ 32 & - & 45 \\ 45 & - & 64 \\ 64 & - & 90 \\ 90 & - & 128 \\ 128 & - & 180 \\ 180 & - & 256 \\ 256 & - & 362 \\ 362 & - & 512 \\ 512 & - & 1024 \\ 1024 & - & 2048 \\ Bedrock \end{array}$	$ \begin{array}{c} 12\\ 0\\ 0\\ 1\\ 0\\ 2\\ 8\\ 9\\ 4\\ 4\\ 7\\ 15\\ 12\\ 12\\ 4\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\$	$12.00 \\ 0.00 \\ 0.00 \\ 1.00 \\ 0.00 \\ 2.00 \\ 8.00 \\ 9.00 \\ 4.00 \\ 4.00 \\ 7.00 \\ 3.00 \\ 7.00 \\ 15.00 \\ 12.00 \\ 12.00 \\ 12.00 \\ 4.00 \\ 0.$	12.00 12.00 12.00 13.00 13.00 13.00 23.00 32.00 36.00 40.00 47.00 50.00 57.00 72.00 84.00 96.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Gravel (%) Boulder (%) Bedrock (%)	2.25 7.42 22.6 64 87.83 128 12 3 69 16 0 0		

Total Particles = 100.


				For us	e in ephemeral s	treams					
Project #	-	Project Name	•	Locality	Cowardin Class.	HUC	Date	SAR #	Impact Length	Impact Factor	
22865.06		alley Pipeline ey Pipeline, L		Franklin County	R6	03010101	08/25/2021	S-H27	36	1	
Nam	e(s) of Evaluat	tor(s)	Stream Name	and Informa	tion				SAR Length		
	RH/CL		UNT to Jacks	S Creek					64		
. RIPARIAN	BUFFERS: As	ssess both bank's	100 foot riparian a	areas along the er	ntire SAR. (rough	measurements of	length & width ma	y be acceptable)			
			Con	ditional Cate	gory				NOTES>>		
	Opti	mal	Subo	ptimal	Marg	ginal	Po	or			
Riparian Buffers	Tree stratum (dbh > with > 60% tree car non-maintained und area	hopy cover and an lerstory. Wetlands	High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with >30% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	Low Marginal: Non-maintained, dense herbaccous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
			High	Low	High	Low	High	Low			
Condition Scores	1.	5	1.2	1.1	0.85	0.75	0.6	0.5			
	irian areas along ea uare footage for ea			0	Ũ		Ensure t of % R	he sums Riparian			
Enter the % F	Riparian Area and S	core for each ripa	arian category in th	e blocks below.			Blocks e	qual 100			
	% Riparian Area>	10%	90%					100%			
Right Bank	Score >	0.6	0.85								
	· · · · ·								CI= (Sum % RA * Sco	ores*0.01)/2	
Left Bank	% Riparian Area>	10%	90%					100%	Rt Bank CI >	0.83	C
	Score >	0.6	0.85						Lt Bank CI >	0.83	0.
		REACH	CONDITION	NDEX and S		NDITION UNI	TS FOR THIS	S REACH			
OTE: The Cls and E	CI should be rounded to				-			-	CONDITION IND	EX (RCI) >>	0.4
		- acciniai piaces. 11					I		CI= (Riparian CI)/	· · · ·	0.
								COMPENSAL	ION REQUIREM	ENI (CR) >> 1	1




PROVIDED UNDER SEPARATE COVER



CL S	CL STAKEOUT POINTS: S-H27 CROSS SECTION B (PIPE CL)													
	PR	E-CROSSING		POST-CI	ROSSING									
		FACTING		VERT.	HORZ.									
PT. LOC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.									
TS-L	13431765.09	2022268.08	893.20											
BS-L	13431773.81	2022252.43	890.63											
THW	13431777.39	2022246.20	890.54											
BS-R	13431779.40	2022243.08	890.70											
TS-R	13431783.95	2022236.09	894.75											







1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on March 5, 2019.


2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.


3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).

4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.

5. All section views shown are left to right facing downstream.

6. Cross-section B shot at location of pipe centerline (based on best professional judgement).





Computer File Name:

:\Survey\22000s\22800\22865.03\Spread I Work Dwgs 2865_03 S-I MP 268-278 Sheets_2.dwg