## Reach S-H28 (Pipeline ROW) Ephemeral Spread I Franklin County, Virginia

Data	Included
Photos	$\checkmark$
SWVM Form	✓
FCI Calculator and HGM Form	N/A – No slope per no survey done outside ROW
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No flow
RBP Habitat Form	$\checkmark$
RBP Benthic Form	$\checkmark$
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	√
RiverMorph Data Sheet	$\checkmark$
USM Form (Virginia Only)	✓
Longitudinal Profile and Cross Sections	N/A – Best Professional Judgement – No Survey outside ROW

## Spread I Stream S-H28 (ROW) Franklin County



Photo Type: US VIEW Location, Orientation, Photographer Initials: Downstream at LOC looking NW, RAH



Photo Type: DS COND DS Location, Orientation, Photographer Initials: Downstream at LOC looking SE downstream, RAH

### Spread I Stream S-H28 (ROW) Franklin County



Photo Type: LB CL

Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking S at left streambank, RAH



Photo Type: RB CL Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking N at right streambank, RAH

### **DEQ Permit #21-0416**

## Spread I Stream S-H28 (ROW) Franklin County



Photo Type: US COND Location, Orientation, Photographer Initials: Upstream at LOC looking NW upstream, RAH




Photo Type: DS VIEW Location, Orientation, Photographer Initials: Upstream at LOD looking SE downstream, RAH

16 10.2666667

0.642

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)			WEATHER:	Sunny	DATE:	August 25, 20	)21		
IMPACT STREAM/SITE ID (watershed size (acreage), u		S-H28;	2.71 ac		MITIGATION STREAM CLASS (watershed size (acrea					Comments:		
STREAM IMPACT LENGTH:	16 FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:	No	Mitigation Length:		
Column No. 1- Impact Existing	Condition (Debit)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation I Post Completi		'ears	Column No. 4- Mitigation Proje Post Completion (C		Column No. 5- Mitigation Project	ed at Maturity (Credit)	
Stream Classification:	Ephemeral	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0	
Percent Stream Channel Slo	ope	Percent Stream Channel Slo	pe		Percent Stream Channel	Slope	0	Percent Stream Channel Slo	ope O	Percent Stream Channel S	lope	0
HGM Score (attach da	ata forms):	HGM Score (attach o	lata forms):		HGM Score (attac	h data forms):		HGM Score (attach da	ita forms):	HGM Score (attach o	ata forms):	_
	Average		Average				Average		Average		A	verage
Hydrology Biogeochemical Cycling Habitat	0	Hydrology Biogeochemical Cycling Habitat	0		Hydrology Biogeochemical Cycling Habitat		0	Hydrology Biogeochemical Cycling Habitat	0	Hydrology Biogeochemical Cycling Habitat		0
PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	Biological Indicators		PART I - Physical, Chemical	and Biological In	dicators	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	Biological Indicators	
	Pointa Scale Range Silte Score		Points Scale Range Site Score			Points Scale Range	Site Score		Points Scale Range Site Score		Points Scale Range S	Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all streat	ns classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all stream	s classifications)	
USEPA RBP (High Gradient Data Sheet)		USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	1 I I	
1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20 0 0-20 8	1. Epifaunal Substrate/Available Cover 2. Pool Substrate Characterization	0-20		1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20		1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20	1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20	<u> </u>
3. Velocity/ Depth Regime	0-20 0	3. Pool Variability	0-20		3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20	3. Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20 0	4. Sediment Deposition	0-20		4. Sediment Deposition	0-20		4. Sediment Deposition	0-20	4. Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0.1 0	5. Channel Flow Status	0-20 0.1		5. Channel Flow Status	0-20 0.1		5. Channel Flow Status	0-20 0.1	5. Channel Flow Status	0-20 0.1	
6. Channel Alteration	0-20 18	6. Channel Alteration	0-20		6. Channel Alteration	0-20		<ol><li>Channel Alteration</li></ol>	0-20	6. Channel Alteration	0-20	
7. Frequency of Riffles (or bends)	0-20 0	7. Channel Sinuosity	0-20		<ol><li>Frequency of Riffles (or bends)</li></ol>	0-20		<ol><li>Frequency of Riffles (or bends)</li></ol>	0-20	<ol><li>Frequency of Riffles (or bends)</li></ol>	0-20	
8. Bank Stability (LB & RB)	0-20 12	8. Bank Stability (LB & RB)	0-20		<ol><li>Bank Stability (LB &amp; RB)</li></ol>	0-20		8. Bank Stability (LB & RB)	0-20	<ol><li>Bank Stability (LB &amp; RB)</li></ol>	0-20	
9. Vegetative Protection (LB & RB)	0-20 12	<ol><li>Vegetative Protection (LB &amp; RB)</li></ol>	0-20		<ol><li>Vegetative Protection (LB &amp; RB)</li></ol>	0-20		<ol><li>Vegetative Protection (LB &amp; RB)</li></ol>	0-20	<ol><li>Vegetative Protection (LB &amp; RB)</li></ol>	0-20	
<ol> <li>Riparian Vegetative Zone Width (LB &amp; RB)</li> </ol>	0-20 8	10. Riparian Vegetative Zone Width (LB & RB)	0-20		<ol> <li>Riparian Vegetative Zone Width (LB &amp; RB)</li> </ol>	0-20		<ol> <li>Riparian Vegetative Zone Width (LB &amp; RB)</li> </ol>	0-20	<ol> <li>Riparian Vegetative Zone Width (LB &amp; RB)</li> </ol>	0-20	
Total RBP Score	Marginal 58	Total RBP Score	Poor 0		Total RBP Score	Poor	0	Total RBP Score	Poor 0	Total RBP Score	Poor	0
Sub-Total CHEMICAL INDICATOR (Applies to Intermitten	0.48333333 t and Perennial Streams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		Sub-Total CHEMICAL INDICATOR (Applies to Intermit	ent and Perennial SI	reams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Streams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)	0
WVDEP Water Quality Indicators (General)	-	WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Gener	el)		WVDEP Water Quality Indicators (General		WVDEP Water Quality Indicators (Genera	n	
Specific Conductivity		Specific Conductivity			Specific Conductivity			Specific Conductivity	· · · · · · · · · · · · · · · · · · ·	Specific Conductivity	, 	
100-199 - 85 points	0-90		0-90		,	0-90		<i>-</i>	0-90		0-90	
pH	0.1	рН	0.1		pH	0.1		рН	01	рН	0.1	
5.6-5.9 = 45 points	0-80	DO	5-90		DO	5-90 0-1		DO	5-90	DO	5-90 0-1	
	10-30		10-30			10-30			10-30		10-30	
Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitte	ant and Barannial Straama)	Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitte	ot and Decempial Streams)		Sub-Total BIOLOGICAL INDICATOR (Applies to Inte	mittent and Person	0	Sub-Total BIOLOGICAL INDICATOR (Applies to Interm	0	Sub-Total BIOLOGICAL INDICATOR (Applies to Intern	sittent and Barannial Stra	0
WV Stream Condition Index (WVSCI)	en and recember or carlls)	WV Stream Condition Index (WVSCI)	n and r cromma ca dallib)		WV Stream Condition Index (WVSCI)	nation and Perein	a ou canay	WV Stream Condition Index (WVSCI)	and i cremina dreams)	WV Stream Condition Index (WVSCI)	intern und i eleminar ore	
0	0-100 0-1		0-100 0-1			0-100 0-1			0-100 0-1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0-100 0-1	
Sub-Total	0	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
PART II - Index and U	nit Score	PART II - Index and I	Jnit Score		PART II - Index a	nd Unit Score		PART II - Index and U	nit Score	PART II - Index and	Jnit Score	
Index	Linear Feet Unit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Un	it Score
1												

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION					
STATION # RIVERMILE	STREAM CLASS					
LAT LONG	RIVER BASIN					
STORET #	AGENCY					
INVESTIGATORS						
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY				

WEATHER CONDITIONS	Now     Past 24 hours     Has there been a heavy rain in the last 7 days?       Storm (heavy rain) rain (steady rain) showers (intermittent)     Air Temperature0 C       %     %cloud cover clear/sunny     Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) S-HZ8 S-HZ7 S-HZ7 S-HZ7
STREAM CHARACTERIZATION	Stream Subsystem Perennial       Tidal       Stream Type Coldwater       Warmwater         Stream Origin Glacial       Spring-fed Mixture of origins Other       Catchment Areakm²

## PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse Forest       Commercial         Field/Pasture       Industrial         Agricultural       Other         Residential       Indicate the dominant type and record the dominan         Trees       Shrubs         Dominant species present	Grasses Herbaceous
INSTREAM FEATURES	Estimated Reach Length      m         Estimated Stream Width      m         Sampling Reach Area      ²         Area in km² (m²x1000)      m²         Estimated Stream Depth      m         Surface Velocity (at thalweg)      m/sec	Canopy Cover Partly open       Partly shaded       Shaded         High Water Mark      m         Proportion of Reach Represented by Stream Morphology Types Riffle       %         Riffle       %         Root%       Run%         Channelized       Yes       No         Dam Present       Yes       No
LARGE WOODY DEBRIS	LWDm <sup>2</sup> Density of LWDm <sup>2</sup> /km <sup>2</sup> (LWD/ reach	n area)
AQUATIC VEGETATION	Indicate the dominant type and record the dominant Rooted emergent       Rooted submergent         Floating Algae       Attached Algae         Dominant species present	Rooted floating Free floating
WATER QUALITY	Temperature0 C         Specific Conductance         Dissolved Oxygen         pH         Turbidity         WQ Instrument Used	Water Odors         Normal/None       Sewage         Petroleum       Chemical         Fishy       Other         Water Surface Oils       Slick         Slick       Sheen       Globs         Furbidity (if not measured)       Clear       Slightly turbid         Clear       Slightly turbid       Turbid         Opaque       Stained       Other
SEDIMENT/ SUBSTRATE	Odors     Petroleum       Normal     Sewage     Petroleum       Chemical     Anaerobic     None       Other	Deposits       Sludge       Sawdust       Paper fiber       Sand         Sludge       Sawdust       Other       Deposite       Sand         Lpoking at stones which are not deeply embedded, are the undersides black in color?       Yes       No

INC	DRGANIC SUBSTRATE (should add up to			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)						
Substrate Type	Diameter % Composition in Sampling Reach		Substrate Type	Characteristic	% Composition in Sampling Area					
Bedrock			Detritus	sticks, wood, coarse plant						
Boulder	> 256 mm (10")			materials (CPOM)						
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic						
Gravel	2-64 mm (0.1"-2.5")			(FPOM)						
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments						
Silt	2-64 mm (0.1"-2.5")									
Clay	< 0.004 mm (slick)									

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET #	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY			

	Habitat		Condition	ı Category						
	Parameter	Optimal	Suboptimal	Marginal	Poor					
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.					
ted iı	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is $< 0.3$ m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).					
Iram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

#### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	ı Category	
Parameter	Optimal	Suboptimal	Marginal	Poor
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
<ul> <li>SCORE</li> <li>8. Bank Stability (score each bank)</li> <li>Note: determine left or right side by facing downstream.</li> <li>SCORE (LB)</li> <li>SCORE (RB)</li> <li>9. Vegetative</li> <li>Protection (score each bank)</li> </ul>	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
<b>10. Riparian</b> <b>Vegetative Zone</b> <b>Width</b> (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score \_\_\_\_\_

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION						
STATION #	_ RIVERMILE	STREAM CLASS						
LAT	LONG	RIVER BASIN						
STORET #		AGENCY						
INVESTIGATORS			LOT NUMBER					
FORM COMPLETED	BY	DATE TIME	REASON FOR SURVEY					
HABITAT TYPES	Cobble% Sn	Indicate the percentage of each habitat type present         Cobble%       Snags%         Vegetated Banks%       Sand%         Submerged Macrophytes%       Other (       )%						
SAMPLE COLLECTION	Indicate the number of jab	lected? wading fi ps/kicks taken in each habitat ty lags Vegetated B	anks Sand					
GENERAL COMMENTS								

#### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

#### WOLMAN PEBBLE COUNT FORM

Basin:

County:Franklin CountyStream Name:UNT toHUC Code:03010101Survey Date:9/4/2021Surveyors:RH RCType:Representative

Stream ID: S-H28

Upper Roanoke

			LE COUNT		1		
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cu
	Silt/Clay	< .062	S/C	▲ ▼	100	100.00	100.0
	Very Fine	.062125		▲ ▼		0.00	100.0
	Fine	.12525		▲ ▼	0	0.00	100.0
	Medium	.255	SAND	▲ ▼	0	0.00	100.0
	Coarse	.50-1.0		▲ ▼	0	0.00	100.0
.0408	Very Coarse	1.0-2		▲ ▼	0	0.00	100.0
.0816	Very Fine	2 -4		▲ ▼	0	0.00	100.0
.1622	Fine	4 -5.7		▲ ▼	0	0.00	100.0
.2231	Fine	5.7 - 8		▲ ▼	0	0.00	100.0
.3144	Medium	8 -11.3		▲ ▼	0	0.00	100.0
.4463	Medium	11.3 - 16	G R A V E L	▲ ▼	0	0.00	100.0
.6389	Coarse	16 -22.6		▲ ▼	0	0.00	100.0
.89 - 1.26	Coarse	22.6 - 32		▲ ▼	0	0.00	100.0
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	0	0.00	100.0
1.77 -2.5	Vry Coarse	45 - 64	-	▲ ▼	0	0.00	100.0
2.5 - 3.5	Small	64 - 90		▲ ▼	0	0.00	100.0
3.5 - 5.0	Small	90 - 128	-	▲ ▼	0	0.00	100.0
5.0 - 7.1	Large	128 - 180	COBBLE BOULDER	▲ ▼	0	0.00	100.0
7.1 - 10.1	Large	180 - 256		▲ ▼		0.00	100.0
10.1 - 14.3	Small	256 - 362		▲ ▼		0.00	100.0
14.3 - 20	Small	362 - 512	1	▲ ▼		0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	▲ ▼		0.00	100.0
40 - 80	Large	1024 -2048	1			0.00	100.0
80 - 160	Vry Large	2048 -4096	1			0.00	100.0
	Bedrock		BDRK		<u> </u>	0.00	100.0
		L		Totals:	100		

\_\_\_\_\_

\_\_\_\_\_

River Name: Reach Name: Sample Name: Survey Date:	UNT to Jacks Creek S-H28 Representative 09/04/2021					
Size (mm)	TOT #	ITEM %	CUM %			
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock		$100.00\\0.00\\0.00\\0.00\\0.00\\0.00\\0.00\\0.$	$\begin{array}{c} 100.00\\$			
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Gravel (%) Boulder (%) Bedrock (%)	$\begin{array}{c} 0.01 \\ 0.02 \\ 0.03 \\ 0.05 \\ 0.06 \\ 100 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\$					

Total Particles = 100.

				For us	e in ephemeral s	treams					
Project #	Project Name		Locality	Cowardin Class.	нис	Date	SAR #	Impact Length	Impact Factor		
22865.06	Mountain Valley Pipeline (Mounta Valley Pipeline, LLC)			Franklin County	R6	03010101	08/25/2021	S-H28	16	1	
Nam				e and Informa	tion		ł		SAR Length		
	RH, CL		UNT to Jacks	s Creek					22		
. RIPARIAN	I BUFFERS: As	ssess both bank's	100 foot riparian	areas along the er	ntire SAR. (rough	measurements of	length & width ma	y be acceptable)			
			Con	ditional Cate	gory				NOTES>>		
	Optimal		Suboptimal		Marginal		Poor				
Riparian Buffers		High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with >30% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (abh > 3 inches) present, with <30% tree canopy cover.	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.				
			High	Low	High	Low	High	Low			
Condition Scores	1.5		1.2	1.1	0.85	0.75	0.6	0.5			
	irian areas along ea uare footage for ea			-	-		Ensure t of % R	he sums liparian			
. Enter the % F	Riparian Area and S	core for each ripa	arian category in th	ne blocks below.			Blocks e	qual 100			
	% Riparian Area>	100%						100%			
Right Bank	Score >	0.85									
						1			CI= (Sum % RA * Sco	pres*0.01)/2	
Left Bank	% Riparian Area>	100%						100%	Rt Bank Cl >	0.85	
Leit Dalik	Score >	0.85							Lt Bank CI >	0.85	
		REACH	CONDITION	INDEX and S	TREAM COM		TS FOR THIS	SREACH			
								-			
UIE: The CIS and F	CI should be rounded to	o z decimal places. Th	ie CR should be round	ea to a whole number.					CONDITION IND		
								R	CI= (Riparian CI)/	۷	
								COMDENSAT	TION REQUIREM		



PROVIDED UNDER SEPARATE COVER