## Reach S-H36 (Timber Mat Crossing) Perennial Spread I Franklin County, Virginia

Data	Included
Photos	$\checkmark$
SWVM Form	$\checkmark$
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope
	<4%)
RBP Physical Characteristics Form	$\checkmark$
Water Quality Data	$\checkmark$
RBP Habitat Form	$\checkmark$
RBP Benthic Form	$\checkmark$
Benthic Identification Sheet	$\checkmark$
Wolman Pebble Count	$\checkmark$
RiverMorph Data Sheet	$\checkmark$
USM Form (Virginia Only)	$\checkmark$
Longitudinal Profile and Cross Sections	$\checkmark$

### **Spread I**

Stream S-H36 (Timber Mat) Franklin County



Photo Type: US VIEW Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking N upstream, DW



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking S downstream, DW

### **Spread I**



Photo Type: LB CL Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking W at right streambank, DW



Photo Type: RB CL Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking E at left streambank, DW

### **Spread I**

Stream S-H36 (Timber Mat) Franklin County




Photo Type: US COND Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking N upstream, DW



Photo Type: DS VIEW Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking S downstream, DW

#### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	36.988008	Lon.	-79.714922	WEATHER:	Sunny	DATE:	August 26, 2021
IMPACT STREAM/SITE ID AN (watershed size (acreage), un:		S-H36;	43.04 ac		MITIGATION STREAM CLA (watershed size (ac	ASS./SITE ID AND S creage), unaltered or impo				Comments:	
STREAM IMPACT LENGTH:	20 FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:	No	Mitigation Length:	
Column No. 1- Impact Existing C	ondition (Debit)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigatio Post Comp	on Projected at Five letion (Credit)	Years	Column No. 4- Mitigation Proje Post Completion (C		Column No. 5- Mitigation Project	ed at Maturity (Credit)
Stream Classification:	Perennial	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Slop	e 3.32	Percent Stream Channel SI	ope		Percent Stream Chann	el Slope	0	Percent Stream Channel Slo	ope 0	Percent Stream Channel St	ope 0
HGM Score (attach data	forms):	HGM Score (attach	data forms):		HGM Score (at	tach data forms):		HGM Score (attach da	ta forms):	HGM Score (attach d	ata forms):
Hydrology Biogeochemical Cycling Habitat PART I - Physical, Chemical and Bic	Average 0	Hydrology Biogeochemical Cycling Habitat PART I - Physical, Chemical an	Average 0 d Biological Indicators		Hydrology Biogeochemical Cycling Habitat PART I - Physical, Chemic	cal and Biological In	Average 0	Hydrology Biogeochemical Cycling Habitat PART I - Physical, Chemical and I	Average 0	Hydrology Biogeochemical Cycling Habitat PART I - Physical, Chemical and	Average 0 Biological Indicators
	oints Scale Range Site Score	······································	Points Scale Range Site Score			Points Scale Range			Points Scale Range Site Score		Painta Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams cla	ssifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all str	reams classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)
2 Embeddedness 3. Velocity DepR Regime 4. Sediment Deposition 5. Charnel Flow Status 6. Charnel Flow Status 6. Charnel Alexandria 7. Frequency of Rifles (or bends) 8. Bank Stability (LB & RB) 10. Reparts Vegetalev Zone Wicht (LB & RB) 0. Reparts Vegetalev Zone Wicht (LB & RB) Conductivity <a href="https://www.communications.com">https://www.communications.com</a> Sub-Total Specific Conductivity <a href="https://www.communications.com">https://www.communications.com</a> Specific Conductivity <a href="https://www.communications.com">https://www.communications.com</a> PM 6.0-8.0 = 80 points DO	0.40 0.40 0.40 0.40 <b>68.1 7.31 7.23 1</b>	I. Epifanal Substrate/Available Cover 2-hool Substrate Characterization 3- Pool Variability 4- Sodiment Deposition 5. Charmel Arkanski C. Charmel Arkanski C. Charmel Strandard C. Charmel Strandard C. Charmel Strandard C. Charmel Strandard C. Charmel Strandard C. Charmel Strandard 10. Risk Strand Sub-Total Debut MICLATOR (Applies to Intermitin Debut State Debut	0-90 5-90 10-30 0		I Epistemal Substate/Available Cover Emediademens Netocity/ Dapth Regime S. Otariot/ Dapth Regime S. Channel Aleration Channel Aleration Arequestion Execution (LB & R) Constant Vestations (LB & R) Notarian Vestations (LB & R) Notarian Vestations (LB & R) Contar RDP Score Sub-Total CHEMICAL INDICATOR (Applies to Meri Sub-Total BIOLOGICAL INDICATOR (Applies to Inter- BIOLOGICAL INDICATOR (Applies to Inter- DO	Poor      mittent and Perennial Str      neral)     0-90     0-90     0-1     0-1     10-30	0	Epifacinal Substantiveliable Cover     Embeddeniess     Vetochyl Depih Regime     Sedmett Deposition     Scharnel Flow Status     Channel Flow Status     Sub-Total     BioLoGicAL INDICATOR (Applies to Intermitte	0-00 5-00 16-30 <b>0</b>	USEPA RB/ (High Gradient Data Sheet) 1. Enfirmation Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sedimient Deposition 5. Channel Alteration 1. Frequency of Ritling (or bands) 2. Bank Stability (E.& RB) 1. Vogetautor Oritilita (or bands) 2. Bank Stability (E.& RB) 1. Vogetautor Oritilita (or bands) 2. Bank Stability (E.& RB) 1. Vogetautor Oritilita 3. She Total BioLoGitcAL INDICATOR (Applies to Intermitted 3. Vogetautor Oritilita 3. Scholand 3. Sc	0.90 0-1
WV Stream Condition Index (WVSCI) Very Good	0-100 0-1 81.3	WV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1	WV Stream Condition Index (WVSCI)	0-100 0-1
Sub-Total PART II - Index and Unit	0.813 Score	Sub-Total PART II - Index and	0 Unit Score		Sub-Total PART II - Index	x and Unit Score	0	Sub-Total PART II - Index and U	0 nit Score	Sub-Total PART II - Index and U	nit Score
Index	Linear Feet Unit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Score
0.771	20 15.42	0	0 0		0	0	0	0	0 0	0	0 0

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-H36		LOCATION Franklin County
	DIVEDMILE	LOCATION Franklin County
	RIVERMILE LONG <sup>-79.714922</sup>	STREAM CLASS Perennial
		RIVER BASIN Upper Roanoke AGENCY VADEQ
STORET #		AGENCY VADEQ
INVESTIGATORS JM, I FORM COMPLETED B	<sup>r</sup> JM	DATE <u>8/26/21</u> TIME <u>Baseline</u> REASON FOR SURVEY Baseline Assessment
WEATHER CONDITIONS SITE LOCATION/MAR	rain shower √ cl	Past 24 hours       Has there been a heavy rain in the last 7 days?         In (heavy rain) In (steady rain)       Yes       Yes         In (heavy rain)       Air Temperature 21.1 ° C         In (heavy rain)       Other
		ROW Grass Herberlious
	Pipe Cl Road &	S-H3b Dense Shrub L Length=85 & Sapplings
		Timber Mat KOW - HI
STREAM CHARACTERIZATIO	N Stream Subsystem Perennial Int Glacial Non-glacial montan Swamp and bog	atermittent ☐Tidal Stream Type ☐Coldwater ☑Warmwater Catchment Area 0.17 km <sup>2</sup> Mixture of origins Other

 $\approx$ 5-10 ft in, sunk 6-8 inches in muck/sewage

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse         ☐ Forest       ☐ Commercial         ☐ Field/Pasture       ☐ Industrial         ☐ Agricultural       ☐ Other         ☐ Residential       ☐         ☐ Indicate the dominant type and record the domin         ☐ Trees       ☑ Shrubs         ☐ Dominant species present	Local Watershed NPS Pollution  No evidence Some potential sources  Obvious sources  Local Watershed Erosion  None Moderate Heavy  tant species present Grasses
INSTREAM FEATURES	Estimated Reach Length25.1mEstimated Stream Width12mSampling Reach Area30.1m²Area in km² (m²x1000)km²Estimated Stream Depth0.2mSurface Velocity0.3m/sec(at thalweg)0.3m/sec	Canopy Cover       □Partly shaded □Shaded         I Partly open       □Partly shaded □Shaded         High Water Mark       1.2 m         Proportion of Reach Represented by Stream         Morphology Types         Riffle 30       % Run 50         Pool 20       %         Channelized       Yes         Dam Present       Yes
LARGE WOODY DEBRIS	LWD <u>0.5</u> m <sup>2</sup> Density of LWDm <sup>2</sup> /km <sup>2</sup> (LWD/ read	ch area)
AQUATIC VEGETATION	Indicate the dominant type and record the domin Rooted emergent Floating Algae Dominant species present Portion of the reach with aquatic vegetation	□Rooted floating □Free floating
WATER QUALITY	Temperature _20.5 D 0 C         Specific Conductance _68.1 D ms/cm         Dissolved Oxygen _7.23 D mg/L         pH _7.31 su         Turbidity _N/A         WQ Instrument Used _YSI	Water Odors         Normal/None       Sewage         Petroleum       Chemical         Fishy       Other         Water Surface Oils       Slick         Slick       Sheen       Globs         None       Other         Turbidity (if not measured)       Turbid         Clear       Slightly turbid       Turbid         Opaque       Stained       Other
SEDIMENT/ SUBSTRATE	Odors       ✓ Normal       ✓ Sewage       Petroleum         Chemical       Anaerobic       None         Other       ✓       Other         Oils       ✓       Absent       Slight       Moderate       Profuse	Deposits         □Sludge       □Sawdust       □Paper fiber       □Sand         □Relict shells       □Other         □ Epoking at stones which are not deeply embedded, are the undersides black in color?         □ Yes       ☑ No

INC	ORGANIC SUBSTRATE (should add up to			ORGANIC SUBSTRATE CO (does not necessarily add	
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock			Detritus	sticks, wood, coarse plant	
Boulder	> 256 mm (10")			materials (CPOM)	
Cobble	64-256 mm (2.5"-10")	50	Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2.5")	35		(FPOM)	
Sand	0.06-2mm (gritty)	15	Marl	grey, shell fragments	
Silt	0.004-0.06 mm				
Clay	< 0.004 mm (slick)				

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-H36	LOCATION Franklin County
STATION # RIVERMILE	STREAM CLASS Perennial
LAT <u>36.988008</u> LONG <u>-79.714922</u>	RIVER BASIN Upper Roanoke
STORET #	AGENCY VADEQ
INVESTIGATORS JM, DW	
form completed by JM	DATE     8/26/21     REASON FOR SURVEY       TIME     800     AM     PM       Baseline Assessment     AM

	Habitat		Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	<sub>score</sub> 17	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted ii	score 7	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is $< 0.3$ m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
ıram	score 11	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	<sub>score</sub> 10	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	<sub>score</sub> 8	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	score 11	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
amp	score 11	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing deurstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e ev	SCORE 4	Left Bank 10 9	8 7 6	5 4 3	2 1 0
top	SCORE 3	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE 5	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 5	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	<b>10. Riparian</b> <b>Vegetative Zone</b> <b>Width</b> (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE 4	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 4	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score 100

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-H	36	LOCATION Franklin	
STATION #	RIVERMILE	STREAM CLASS Perennial	
LAT36.988008	LONG79.714922	RIVER BASIN Upper Roano	ke
STORET #		AGENCY	
INVESTIGATORS K	3 and TC		LOT NUMBER
FORM COMPLETED	<sup>BY</sup> KB	DATE 9/9/2021 TIME 10:30 AM	REASON FOR SURVEY Baseline Assessment
HABITAT TYPES	Indicate the percentage of ✓Cobble_10_% Sn Submerged Macrophytes	ags%	
SAMPLE COLLECTION		lected? ☑ wading ☐ fi s/kicks taken in each habitat ty ags     □Vegetated B	anks Sand
GENERAL COMMENTS	4 kicks done in ri	ffle habitats.	

#### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

#### Mountain Valley Pipeline Data are not adjusted for subsampling

ECO ANALYSTS, INC.

ORDER         GENUS/SPECIES         COUNT           Ephemeroptera         Ephemeroptera         Ephemeroptera         Ephemeroptera         Ephemeroptera           Ephemeroptera         Leptophelbildae         Ephemeroptera         Leptophelbildae         Ephemeroptera           Ephemeroptera         Leptophelbildae         Plecoptera         Ecoptura xanthenes         Plecoptera           Plecoptera         Ecoptura xanthenes         Plecoptera         Elbildae           Plecoptera         Trichoptera         Elbildae         Elbildae           Plecoptera         Elbildae         Filildae         Elbildae           Plecoptera         Trichoptera         Elbildae         Filildae           Trichoptera         Trichoptera         Trichoptera         Elbildae           Odonata         Coloptera         Coleoptera         Odonata         Coleoptera           Odonata         Coleoptera         Elbildae         Elbilda
Ephemeroptera Ephemeridae Ephemeroptera Eurylophella sp. Ephemeroptera Leptophelbildae Ephemeroptera Leptophelbildae Plecoptera Coloroperlidae Plecoptera Eccoptura xanthenes Plecoptera Leuctra sp. Plecoptera Tallaperla sp. Trichoptera Tallaperla sp. Trichoptera Diplectrona sp. Trichoptera Biplectrona sp. Trichoptera Rhyacophila sp. Trichoptera Tricenodes sp. Trichoptera Tricenodes sp. Trichoptera Tricenodes sp. Trichoptera Ecoptra sp. Odonata Calopteryx sp. Odonata Gomphidae Coleoptera Anchytarsus bicolor Coleoptera Ecopria sp. Coleoptera Ecopria sp. Coleoptera Stenelmis sp. Megaloptera Corydalus sp. Diptera-Chironomidae Heleniella sp. Diptera-Chironomidae Micropsectra sp. Diptera-Chironomidae Micropses sp. Diptera-Chironomidae Micropses sp. Diptera-Chironomidae Micropses sp. Diptera-Chironomidae Micropses sp. Diptera-Chironomidae Micropses sp. Diptera-Chironomidae Micropses sp. Diptera-Chironomidae Parametrionemus sp. Diptera-Chironomidae Parametrionemus sp. Diptera-Chironomidae Parametrionemus sp. Diptera-Chironomidae Parametrionemus sp. Diptera-Chironomidae Polypedilum sp. Diptera-Chironomidae Rheotanytarsus sp. Diptera-Chironomidae Rheotanytarsus sp. Diptera-Chironomidae Stempellinal sp. Diptera-Chironomidae Stempellinal sp. Diptera-Chironomidae Stempellinal sp. Diptera-Chironomidae Stempellinal sp.
Ephemeroptera Eurylophella sp. Ephemeroptera Heptageniidae Ephemeroptera Leptophlebiidae Plecoptera Chloroperlidae Plecoptera Eccoptura xanthenes Plecoptera Eccoptura xanthenes Plecoptera Tallaperla sp. Trichoptera Diplectrona sp. Trichoptera Glossosoma sp. Trichoptera Rhyacophila sp. Trichoptera Triaenodes sp. Trichoptera Triaenodes sp. Trichoptera Trichoptera Odonata Calopteryx sp. Odonata Gomphidae Coleoptera Anchytarsus bicolor Coleoptera Anchytarsus bicolor Coleoptera Helichus sp. Coleoptera Psephenus sp. Coleoptera Stenelmis sp. Megaloptera Corydalus sp. Diptera-Chironomidae Krenosmitia sp. Diptera-Chironomidae Micropsectra sp. Diptera-Chironomidae Parametriocnemus sp. Diptera-Chironomidae Reostempellina sp. Diptera-Chironomidae Parametriocnemus sp. Diptera-Chironomidae Parametriocnemus sp. Diptera-Chironomidae Parametriocnemus sp. Diptera-Chironomidae Rheotanytarsus sp. Diptera-Chironomidae Rheotanytarsus sp. Diptera-Chironomidae Rheotanytarsus sp.
EphemeropteraHeptageniidaeEphemeropteraLeptophlebiidaePlecopteraEccoptura xanthenesPlecopteraEccoptura xanthenesPlecopteraLeuctra sp.PlecopteraTallaperla sp.TrichopteraDiplectrona sp.TrichopteraRhyacophila sp.TrichopteraTriaenodes sp.TrichopteraTrichopteraOdonataGomphidaeColeopteraAnchytarsus bicolorColeopteraAnchytarsus bicolorColeopteraAnchytarsus bicolorColeopteraSenemus sp.ColeopteraSenemus sp.ColeopteraSenemus sp.ColeopteraSenemus sp.ColeopteraSenemus sp.ColeopteraSenemus sp.ColeopteraSenemus sp.ColeopteraCorynoneura sp.Diptera-ChironomidaeKrenosmittia sp.Diptera-ChironomidaeKrenosmittia sp.Diptera-ChironomidaeNicrostera sp.Diptera-ChironomidaeNicrostera sp.Diptera-ChironomidaeNicrostera sp.Diptera-ChironomidaeNicrostera sp.Diptera-ChironomidaeParaphaenocladius sp.Diptera-ChironomidaeParaphaenocladius sp.Diptera-ChironomidaeParaphaenocladius sp.Diptera-ChironomidaeParaphaenocladius sp.Diptera-ChironomidaeParaphaenocladius sp.Diptera-ChironomidaeParaphaenocladius sp.Diptera-ChironomidaeStempellinela sp.Diptera-ChironomidaeParaphaenocladius sp. <tr< th=""></tr<>
EphemeropteraLeptophlebiidaePlecopteraChloroperlidaePlecopteraEccoptura xanthenesPlecopteraTallaperla sp.TrichopteraDiplectrona sp.TrichopteraRhyacophila sp.TrichopteraTrichopteraTrichopteraTrichopteraOdonataCalopteryx sp.OdonataGomphidaeColeopteraEctopria sp.ColeopteraEctopria sp.ColeopteraEctopria sp.ColeopteraColeopteraColeopteraStenelmis sp.ColeopteraStenelmis sp.ColeopteraStenelmis sp.ColeopteraCorydalus sp.ColeopteraStenelmis sp.ColeopteraStenelmis sp.ColeopteraCorydalus sp.Diptera-ChironomidaeKernosmitti sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeNicotanypus sp.Diptera-ChironomidaeNicotanypus sp.Diptera-ChironomidaeNicotanypus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaePolypedilum sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeStempellinela sp.Diptera
PlecopteraChloroperlidaePlecopteraEccoptura xanthenesPlecopteraLeuctra sp.PlecopteraDiplectrona sp.TrichopteraDiplectrona sp.TrichopteraBiyacophila sp.TrichopteraTriaenodes sp.TrichopteraTriaenodes sp.TrichopteraTriaenodes sp.OdonataCalopteryx sp.OdonataGomphidaeColeopteraAnchytarsus bicolorColeopteraColeopteraColeopteraPesphenus sp.ColeopteraOulimnius sp.ColeopteraCoryalus sp.ColeopteraCoryalus sp.ColeopteraStenelmis sp.ColeopteraCoryalus sp.Diptera-ChironomidaeKrenosmittia sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaePolypedilum sp.Diptera-ChironomidaeReotanytarsus sp.Diptera-ChironomidaeR
PlecopteraEccoptura xanthenesPlecopteraLeuctra sp.PlecopteraTallaperla sp.TrichopteraDiplectrona sp.TrichopteraRhyacophila sp.TrichopteraTriaenodes sp.TrichopteraTrichopteraOdonataCalopteryx sp.OdonataGomphidaeColeopteraAnchytarsus bicolorColeopteraEctopteraColeopteraEctopteraColeopteraSp.ColeopteraStenemus sp.ColeopteraStenemus sp.ColeopteraColeopteraColeopteraStenemus sp.ColeopteraStenemus sp.ColeopteraCorynoneura sp.Diptera-ChironomidaeKrenosmittia sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParaphaenocladius sp.Diptera-ChironomidaeParaphaenocladius sp.Diptera-ChironomidaeParaphaenocladius sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.<
PlecopteraLeuctra sp.PlecopteraTallaperla sp.TrichopteraDiplectrona sp.TrichopteraGlossosoma sp.TrichopteraRhyacophila sp.TrichopteraTriaenodes sp.TrichopteraTrichopteraOdonataCalopteryx sp.OdonataGomphidaeColeopteraAnchytarsus bicolorColeopteraEctopira sp.ColeopteraHelichus sp.ColeopteraOulimnius sp.ColeopteraStephenus sp.ColeopteraStephenus sp.ColeopteraStephenus sp.ColeopteraCorynoneura sp.Diptera-ChironomidaeKrenosmittia sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.<
TrichopteraDiplectrona sp.TrichopteraGlossosoma sp.TrichopteraRhyacophila sp.TrichopteraTriachopteraTrichopteraTrichopteraOdonataCalopteryx sp.OdonataGomphidaeColeopteraAnchytarsus bicolorColeopteraEctopria sp.ColeopteraHelichus sp.ColeopteraOulimnius sp.ColeopteraStenelmis sp.ColeopteraStenelmis sp.ColeopteraStenelmis sp.ColeopteraCoryoneura sp.Diptera-ChironomidaeKrenosmittia sp.Diptera-ChironomidaeMicrotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStem
TrichopteraDiplectrona sp.TrichopteraGlossosoma sp.TrichopteraRhyacophila sp.TrichopteraTriachopteraTrichopteraTrichopteraOdonataCalopteryx sp.OdonataGomphidaeColeopteraAnchytarsus bicolorColeopteraEctopria sp.ColeopteraHelichus sp.ColeopteraOulimnius sp.ColeopteraStenelmis sp.ColeopteraStenelmis sp.ColeopteraStenelmis sp.ColeopteraCoryoneura sp.Diptera-ChironomidaeKrenosmittia sp.Diptera-ChironomidaeMicrotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStem
TrichopteraRhyacophila sp. Triaenodes sp.TrichopteraTriaenodes sp.TrichopteraTrichopteraOdonataCalopteryx sp.OdonataGomphidaeColeopteraAnchytarsus bicolorColeopteraEctopria sp.ColeopteraOlimnius sp.ColeopteraOulimnius sp.ColeopteraStenelmis sp.ColeopteraStenelmis sp.ColeopteraCorynoneura sp.Diptera-ChironomidaeCorynoneura sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.
TrichopteraTrichopteraTrichopteraTrichopteraOdonataCalopteryx sp.OdonataGomphidaeColeopteraAnchytarsus bicolorColeopteraEctopria sp.ColeopteraEctopria sp.ColeopteraOulimnius sp.ColeopteraStenelmis sp.ColeopteraStenelmis sp.ColeopteraCorynoneura sp.ColeopteraCorynoneura sp.Diptera-ChironomidaeKrenosmittia sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeNilotanypus sp.Diptera-ChironomidaeNilotanypus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeTanytarsus sp.
TrichopteraTrichopteraOdonataCalopteryx sp.OdonataGomphidaeColeopteraAnchytarsus bicolorColeopteraEctopria sp.ColeopteraHelichlus sp.ColeopteraOulimnius sp.ColeopteraSephenus sp.ColeopteraStenelmis sp.MegalopteraCoryoneura sp.Diptera-ChironomidaeCoryoneura sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeMicrotendipes sp.Diptera-ChironomidaeNilotanypus sp.Diptera-ChironomidaeNilotanypus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeTanytarsus sp.
OdonataCalopteryx sp.OdonataGomphidaeColeopteraAnchytarsus bicolorColeopteraEctopria sp.ColeopteraOulimnius sp.ColeopteraOulimnius sp.ColeopteraPsephenus sp.ColeopteraCorynalus sp.ColeopteraCorynalus sp.ColeopteraCorynalus sp.Diptera-ChironomidaeCorynoneura sp.Diptera-ChironomidaeKrenosmittia sp.Diptera-ChironomidaeMicrotendipes sp.Diptera-ChironomidaeMicrotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParaphaenocladius sp.Diptera-ChironomidaePolypedilum sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeTanytarsus sp.
OdonataGomphidaeColeopteraAnchytarsus bicolorColeopteraEctopria sp.ColeopteraHelichus sp.ColeopteraOulimnius sp.ColeopteraPsephenus sp.ColeopteraStenelmis sp.ColeopteraCoryonaura sp.Diptera-ChironomidaeCoryonaura sp.Diptera-ChironomidaeKrenosmittia sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNicotendipes sp.Diptera-ChironomidaeNilotanypus sp.Diptera-ChironomidaeParametriconemus sp.Diptera-ChironomidaeParametriconemus sp.Diptera-ChironomidaePolypedilum sp.Diptera-ChironomidaePolypedilum sp.Diptera-ChironomidaeStempellinal sp.Diptera-ChironomidaeStempellinal sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeTanytarsus sp.
ColeopteraAnchytarsus bicolorColeopteraEctopria sp.ColeopteraHelichus sp.ColeopteraOulimnius sp.ColeopteraStenelmis sp.ColeopteraStenelmis sp.MegalopteraCorynoneura sp.Diptera-ChironomidaeCorynoneura sp.Diptera-ChironomidaeKrenosmittia sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeNeostempellina sp.Diptera-ChironomidaeNilotanypus sp.Diptera-ChironomidaeParametriconemus sp.Diptera-ChironomidaeParametriconemus sp.Diptera-ChironomidaeParametriconemus sp.Diptera-ChironomidaePolypedilum sp.Diptera-ChironomidaeStempellinal sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeTanytarsus sp.
ColeopteraEctopria sp.ColeopteraHelichus sp.ColeopteraOulimnius sp.ColeopteraPsephenus sp.ColeopteraStenelmis sp.MegalopteraCorynoneura sp.Diptera-ChironomidaeCorynoneura sp.Diptera-ChironomidaeHeleniella sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeNeostempellina sp.Diptera-ChironomidaeNilotanypus sp.Diptera-ChironomidaeParametriconemus sp.Diptera-ChironomidaeParametriconemus sp.Diptera-ChironomidaeParametriconemus sp.Diptera-ChironomidaeParametriconemus sp.Diptera-ChironomidaePolypedilum sp.Diptera-ChironomidaeStempellinal sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeTanytarsus sp.
Coleoptera Helichus sp. Coleoptera Oulimnius sp. Coleoptera Psephenus sp. Coleoptera Stenelmis sp. Megaloptera Corydalus sp. Diptera-Chironomidae Corynoneura sp. Diptera-Chironomidae Heleniella sp. Diptera-Chironomidae Krenosmittia sp. Diptera-Chironomidae Micropsectra sp. Diptera-Chironomidae Micropsectra sp. Diptera-Chironomidae Microtendipes sp. Diptera-Chironomidae Neostempellina sp. Diptera-Chironomidae Parametriocnemus sp. Diptera-Chironomidae Paraphaenocladius sp. Diptera-Chironomidae Rheotanytarsus sp. Diptera-Chironomidae Stempellina sp.
ColeopteraOulimnius sp.ColeopteraPsephenus sp.ColeopteraStenelmis sp.MegalopteraCoryoneura sp.Diptera-ChironomidaeCoryoneura sp.Diptera-ChironomidaeKrenosmittia sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeMicrotendipes sp.Diptera-ChironomidaeNilotanypus sp.Diptera-ChironomidaeNilotanypus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParaphaenocladius sp.Diptera-ChironomidaePolypedilum sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeRheotanytarsus sp.
ColeopteraPsephenus sp.ColeopteraStenelmis sp.MegalopteraCorydalus sp.Diptera-ChironomidaeCoryononeura sp.Diptera-ChironomidaeHeleniella sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeNeostempellina sp.Diptera-ChironomidaeNilotanypus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParaphaenocladius sp.Diptera-ChironomidaePolypedilum sp.Diptera-ChironomidaeStempellina sp.Diptera-ChironomidaeStempellina sp.Diptera-ChironomidaeParaphaenocladius sp.Diptera-ChironomidaeStempellina sp.Diptera-ChironomidaeStempellina sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeTanytarsus sp.
MegalopteraCorydalus sp.Diptera-ChironomidaeCorynoneura sp.Diptera-ChironomidaeHeleniella sp.Diptera-ChironomidaeKrenosmittia sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeMicrotendipes sp.Diptera-ChironomidaeNeostempellina sp.Diptera-ChironomidaeNilotanypus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaePolypedilum sp.Diptera-ChironomidaeStempellinal sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeStempellinella sp.Diptera-ChironomidaeTanytarsus sp.
Diptera-ChironomidaeCorynoneura sp.Diptera-ChironomidaeHeleniella sp.Diptera-ChironomidaeKrenosmittia sp.Diptera-ChironomidaeMicropsectra sp.Diptera-ChironomidaeMicrotendipes sp.Diptera-ChironomidaeNilotanypus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaeParametriocnemus sp.Diptera-ChironomidaePolypedilum sp.Diptera-ChironomidaePolypedilum sp.Diptera-ChironomidaeStempellinal sp.Diptera-ChironomidaeStempellinal sp.Diptera-ChironomidaeRheotanytarsus sp.Diptera-ChironomidaeTanytarsus sp.
Diptera-Chironomidae Heleniella sp. Diptera-Chironomidae Krenosmittia sp. Diptera-Chironomidae Micropsectra sp. Diptera-Chironomidae Microtendipes sp. Diptera-Chironomidae Neostempellina sp. Diptera-Chironomidae Naiotanypus sp. Diptera-Chironomidae Parametriocnemus sp. Diptera-Chironomidae Paraphaenocladius sp. Diptera-Chironomidae Polypedilum sp. Diptera-Chironomidae Rheotanytarsus sp. Diptera-Chironomidae Stempellinella sp. Diptera-Chironomidae Tanytarsus sp.
Diptera-Chironomidae Krenosmittia sp. Diptera-Chironomidae Micropsectra sp. Diptera-Chironomidae Microtendipes sp. Diptera-Chironomidae Neostempellina sp. Diptera-Chironomidae Nilotanypus sp. Diptera-Chironomidae Parametriocnemus sp. Diptera-Chironomidae Paraphaenocladius sp. Diptera-Chironomidae Polypedilum sp. Diptera-Chironomidae Rheotanytarsus sp. Diptera-Chironomidae Stempellinella sp. Diptera-Chironomidae Tanytarsus sp.
Diptera-Chironomidae Micropsectra sp. Diptera-Chironomidae Microtendipes sp. Diptera-Chironomidae Neostempellina sp. Diptera-Chironomidae Nilotanypus sp. Diptera-Chironomidae Parametriocnemus sp. Diptera-Chironomidae Paraphaenocladius sp. Diptera-Chironomidae Polypedilum sp. Diptera-Chironomidae Rheotanytarsus sp. Diptera-Chironomidae Stempellinella sp. Diptera-Chironomidae Tanytarsus sp.
Diptera-Chironomidae Microtendipes sp. Diptera-Chironomidae Neostempellina sp. Diptera-Chironomidae Nilotanypus sp. Diptera-Chironomidae Parametriocnemus sp. Diptera-Chironomidae Paraphaenocladius sp. Diptera-Chironomidae Polypedilum sp. Diptera-Chironomidae Rheotanytarsus sp. Diptera-Chironomidae Stempellinella sp. Diptera-Chironomidae Tanytarsus sp.
Diptera-Chironomidae Neostempellina sp. Diptera-Chironomidae Nilotanypus sp. Diptera-Chironomidae Parametriocnemus sp. Diptera-Chironomidae Paraphaenocladius sp. Diptera-Chironomidae Polypedilum sp. Diptera-Chironomidae Rheotanytarsus sp. Diptera-Chironomidae Stempellinella sp. Diptera-Chironomidae Tanytarsus sp.
Diptera-Chironomidae Nilotanypus sp. Diptera-Chironomidae Parametriocnemus sp. Diptera-Chironomidae Paraphaenocladius sp. Diptera-Chironomidae Polypedilum sp. Diptera-Chironomidae Rheotanytarsus sp. Diptera-Chironomidae Stempellinella sp. Diptera-Chironomidae Tanytarsus sp.
Diptera-Chironomidae Parametriocnemus sp. Diptera-Chironomidae Paraphaenocladius sp. Diptera-Chironomidae Polypedilum sp. Diptera-Chironomidae Rheotanytarsus sp. Diptera-Chironomidae Stempellinella sp. Diptera-Chironomidae Tanytarsus sp.
Diptera-Chironomidae Paraphaenocladius sp. Diptera-Chironomidae Polypedilum sp. Diptera-Chironomidae Rheotanytarsus sp. Diptera-Chironomidae Stempellinella sp. Diptera-Chironomidae Tanytarsus sp.
Diptera-Chironomidae Polypedilum sp. Diptera-Chironomidae Rheotanytarsus sp. Diptera-Chironomidae Stempellinella sp. Diptera-Chironomidae Tanytarsus sp.
Diptera-Chironomidae Rheotanytarsus sp. Diptera-Chironomidae Stempellinella sp. Diptera-Chironomidae Tanytarsus sp.
Diptera-Chironomidae Stempellinella sp. Diptera-Chironomidae Tanytarsus sp.
Diptera-Chironomidae Tanytarsus sp.
Diptera-Chironomidae Thienemannimvia gr. sp.
Diptera-Chironomidae Xylotopus par
Diptera Antocha sp.
Diptera Ceratopogoninae
Diptera Diptera
Diptera Dixa sp.
Diptera Hexatoma sp.
<b>Diptera</b> Limnophila sp. <b>Diptera</b> Pseudolimnophila sp.
Diptera Psychodidae
Diptera Simulium sp.
Diptera Tipulidae
Annelida Lumbriculidae
Annelida tubificoid Naididae w/ cap setae
Annelida tubificoid Naididae w/o cap setae Gastropoda Elimia sp.
Gastropoda Elimia sp. Acari Lebertia sp.
Other Organisms Turbellaria
TOTAL 2

Mountain Valley Pipeline WV SCI Metrics

# ECO ANALYSTS, INC.

Sample ID Collection Date	S-H36 09-09-2021
WVSCI Metric Values Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	34 15 24.4 14.5 36.3 4.64
WVSCI Metric Scores Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	161.9 115.4 26.6 86.3 99.6 75.5
WVSCI Metric Scores Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	100.0 100.0 26.6 86.3 99.6 75.5
WVSCI Total Score	81.3

Unimpaired = > 68.00 Gray Zone = 60.61 to 68.00 Impaired = <60.61

#### WOLMAN PEBBLE COUNT FORM

County:	Franklin County	Stream ID:	S-H36
Stream Name:	UNT to Jacks Creek		
HUC Code: Survey Date:	03010101 8/26/2021	Basin:	Upper Roanoke
Surveyors:	JM, DW		
Type:	Representative		

			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C		0	0.00	0.00
	Very Fine	.062125			8	8.00	8.00
	Fine	ne .12525	1		0	0.00	8.00
	Medium	.255	SAND	• •	0	0.00	8.00
	Coarse	.50-1.0	1		0	0.00	8.00
.0408	Very Coarse	1.0-2	1		0	0.00	8.00
.0816	Very Fine	2 -4		• •	0	0.00	8.00
.1622	Fine	4 -5.7			0	0.00	8.00
.2231	Fine	5.7 - 8			4	4.00	12.00
.3144	Medium	8 -11.3	1		5	5.00	17.00
.4463	Medium	11.3 - 16	GRAVEL	<b></b>	7	7.00	24.00
.6389	Coarse	16 -22.6		• •	10	10.00	34.00
.89 - 1.26	Coarse	22.6 - 32			14	14.00	48.00
1.26 - 1.77	Vry Coarse	32 - 45	1		19	19.00	67.00
1.77 -2.5	Vry Coarse	45 - 64	1		17	17.00	84.00
2.5 - 3.5	Small	64 - 90			8	8.00	92.00
3.5 - 5.0	Small	90 - 128	CODDLE		3	3.00	95.00
5.0 - 7.1	Large	128 - 180	COBBLE		5	5.00	100.00
7.1 - 10.1	Large	180 - 256	1	• •	0	0.00	100.00
10.1 - 14.3	Small	256 - 362			0	0.00	100.00
14.3 - 20	Small	362 - 512			0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER		0	0.00	100.00
40 - 80	Large	1024 -2048	]	• •	0	0.00	100.00
80 - 160	Vry Large	2048 -4096	]		0	0.00	100.00
	Bedrock		BDRK		0	0.00	100.00
				Totals	100		
	Total Tally:						

\_\_\_\_\_

River Name: UNT Reach Name: S-H Sample Name: Rep Survey Date: 08/	resentative		
Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	0	0.00 8.00 0.00 0.00 0.00 0.00 0.00 4.00 5.00 7.00 10.00 14.00 19.00 17.00 8.00 3.00 5.00 0.00	0.00 8.00 8.00 8.00 8.00 8.00 12.00 17.00 24.00 34.00 48.00 67.00 84.00 92.00 95.00 100.00 100.00 100.00 100.00 100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Gravel (%) Boulder (%) Bedrock (%) Total Particles = 100.	10.64 23.27 33.37 64 128 180 0 8 76 16 0 0		

		9	Stream		essm tream Method		•	form 1	)		
					able channels cla			al			
Project #	Project N	lame (Appl		Locality	Cowardin Class.	HUC	Date	SAR #	Impact Length	Impact Factor	
22865.06	Mountain Valle Valley F	ey Pipeline Pipeline, L	•	Franklin County	R3	03010101	8/26/21	S-H36	20	1	
Nam	me(s) of Evaluator(s) Stream Name and Informa			tion			•	SAR Length			
	JM, DW UNT to Jacks Creek			Creek					105		
1. Channel Condition: Assess the cross-section of the stream and prevailing condition (erosion, aggradation)											
	Optimal Suboptimal				Conditional Catego		D	oor	Sou	(0 <b>7</b> 0	
Channel Condition	Very little incision or activ 100% stable banks. Vege protection or natural roc (80-100%). AND/OR Stat bankfull benches are pre- to their original floodpi developed wide bankfull t channel bars and transve Transient sediment depc less than 10% of b	ive erosion; 80- jetative surface ck, prominent ble point bars / esent. Access plain or fully benches. Mid- erse bars few. osition covers	Slightly incised, fe erosion or unprotec of banks are st Vegetative protect prominent (60 Depositional feat stability. The bar channels are well de has access to bankf developed flo	w areas of active ted banks. Majority table (60-80%). table (60-80%). 80%) AND/OR ures contribute to hkfull and low flow fined. Stream likely doplains along each. Transient 0-40% of the stream	Often incised, but i Poor. Banks more s Poor due to low Erosion may be pr both banks. Vegei 40-60% of banks. S vertical or und 40-60% Sediment transient, contr Deposition that co may be forming/p shaped channels	ginal less than Severe or table than Severe or ver bank slopes. esent on 40-60% of tative protection on streambanks may be ercut. AND/OR may be temporary / ibute instability. resent. AND/OR V- s have vegetative % of the banks and	Overwidened/in laterally unstabl further. Majority of vertical. Erosion p banks. Vegetativ on 20-40% of bank to prevent erosion. the stream is com Sediment is temp nature, and contr AND/OR V-stative protec	cised. Vertically / e. Likely to widen both banks are near protection present s, and is insufficient AND/OR 60-80% of ered by sediment. porary / transient in buting to instability. bed channels have tion is present on > and stable sediment	Deeply incised vertical/lateral in incision, flow contair Streambed below av majority of banks Vegetative protect than 20% of banks erosion. Obviny AND/OR Aggradin than 80% of stream deposition, contrib	rerage rooting depth, vertical/undercut. ion present on less s, is not preventing s bank sloughing v banks on 80-100%. Ig channel. Greater n bed is covered by	
Sooroo	3		2	4	to sta	res which contribute ability. 2		n is absent.	subterran		CI
Scores	3		Ζ.	.7	<u> </u>	4	1			1	2.40
	N BUFFERS: Assess	ss both bank's		areas along the er		measurements of	length & width ma	ay be acceptable)	NOTES>>		
Riparian Buffers	NBUFFERS: Assess           Optimal           Tree stratum (dbh > 3 inc           with > 60% tree canc           Wetlands located within areas.	nches) present, hopy cover.	Con Subo High Suboptimal:	-	gory	terminister and the second sec	-	boor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.	NOTES>>		
Riparian	Optimal Tree stratum (dbh > 3 in with > 60% tree canc Wetlands located within	nches) present, hopy cover.	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (bh b 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30%	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained	P High Poor: Lawns mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable	NOTES>>		
Riparian	Optimal Tree stratum (dbh > 3 in with > 60% tree canc Wetlands located within	nches) present, hopy cover.	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.	Provide a state of the second state of the sec	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.	NOTES>>		
Riparian Buffers Scores . Delineate ripa	Optimal Tree stratum (dbh > 3 inc with > 60% tree canc Wetlands located within areas.  1.5 Inclusted to the strategy of the st	II Inches) present, topy cover. in the riparian stream bank in by measuring o e for each ripa	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 nto Condition Cate or estimating lengt	ditional Categotimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal:           Non-maintained,           dense herbaceous           vegetation with           either a shrub layer           or a tree layer (dbh           > 3 inches)           present, with <30%	ginal Low Marginal: Non-maintained, dense herbaccous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	Pi High Poor: Lawns mowed, and maintained areas, parsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % I	Door Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100	NOTES>>		
Riparian Buffers Scores . Delineate ripa	Optimal Tree stratum (dbh > 3 inc with > 60% tree canc Wetlands located within areas.  1.5 1.5 rian areas along each s uare footage for each b	II Inches) present, topy cover. in the riparian stream bank in by measuring o	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 nto Condition Cate	ditional Cate,         ptimal         Low Suboptimal:         Riparian areas with         tree stratum (dbh > 3 inches) present,         with 30% to 60%         tree canopy cover         and a maintained         understory. Recent         cutover (dense         vegetation).         Low         1.1         egories and Condi         th and width. Cate	High Marginal:           Non-maintained,           dense herbaceous           vegetation with           either a shrub layer           or a tree layer (dbh           > 3 inches)           present, with <30%	ginal Low Marginal: Non-maintained, dense herbaccous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	Pi High Poor: Lawns mowed, and maintained areas, parsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % I	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian	NOTES>>		
Riparian Buffers Scores Delineate ripa Determine sq Enter the % F	Optimal Tree stratum (dbh > 3 inc with > 60% tree canc Wetlands located within areas.  1.5  1.5  rian areas along each s uare footage for each by Riparian Area and Score % Riparian Area>	II Inches) present, topy cover. in the riparian stream bank in by measuring e for each ripa 25%	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 nto Condition Cate or estimating lengt trian category in th 35%	ditional Categotimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 agories and Condi th and width. Cate the blocks below. 40%	High Marginal:           Non-maintained,           dense herbaceous           vegetation with           either a shrub layer           or a tree layer (dbh           > 3 inches)           present, with <30%	ginal Low Marginal: Non-maintained, dense herbaccous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	Pi High Poor: Lawns mowed, and maintained areas, parsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % I	Door Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100	NOTES>>	pores*0.01)/2	
Riparian Buffers Scores Delineate ripa Determine sq Enter the % F	Optimal Coptimal Tree stratum (dbh > 3 inc with > 60% tree cano Wetlands located within areas.  1.5 Incomparison Area and Score % Riparian Area> % Riparian Area> % Riparian Area>	I Inches) present, topy cover. in the riparian stream bank in by measuring of e for each ripa 25% 1.2 40%	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 nto Condition Cate or estimating lengt rian category in th 35% 0.75	ditional Categotimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 agories and Condit th and width. Cate th and width. Cate th blocks below. 40% 0.5	High Marginal:           Non-maintained,           dense herbaceous           vegetation with           either a shrub layer           or a tree layer (dbh           > 3 inches)           present, with <30%	ginal Low Marginal: Non-maintained, dense herbaccous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	Pi High Poor: Lawns mowed, and maintained areas, parsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % I	Door Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100	CI= (Sum % RA * Sc Rt Bank CI >	0.76	CI
Riparian Buffers Scores Delineate ripa Determine sq Enter the % F Right Bank Left Bank	Optimal         Tree stratum (dbh > 3 inc         with > 60% tree canc         Wetlands located within         areas.         1.5         arian areas along each s         uare footage for each by         Riparian Areaa and Score         % Riparian Area>         Score >         % Riparian Area>         Score >	Il hches) present, hopy cover. in the riparian stream bank in by measuring e for each ripa 25% 1.2 40% 0.5	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 nto Condition Cate or estimating lengt trian category in th 35% 0.75	ditional Categotimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 agories and Condi th and width. Cate th and width. Cate th blocks below. 40% 0.5 15% 1.2	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 tion Scores using	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors. ed for you below.	Prime	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100%	CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI >	0.76 0.72	<u>CI</u> 0.74
Riparian Buffers Scores Delineate ripe Determine sq Enter the % F Right Bank	Optimal         Tree stratum (dbh > 3 in         with > 60% tree canc         Wetlands located within         areas.         1.5         arian areas along each s         vare footage for each by         Aparian Area and Score         % Riparian Area>         Score >         % Riparian Area>         Score >         % HABITAT: Varied s         Ie features.	I hohes) present, hopy cover. in the riparian stream bank in by measuring e for each ripa 25% 1.2 40% 0.5 substrate size I	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 nto Condition Cate or estimating lengt trian category in th 35% 0.75 45% 0.75 sty water velocity a Suboy Stable habitat eler	ditional Categorial Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 agories and Condi th and width. Cale th blocks below. 40% 0.5 15% 1.2 and depths; woody Conditional ptimal ments are typically	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 tion Scores using culators are provid	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors. led for you below. stable substrate; i ginal ments are typically	Prime	Door Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lost, trails, or other comparable conditions. Low 0.5 the sums Riparian qual 100 100% 100% Shade; undercut conditions shade; undercut	CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI >	0.76 0.72	
Riparian Buffers Scores Delineate ripa Determine sq Enter the % F Right Bank Left Bank B. INSTREAN complexes, stab	Optimal Tree stratum (dbh > 3 in with > 60% tree canc Wetlands located within areas.  1.5 Trian areas along each s uare footage for each by tiparian Area and Score % Riparian Area Score > % Riparian Area> Score > % Riparian Area	II Inches) present, topy cover. in the riparian stream bank in by measuring e for each ripa 25% 1.2 40% 0.5 substrate size II ically present in	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 nto Condition Cate or estimating lengt trian category in th 35% 0.75 45% 0.75 s, water velocity a Stable habitat eler present in 30-50% c adequate for n popula	ditional Categorial Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 agories and Condit th and width. Cate th blocks below. 40% 0.5 15% 1.2 and depths; woody Conditional ptimal ments are typically of the reach and are of	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 tion Scores using ulators are provid ulators are provid and leafy debris; al Category Marg Stable habitat eleg present in 10-30% adequate for r popul:	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors. led for you below. stable substrate; f ginal	Pi High Poor: Lawns mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % I Blocks of Blocks of Blocks of Pi Habitat element lacking or are t elements are typi than 10% of	Coor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100% 100% Spoor	CI= (Sum % RA * So Rt Bank CI > Lt Bank CI > banks; root mats; S NOTES>>	0.76 0.72	

Reach R3-R4 File: C:\Users\dan.weidenhof\Documents\Documents\VA Stream Sampling\0 QAQC SUBMITTALS\QAQC working 2nd submittal\S-H36\_20210924KEH\_neep LP\USM\_MVP\_V2.xlsx

Project #	Project Name (Applicant)		Locality	Cowardin Class.	HUC	Date	SAR #	Impact Length	Impact Factor	
22865.06			Franklin County	R3	03010101	8/26/21	S-H36	20	1	
. CHANNEL	ALTERATION: Stream crossin	gs, riprap, concret	e, gabions, or con	crete blocks, strai	ghtening of chann	el, channelization,	embankments, s	poil piles, constrictio	ons, livestock	
			Conditiona	al Category				NOTES>>		
	Negligible	Mir	nor	Mod 40 - 60% of reach	erate 60 - 80% of reach	Sev	vere			
Channel Alteration	hardening absent. Stream has an unaltered pattern or has naturalized.	Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	the channel alterations listed in the parameter guidelines.	is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	Greater than 80% c by any of the chanr in the parameter g 80% of banks sh riprap, or	al alterations listed uidelines AND/OR ored with gabion, cement.			CI
Scores	1.5	1.3	1.1	0.9	0.7	0	.5			1.50
	REACH	CONDITION	INDEX and S	STREAM CO	NDITION UN	ITS FOR THI	S REACH			
OTE: The CIs a	nd RCI should be rounded to 2 decir	nal places. The CF	R should be round	ed to a whole num	nber.		THE REACH	I CONDITION IN	DEX (RCI) >>	1.17
						RCI= (Sum of	all Cl's)/5, exce	ept if stream is ep	hemeral RCI = (F	Riparian C
							COMPENSA	TION REQUIRE	MENT (CR) >>	23
							CR = RC	CI X L <sub>I</sub> X IF		




CAPTION. Assessment is limited to areas within the temporary ROW.

DESCRIBE PROPOSED IMPACT:


PROVIDED UNDER SEPARATE COVER

Reach R3-R4 File: C:\Users\dan.weidenhof\Documents\Documents\VA Stream Sampling\0 QAQC SUBMITTALS\QAQC working 2nd submittal\S-H36\_20210924KEH\_neep LP\USM\_MVP\_V2.xlsx



CL STAKEOUT POINTS: S-H36 CROSS SECTION B (PIPE CL)						
	PR	E-CROSSING		POST-C	ROSSING	
DT LOC	NODTUINC	FASTING		VERT.	HORZ.	
PT. LOC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.	
TS-L	13432760.36	2015639.28	900.55			
BS-L	13432760.47	2015631.01	899.64			
THW	13432760.15	2015623.73	899.62			
BS-R	13432759.93	2015607.47	900.66			
TS-R	13432759.88	2015603.30	902.25			

	T CROSS-SECTION OWNSTREAM)
TS-L BS-L	TS-R BS-R
ר	ΓHW
TS: TOP OF BS: BOTTON	
	WEG (INVERT)



SURVEY NOTES:

1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on November 12, 2018.


2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.

3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).

4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.

5. All section views shown are left to right facing downstream.

6. Cross-section B shot at location of pipe centerline (based on best professional judgement).



EXISTING GRADE

RIGHT FACING DOWNSTREAM.

