Baseline Assessment – Stream Attributes

Reach S-H38 (Timber Mat Crossing) Perennial Spread I Franklin County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	✓
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	√
Longitudinal Profile and Cross Sections	✓

Spread I Stream S-H38 (Timber Mat) Franklin County



Location, Orientation, Photographer Initials: Downstream at LOC looking NE upstream, RAH



Location, Orientation, Photographer Initials: Downstream at ROW looking SW downstream, RAH

Spread I Stream S-H38 (Timber Mat) Franklin County



Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking NW at left streambank, RAH



Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking E at right streambank, RAH

Spread I Stream S-H38 (Timber Mat) Franklin County



Photo Type: US COND Location, Orientation, Photographer Initials: Upstream at LOC looking N upstream, RAH



Location, Orientation, Photographer Initials: Upstream at LOC looking SE downstream, RAH

USACE FILE NO./ Project Name:		Mountain	Valley Pipeline	IMPACT COORDINATES:	Lat.	36.98943	Lon.	-79.722366	WEATHER:	Sunny	DATE:	
(v2.1, Sept 2015)		Wountain	valley ripelille	(in Decimal Degrees)	Lat.	30.30343	Lon.	-73.722300	WEATHER.	Guilly	DATE.	August 25, 2021
IMPACT STREAM/SITE ID A (watershed size {acreage}, u			S-H38;	54.49 ac		MITIGATION STREAM CLASS (watershed size {acreas					Comments:	
<u> </u>												
STREAM IMPACT LENGTH:	20	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:	No	Mitigation Length:	
Column No. 1- Impact Existing	Condition (Debit)		Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation P Post Completion		ive Years	Column No. 4- Mitigation Proje Post Completion (Column No. 5- Mitigation Project	ed at Maturity (Credit)
Stream Classification:	Perennia	al	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Slop	оре	1.91	Percent Stream Channel Sic	рре		Percent Stream Channel S	Slope	0	Percent Stream Channel SI	ope 0	Percent Stream Channel SI	ope 0
HGM Score (attach dat	ata forms):		HGM Score (attach o	data forms):		HGM Score (attack	n data form	s):	HGM Score (attach da	ata forms):	HGM Score (attach da	ata forms):
		Average		Average				Average		Average		Average
Hydrology		0	Hydrology	0		Hydrology		0	Hydrology	0	Hydrology	
Biogeochemical Cycling Habitat		U	Biogeochemical Cycling Habitat	U		Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat	0
PART I - Physical, Chemical and B	Biological Indicator	rs	PART I - Physical, Chemical and	Biological Indicators		PART I - Physical, Chemical a	nd Biologic	al Indicators	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all stream	s classification	s)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	
	0-20	13	Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20	Epifaunal Substrate/Available Cover	0-20
2. Embeddedness 3. Velocity/ Depth Regime	0-20	17	Pool Substrate Characterization Pool Variability	0-20		Embeddedness Velocity/ Depth Regime	0-20		Embeddedness Velocity/ Depth Regime	0-20	Embeddedness Velocity/ Depth Regime	0-20
Sediment Deposition	0-20	14	4. Sediment Deposition	0-20		Sediment Deposition	0-20		4. Sediment Deposition	0-20	Sediment Deposition	0-20
5. Channel Flow Status	0-20 0-1	15	5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20	0-1	5. Channel Flow Status	0-20 0-1	5. Channel Flow Status	0-20 0-1
	0-20	18	6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20	6. Channel Alteration	0-20
7. Frequency of Riffles (or bends)	0-20	14	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
Bank Stability (LB & RB) Vegetative Protection (LB & RB)	0-20	18	8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB)	0-20		Bank Stability (LB & RB) Vegetative Protection (LB & RB)	0-20		8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB)	0-20	8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB)	0-20
Riparian Vegetative Zone Width (LB & RB)	0-20	18	10. Riparian Vegetative Zone Width (LB & RB)	0-20		Riparian Vegetative Zone Width (LB & RB)	0-20		Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	0-20
Total RBP Score	Suboptimal	148	Total RBP Score	Poor 0		Total RBP Score	Poor	0	Total RBP Score	Poor 0	Total RBP Score	Poor 0
Sub-Total CHEMICAL INDICATOR (Applies to Intermittent:	t and Darannial Stream	0.74	Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	and Darannial Streams)		Sub-Total CHEMICAL INDICATOR (Applies to Intermittee	int and Parenni	al Streams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Streams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermitten)	0 t and Darannial Straams)
		-,		and retermine ou currey				ai Gacana)				
WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General Specific Conductivity	il)		WVDEP Water Quality Indicators (General Specific Conductivity)	WVDEP Water Quality Indicators (General) Specific Conductivity	
poconic conductivity	0-90	64.9	opcome conductivity	0.90		opcome conductivity	0-90		openio obiladotivity	0-90	opecine conductivity	0-90
<=99 - 90 points	0-90	64.5		0-90			0-90			0-90		0-90
эн	0.1		pH	0.1		рН		0.1	pH	0.1	рн	0.1
6.0-8.0 = 80 points	0-80	7.65		5-90			5-90			5-90		5-90
DO			DO			DO			DO		DO	
>5.0 = 30 points	10-30	15.62		10-30			10-30			10-30		10-30
Sub-Total		1	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	0
BIOLOGICAL INDICATOR (Applies to Intermitter	ent and Perennial Strea	ems)	BIOLOGICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intern	mittent and Po	erennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	nittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
, , ,	0-100 0-1	70.7	(1700)	0-100 0-1		,.,,,,,	0-100	0-1	(1700)	0-100 0-1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0-100 0-1
Good Sub-Total		0.707	Sub-Total	0		Sub-Total		0	Sub-Total		Sub-Total	
		U	I man a mad	•				·	Harmer - 1986		1 1	
PART II - Index and Un	nit Score		PART II - Index and	Unit Score		PART II - Index an	d Unit Score	,	PART II - Index and U	Init Score	PART II - Index and U	nit Score
Index	Linear Feet L	Jnit Score	Index	Linear Feet Unit Score		Index	Linear I	eet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Scor
0.816	20 16	6.3133333	0	0 0		0	0	0	0	0 0	0	0 0
	l		ļ			µ			<u> </u>		L.	

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

		(FRONT)							
STREAM NAME S-H38		LOCATION Franklin							
STATION#R	IVERMILE	STREAM CLASS Perennial							
LAT 36.98943 LO	ONG79.722366	RIVER BASIN Upper Roa	noke						
STORET#		AGENCY VADEQ							
INVESTIGATORS CL, RI	ł	•							
FORM COMPLETED BY	CL	DATE 8/25/21 TIME 1315	REASON FOR SURVEY Baseline Assessment						
WEATHER CONDITIONS	rain (shower %	Past 24 hours ((steady rain)) (steady rain) (stintermittent) cloud cover ear/sunny	Has there been a heavy rain in the last 7 days? ✓ Yes No Air Temperature 33.9 ° C Other						
SITE LOCATION/MAP	Pipe C	Dense veg.	Dense Veg.						

Spring-fed
Mixture of origins
Other

Stream Subsystem
☑ Perennial ☐ Intermittent ☐ Tidal

Stream Origin
Glacial
Non-glacial montane
Swamp and bog

STREAM CHARACTERIZATION Stream Type

☐Coldwater

☐Warmwater

Catchment Area____

_km²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		✓ Forest	ultural 🔲 Otl	mmercial ustrial		Local Watershed NPS ✓ No evidence Sor Obvious sources Local Watershed Eros ✓ None Moderate	ne potential sources				
RIPARIA VEGETA (18 meter	TION		Indicate the dominant type and record the dominant species present ☐ Trees ☐ Grasses ☐ Herbaceous Dominant species present ☐ Impatiens capensis								
INSTREA FEATURI		Estimat Samplin Area in Estimat	km² (m²x1000) ed Stream Depth Velocity	0.6 m 13 m² km²		_ , ,	ly shaded □Shaded 2m epresented by Stream Run45% ☑No ☑No				
LARGE V DEBRIS	VOODY	LWD Density	of LWD	m²/km² (L	WD/ r	each area)					
AQUATIO VEGETA		Indicate the dominant type and record the dominant species present ☐ Rooted submergent ☐ Floating Algae ☐ Attached Algae ☐ Dominant species present ☐ Portion of the reach with aquatic vegetation 10 %									
WATER (QUALITY	Specific Dissolve pH 7.2u/7 Turbidi	rature 19.0\(\pi\)18.9\(\pi\) C Conductance 123\(\pi\)64. ed Oxygen 9.5\(\pi\)15.62\(\pi\) 65\(\pi\) ty trument Used \(\py\)81	_mg/L	-		Globs Flecks				
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils				— Lρoking at stones which are the undersides black	☐Paper fiber ☐Sand ☐Other ☐Sand ch are not deeply embedded, ck in color?				
INC		STRATE (COMPONENTS 00%)			ORGANIC SUBSTRATE C					
Substrate Type	Diamet	er	% Composition Sampling Reac			Characteristic	% Composition in Sampling Area				
Bedrock Boulder	> 256 mm (10")			Detritus	S	sticks, wood, coarse plant materials (CPOM)					
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-2	2.5")	10 15	Muck-N	Mud	black, very fine organic (FPOM)					
Sand Silt Clay	0.004-0.06 mm	0.06-2mm (gritty) 20 0.004-0.06 mm 35 < 0.004 mm (slick) 20				grey, shell fragments					

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-H38	LOCATION Franklin				
STATION # RIVERMILE	STREAM CLASS Perennial				
LAT <u>36.98943</u> LONG <u>-79.722366</u>	RIVER BASIN Upper Roanoke				
STORET#	AGENCY VADEQ				
INVESTIGATORS CL, RH					
FORM COMPLETED BY CL	DATE 8/25/21 REASON FOR SURVEY TIME 1315 AM PM Baseline Assessment				

	Habitat		Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE 13	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ı sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	score 9	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
ıram	SCORE 17	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
P ₂	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE 14	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	score 15	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)


	Habitat		Condition	ı Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.		
	SCORE 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
ding reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.		
samp	SCORE 14	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing deventracem.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.		
eva	SCORE 5	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
to be	SCORE 7	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.		
	SCORE 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE 9	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.		
	SCORE 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE 9	Right Bank 10 9	8 7 6	5 4 3	2 1 0		

Total Score 148

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-F	LOCATIO	LOCATION Franklin County																
STATION #	R	IVE	RMI	LE_		STREAM	STREAM CLASS Perennial											
LAT 36.98943	_ L	ONC	j -79.	72236	3	RIVER BA	RIVER BASIN Upper Roanoke											
STORET#						AGENCY	VADEQ											
INVESTIGATORS K	B an	d TO)			•]	LOT	NUMBER						
FORM COMPLETED	ВY	K	В			DATE _	0:00 AM]	REAS	SON FOR SURVEY Ba	aselir	ne A	sse	ssm	ent	
HABITAT TYPES	✓	Cob	ble_7	5	%	tage of each habita Snags% phytes%		⁷ eget	ated	Ban	ks	%	_%					
SAMPLE	G	ear	used		D-fr	ame ✓ kick-net	es%											
COLLECTION																		
	Н	ow v	vere	the	samp	les collected?	✓ wadir	ıg	_	froi	n bar	ık 🔲 from boa	t					
	✓	Cob	ble 4			r of jabs/kicks take Snags phytes		⁷ eget		Ban		Sand)	_					
GENERAL COMMENTS	4	kic	ks	dc	ne	in riffle hab	itats.											
Periphyton Filamentous Algae					0	1 2 3 4 1 2 3 4		Ma			rtebr	rates	0	1 1	2	3	4 4	
Macrophytes					0	1 2 3 4		Fis	h				0	1	2	3	4	
	l abı	und	anc	e:	0 = org	Absent/Not Obs anisms), 3= Abu	ndant (>10	org	anis	sms)	rganisms), 2 = Cor , 4 = Dominant (>5	50 oı	rgar	ism			
Porifera	0	1	2	3	4	_	0	1	2	3	4	Chironomidae	0	1	2	3	4	
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4	
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4	
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4	
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4							
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4							
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4							
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4							
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4							
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4							
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4							
						Culcidae	0	_1_	2	3	4							

Mountain Valley Pipeline Data are not adjusted for subsampling



	Sample ID Collection Date	S-H38 09-09-2021
ORDER	GENUS/SPECIES	COUNT
Ephemeroptera Dip		5
Ephemeroptera Eu		6
Ephemeroptera Lep		1
Ephemeroptera Ma		1
	ccoptura xanthenes	4 7
Plecoptera Lei Plecoptera Pe		1
Trichoptera Dip		5
Trichoptera Hy	·	6
Trichoptera Lyp		1
Trichoptera Ey		3
Odonata Bo		1
Odonata Ca		3
	ordulegaster sp.	2
Odonata Go	omphidae	2
Coleoptera Ou	ılimnius sp.	39
Coleoptera Pse	sephenus sp.	4
Coleoptera Ste		1
Megaloptera Nig	gronia sp.	1
Diptera-Chironomidae Ch	naetocladius sp.	1
Diptera-Chironomidae Co		1
Diptera-Chironomidae He		4
Diptera-Chironomidae Lim		1
Diptera-Chironomidae Mic		1
Diptera-Chironomidae Nile	*	1
Diptera-Chironomidae Ort	·	2
Diptera-Chironomidae Pa	arachaetocladius sp.	5
Diptera-Chironomidae Pa	arakiefferiella sp.	1
Diptera-Chironomidae Pa	arametriocnemus sp.	1
Diptera-Chironomidae Pa	araphaenocladius sp.	1
Diptera-Chironomidae Po	olypedilum sp.	9
Diptera-Chironomidae Psi	silometriocnemus triannulatus	1
Diptera-Chironomidae Ste		4
Diptera-Chironomidae Tai	·	8
Diptera-Chironomidae Thi	-	18
Diptera-Cilifornidae Tili	, , ,	10
-	•	6
	eratopogoninae	
Diptera Ch		2
Diptera Dip	·	2
Diptera Dix	xa sp. exatoma sp.	6
Diptera He Diptera Ps		3 3
Diptera Sin		2
Diptera Tip		1
Annelida Lur		3
Annelida Na	aididae	2
	oificoid Naididae w/ cap setae	4
	oificoid Naididae w/o cap setae	10
Bivalvia Pis		1
Gastropoda Ple		3
Crustacea Ca	·	1
Other Organisms Ne	ematoda TOTAL	203

Mountain Valley Pipeline WV SCI Metrics



Sample ID Collection Date	
WVSCI Metric Values Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	31 10 20.9 28.6 48.1 4.92
WVSCI Metric Scores Total taxa EPT taxa % EPT Chironomidae 2 Dominant HBI	147.6 76.9 22.7 72.1 81.2 71.6
WVSCI Metric Scores Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	100.0 76.9 22.7 72.1 81.2 71.6
WVSCI Total Score	70.7

WVSCI Thresholds

Unimpaired = > 68.00 Gray Zone = 60.61 to 68.00 Impaired = <60.61

WOLMAN PEBBLE COUNT FORM

County: Franklin County Stream ID: S-H38

Stream Name: UNT to Jacks Creek

HUC Code: 03010101 Basin: Upper Roanoke

Survey Date: 8/25/2021 Surveyors: CL, RH Type: Representative

T 1	DADTICI E		LE COUNT	D (1.1	7F 4 1 //	T/ 0/	0/ C
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cur
	Silt/Clay	< .062	S/C	^	39	39.00	39.00
	Very Fine	.062125		1	14	14.00	53.00
	Fine	.12525]	+	7	7.00	60.00
	Medium	.255	SAND	+	6	6.00	66.00
	Coarse	.50-1.0]	+	3	3.00	69.00
.0408	Very Coarse	1.0-2	1	+	4	4.00	73.00
.0816	Very Fine	2 -4		+	2	2.00	75.00
.1622	Fine	4 -5.7	1	*	3	3.00	78.00
.2231	Fine	5.7 - 8	1	*	1	1.00	79.00
.3144	Medium	8 -11.3	1	*	2	2.00	81.00
.4463	Medium	11.3 - 16	GRAVEL	^	3	3.00	84.00
.6389	Coarse	16 -22.6	1	^	1	1.00	85.00
.89 - 1.26	Coarse	22.6 - 32	1	^	1	1.00	86.00
1.26 - 1.77	Vry Coarse	32 - 45	1	^	3	3.00	89.00
1.77 -2.5	Vry Coarse	45 - 64	1	^	1	1.00	90.00
2.5 - 3.5	Small	64 - 90	1	^	2	2.00	92.00
3.5 - 5.0	Small	90 - 128	1	^	3	3.00	95.00
5.0 - 7.1	Large	128 - 180	COBBLE	^	2	2.00	97.00
7.1 - 10.1	Large	180 - 256	1	^		0.00	97.00
10.1 - 14.3	Small	256 - 362		^	3	3.00	100.0
14.3 - 20	Small	362 - 512	1	^		0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	^		0.00	100.0
40 - 80	Large	1024 -2048	1	<u> </u>		0.00	100.0
80 - 160	Vry Large	2048 -4096	1	^		0.00	100.0
	Bedrock		BDRK	<u> </u>		0.00	100.0
			1	Totals:	100		

RIVERMORPH PARTICLE SUMMARY

River Name: UNT to Jacks Creek Reach Name: S-H38 Sample Name: Representative 08/25/2021

Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	39 14 7 6 3 4 2 3 1 2 3 1 2 3 2 0 0 0	39.00 14.00 7.00 6.00 3.00 4.00 2.00 3.00 1.00 2.00 3.00 1.00 2.00 3.00 1.00 2.00 3.00 1.00 2.00 3.00 0.00 0.00 0.00	39.00 53.00 60.00 66.00 69.00 73.00 75.00 78.00 79.00 81.00 84.00 85.00 86.00 89.00 90.00 92.00 97.00 97.00 100.00 100.00 100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.03 0.06 0.11 16 128 362 39 34 17 7		

Total Particles = 100.

Stream Assessment Form (Form 1) Unified Stream Methodology for use in Virginia For use in wadeable channels classified as intermittent or perennial Cowardin **Impact** Impact Project # **Project Name (Applicant)** Locality HUC Date SAR# Class _ength **Factor** Mountain Valley Pipeline (Mountain Franklin 22865.06 R3 03010101 8/25/21 S-H38 20 1 Valley Pipeline, LLC) County Stream Name and Information SAR Length Name(s) of Evaluator(s) Spread I; UNT to Jacks Creek CL, RH 96 1. Channel Condition: Assess the cross-section of the stream and prevailing condition (erosion, aggradation) Conditional Category Optimal Suboptimal Poor Severe Marginal Slightly incised, few areas of active ery little incision or active erosion; 8 Often incised, but less than Severe o Overwidened/incised. 100% stable banks. Vegetative rosion or unprotected banks. Majorit Poor, Banks more stable than Severe laterally unstable. Likely to widen vertical/lateral instability. Severe surface protection or natural rock, prominent (80-100%). AND/OR Stable of banks are stable (60-80%). Majority of both banks are incision, flow contained within the or Poor due to lower bank slopes Channel Vegetative protection or natural rock Erosion may be present on 40-60% o near vertical. Erosion present on 60 banks. Streambed below average Condition pankfull benches are present. Acces to their original floodplain or fully prominent (60-80%) AND/OR Depositional features contribute to both banks. Vegetative protection on 40-60% of banks. Streambanks may banks. Vegetative protection present on 20-40% of banks, and is majority of banks vertical/undercut. Vegetative protection present on less insufficient to prevent erosion. the stream is covered by sediment. Sediment is temporary / transient in than 20% of banks, is not preventing erosion. Obvious bank sloughing present. Erosion/raw banks on 80developed wide bankfull benches stability. The bankfull and low flow be vertical or undercut. AND/OR channel bars and transverse bars few Transient sediment deposition covers 40-60% Sediment may be temporary transient, contribute instability. channels are well defined. Stream likely has access to bankfull 100%. AND/OR Aggrading channel. than 80% of stream bed is covered by deposition, contributing to instability. less than 10% of bottom. benches.or newly developed Deposition that contribute to stability nature, and contributing to instability portions of the reach. Transient sediment covers 10-40% of the may be forming/present. AND/OR V-AND/OR V-shaped channels have shaped channels have vegetative vegetative protection is present on a protection on > 40% of the banks and depositional features which contribute 40% of the banks and stable sedin deposition is absent. Multiple thread channels and/or subterranean flow. stream bottom CI to stability. 3 2.00 **Scores** 2.4 1.6 NOTES>> Assessment is limited to areas within the temporary ROW. 2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable) **Conditional Category** NOTES>> Optimal Suboptimal Marginal Poor Low Marginal: High Poor: ow Suboptimal Non-maintained High Suboptimal Lawns, mowed. Riparian areas with tree stratum High Marginal ense herbaceou vegetation, Riparian areas and maintained Low Poor: Non-maintained with tree stratum areas, nurseries Impervious (dbh > 3 inches) ense herbaceou riparian areas (dbh > 3 inches) present, with 30% surfaces, mine spoil lands, no-till cropland; esent, with 30% vegetation with icking shrub an Free stratum (dbh > 3 inches) presei actively grazed Riparian to 60% tree either a shrub tree stratum, hav to 60% tree pasture, sparsely vegetated nonwith > 60% tree canopy cover enuded surface: anopy cover an a maintained layer or a tree layer (dbh > 3 roduction, ponds open water. If **Buffers** Wetlands located within the riparian canopy cover and row crops, active areas. containing both maintained area feed lots, trails, or understory. Recent cutover inches) present with <30% tree present, tree herbaceous and recently seeded and stabilized, or other comparable stratum (dbh >3 shrub layers or a conditions. (dense canopy cover inches) present, non-maintained other comparable vegetation). with <30% tree understory condition. anopy cover wit maintained Low High High Low High Low 1.5 0.85 0.75 0.6 0.5 Scores 1.2 1.1 Delineate riparian areas along each stream bank into Condition Categories and Condition Scores using the Ensure the sums Determine square footage for each by measuring or estimating length and width. Calculators are provided for you of % Riparian pelow 3. Enter the % Riparian Area and Score for each riparian category in the blocks below Blocks equal 100 % Riparian Area> 10% 80% 10% 100% Right Bank 0.85 0.75 Score > 0.6 CI= (Sum % RA * Scores*0.01)/2 % Riparian Area> 10% 80% 10% 100% Rt Bank CI > 0.82 CI Left Bank Score > 0.6 0.85 0.75 Lt Bank CI > 0.82 0.82 3. INSTREAM HABITAT: Varied substrate sizes, water velocity and depths; woody and leafy debris; stable substrate; low embeddeness; shade; undercut banks; root mats; SAV; ffle/pool complexes, stable features **Conditional Category** NOTES>> Instream Optimal Suboptimal Marginal Poor Habitat/ ments are typically Habitat elements listed above are Available Habitat elements are typically preser present in 30-50% of the reach and present in 10-30% of the reach and lacking or are unstable. Habitat in greater than 50% of the reach are adequate for maintenance of are adequate for maintenance of ments are typically present in less than 10% of the reach. Cover populations. populations. Stream Gradient CI

0.9

0.5

High / Low

1.20

Scores

1.5

1.2

	St	ream In	npact A	ssessn	nent Fo	rm Pag	e 2		
Project #	Project Name (Applicant) Mountain Valley Pipeline (Mountain Valley Pipeline, LLC)		Locality	Class.	HUC 03010101	Date 8/25/21	SAR # / Data Point S-H38	Impact / SAR length 20	Impact Factor 1
22865.06			Franklin County						
4. CHANNE	L ALTERATION: Stream cross	sings, riprap, conc			traightening of ch	annel, channeliza	ation, embankmen		ctions, livestock
Channel Alteration	Negligible	Negligible Mino				Severe		NOTES>>	
	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	20-40% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	or - 50% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not	by any of the char in the parameter 80% of banks si	of reach is disrupted nel alterations listed guidelines AND/OR nored with gabion, or cement.	d d	
Scores	1.5	1.3	1.1	0.9	0.7	().5		
							UO DE 4 OU		
	REACH C	CONDITION I	NDEX and S	STREAM CO	NDITION UN	IIIS FOR TI	HIS REACH		

RCI= (Sum of all Cl's)/5, except if stream is ephemeral RCI = (Riparian Cl/2) COMPENSATION REQUIREMENT (CR) >>

CR = RCI X L_I X IF

INSERT PHOTOS:



DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER

