Baseline Assessment – Stream Attributes

Reach S-HH1 (Pipeline ROW) Ephemeral Spread I Franklin County, Virginia

Data	Included			
Photos	✓			
SWVM Form	✓			
FCI Calculator and HGM Form	✓			
RBP Physical Characteristics Form*	✓			
Water Quality Data	N/A – No flow			
RBP Habitat Form	✓			
RBP Benthic Form	✓			
Benthic Identification Sheet	N/A – No flow			
Wolman Pebble Count	✓			
RiverMorph Data Sheet	✓			
USM Form (Virginia Only)	✓			
Longitudinal Profile and Cross Sections	✓			

^{*}Modified RBP



Location, Orientation, Photographer Initials: Downstream at ROW/LOC looking NE upstream, VM



Location, Orientation, Photographer Initials: Downstream at ROW/LOC looking SW downstream, VM



Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking NW at left streambank, VM



Photo Type: RB CL

Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking NE at right streambank, VM



Photo Type: US COND Location, Orientation, Photographer Initials: Upstream at ROW/LOC looking NW upstream, VM



Location, Orientation, Photographer Initials: Upstream at ROW/LOC looking SW downstream, VM

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mountain Valley Pipeline		Valley Pipeline		COORDINATES: imal Degrees)	Lat.	36.974647	Lon.	-79.674453	WEATHER:		Sunny	DATE:	8/25/2021	
IMPACT STREAM/SITE ID (watershed size {acreage},				S-HH1/5.79 ac			MITIGATION STREAM CLASS./SITE ID AND SITE DESCRIPTION: (watershed size {acreage}, unaltered or impairments)			l:			Comments:		
STREAM IMPACT LENGTH:	18	FORM MITIGAT		RESTORATION (Levels I-III)		OORDINATES: imal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS): 	No	Mitigation Length:	
Column No. 1- Impact Existing	g Condition (De	bit)		Column No. 2- Mitigation Existing	Condition - Base	line (Credit)	•	Column No. 3- Mitigation P Post Completion		ears	Column No. 4- Mitigation Post Comple		Years	Column No. 5- Mitigation Projecte	ed at Maturity (Credit)
Stream Classification:	Ephe	meral		Stream Classification:				Stream Classification:		0	Stream Classification:		0	Stream Classification:	0
Percent Stream Channel SI	<u> </u>	9.02		Percent Stream Channel S	<u> </u>			Percent Stream Channel S		0	Percent Stream Chann	<u> </u>	0	Percent Stream Channel Slo	•
HGM Score (attach d	ata forms):			HGM Score (attach	h data forms):			HGM Score (attac	h data forms):		HGM Score (atta	ch data forms):		HGM Score (attach da	ita forms):
		Average				Average				Average			Average		Average
Hydrology	0.55	- The stage		Hydrology				Hydrology		90	Hydrology		100000	Hydrology	
Biogeochemical Cycling	0.42	0.42		Biogeochemical Cycling		0		Biogeochemical Cycling		0	Biogeochemical Cycling		0	Biogeochemical Cycling	0
Habitat PART I - Physical, Chemical and	0.29 Biological Indic	cators		Habitat PART I - Physical, Chemical a	and Biological Indi	icators		PART I - Physical, Chemical a	and Biological Ind	icators	Habitat PART I - Physical, Chemica	and Biological In	dicators	PART I - Physical, Chemical and I	Biological Indicators
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Range	Site Score		Points Scale Rai	nge Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)	•		PHYSICAL INDICATOR (Applies to all stream	ns classifications)			PHYSICAL INDICATOR (Applies to all stream	ns classifications)		PHYSICAL INDICATOR (Applies to all s	reams classifications))	PHYSICAL INDICATOR (Applies to all streams	classifications)
USEPA RBP (High Gradient Data Sheet)				USEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sh	et)		USEPA RBP (High Gradient Data Sheet)	
Epifaunal Substrate/Available Cover	0-20	0		Epifaunal Substrate/Available Cover	0-20			Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20
2. Embeddedness	0-20	15		2. Pool Substrate Characterization	0-20			2. Embeddedness	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20
Velocity/ Depth Regime Sediment Deposition	0-20 0-20	19		Pool Variability Sediment Deposition	0-20 0-20			Velocity/ Depth Regime Sediment Deposition	0-20 0-20		Velocity/ Depth Regime Sediment Deposition	0-20 0-20		Velocity/ Depth Regime Sediment Deposition	0-20 0-20
5. Channel Flow Status	0-20	0		5. Channel Flow Status	0-20			Sediment Deposition Channel Flow Status	0-20		5. Channel Flow Status	0.20		5. Channel Flow Status	0.20
6. Channel Alteration	0-20 0-1	10		6. Channel Alteration	0-20 0-1			6. Channel Alteration	0-20 0-1		6. Channel Alteration	0-20	-1	6. Channel Alteration	0-20 0-1
7. Frequency of Riffles (or bends)	0-20	0		7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20
8. Bank Stability (LB & RB)	0-20	18		8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20
9. Vegetative Protection (LB & RB)	0-20	14		9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20
10. Riparian Vegetative Zone Width (LB & RB)	0-20	14 90		10. Riparian Vegetative Zone Width (LB & RB)	0-20	0		10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB &		0	10. Riparian Vegetative Zone Width (LB & RB)	0-20
Total RBP Score Sub-Total	Suboptimal	0.75		Total RBP Score Sub-Total	Poor	0		Total RBP Score Sub-Total	Poor	0	Total RBP Score Sub-Total	Poor	0	Total RBP Score Sub-Total	Poor 0
CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Str			CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Stre	eams)		CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Str	eams)	CHEMICAL INDICATOR (Applies to Inte	mittent and Perennial	I Streams)	CHEMICAL INDICATOR (Applies to Intermittent	at and Perennial Streams)
WVDEP Water Quality Indicators (General		,		WVDEP Water Quality Indicators (Genera		,		WVDEP Water Quality Indicators (Genera		,	WVDEP Water Quality Indicators (Ge			WVDEP Water Quality Indicators (General)	
Specific Conductivity				Specific Conductivity				Specific Conductivity			Specific Conductivity			Specific Conductivity	
100-199 - 85 points	0-90				0-90				0-90			0-90			0-90
pH		(1)		рН				pH			рН			рН	
	0-80				5-90 0-1				5-90 0-1			5-90	-1		5-90 0-1
5.6-5.9 = 45 points DO				DO.				DO			DO.			DO.	
50	10.00				40.00				10.00			40.00		BC	10.00
	10-30				10-30				10-30			10-30			10-30
Sub-Total				Sub-Total		0		Sub-Total		0	Sub-Total		0	Sub-Total	0
BIOLOGICAL INDICATOR (Applies to Intermit	tent and Perennial	Streams)		BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennial S	treams)		BIOLOGICAL INDICATOR (Applies to Inter	rmittent and Perenn	al Streams)	BIOLOGICAL INDICATOR (Applies to	ntermittent and Per	ennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennial Streams)
WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI			WV Stream Condition Index (WVSCI)	
	0-100 0-1				0-100 0-1				0-100 0-1			0-100	-1		0-100 0-1
0 Sub-Total		0		Sub-Total		0		Sub-Total		0	Sub-Total		0	Sub-Total	0
							•								
PART II - Index and U	Init Score			PART II - Index and	d Unit Score			PART II - Index an	nd Unit Score		PART II - Index	nd Unit Score		PART II - Index and Ur	nit Score
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score	Index	Linear Fee	et Unit Score	Index	Linear Feet Unit Score
0.598	18	10.755		0	0	0		0	0	0	0	0	0	0	0 0

0.0

			High-G					ppalachi	а		
	_			Field L	Data She	et and C					
_		AJ, VM	· 5: .:					Latitude/UT	_		
Pro			/alley Pipelir		Tl O	-1-	L			<u>-79.674453</u>	3
	Location:	Spread I, F	ranklin Cou	nty, UNI to	Turkey Cre	ек	-	San	npling Date:	8-27-21	
SA	AR Number:	S-HH1	Reach	Length (ft):	47	Stream Ty	/pe: Ephe	emeral Stream	1		
	Top Strata:	Sh	rub/Herb Str	ata	(determine	d from perce	ent calculat	ed in V _{CCANO}	_{DPY})		
Site	and Timing:	Project Site				•	Before Proje	ect			<u></u>
Sample			am channel								
1	V _{CCANOPY}	equidistant	ercent cover points along at least one	g the strean	n. Measure	only if tree/	sapling cov	er is at leas			Not Used, <20%
	List the per	cent cover	measureme	nts at each	point below						
	0										
•		^		6.0				11 00			
2	V_{EMBED}	•	nbeddednes						• • •	•	2.2
		along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating									
			according to the following table. If the bed is an artificial surface, or composed of fine sediments, use a								
		•	e of 1. If the	•				•		,	
			ness rating		•				tts. Megaha	n. and	Measure
										at least	
		Rating	Rating Rating Description 30 po								30 points
		5	, , ,								
		4						by fine sed			•
		3						d by fine se			
		2						d by fine se		ial curface)	
	List the rati		point below		covereu, sc	inounded, c	n bunea by	illie sediille	in (or artific	iai suriace)	
	2	1	1	3	3	4	3	2	1	1	
	3	2	2	2	2	1	2	3	4	1	
						'				'	
2	\/	Madian atr	eam channe	Loubotroto	nortiale eize	Magaura	et ne fewer	than 20 rau	ably cauidia	tant nainta	
3	$V_{SUBSTRATE}$		eam channe stream; use f						grily equicis	stant points	2.00 in
		•		•	•						
			ches to the				w (bedrock	should be o	ounted as 9	99 in,	
			0.0 in, sand			· ·					
	2.50	2.50	2.50	0.00	0.05	2.51	0.04	0.80	2.54	0.02	
	3.25	2.53	0.52	1.10	1.50	4.20	1.50	0.70	2.60	2.70	
4	V_{BERO}		ent of eroded								
			e total perce	entage will b	oe calculate	d If both ba	nks are er	oded, total e	rosion for th	ne stream	0 %
		may be up									
			Left Bank:	0	ft		Right Bank:	0	ft		
Sample	Variables	5-9 within	the entire ri	parian/buff	fer zone ad	jacent to th	e stream c	hannel (25	feet from e	ach bank).	
5	V_{LWD}	Number of	down wood	y stems (at	least 4 inch	es in diame	ter and 36 i	nches in len	gth) per 100) feet of	

stream reach. Enter the number from the entire 50'-wide buffer and within the channel, and the amount

Number of downed woody stems:

0

per 100 feet of stream will be calculated.

6	V _{TDBH} Average dbh of trees (measure only if V _{CCANOPY} tree/sapling cover is at least 20%). Trees are at least 4 inches (10 cm) in diameter. Enter tree DBHs in inches.							e at least 4	Not Used		
		List the dbl	n measurem				n) within the	buffer on e	ach side of		
		the stream	below: Left Side					Right Side			
	0		Left Olde			0		rtigrit Olde			
7	V_{SNAG}		snags (at le stream, and					Enter num	ber of snag	s on each	148.9
			Left Side:		5		Right Side:		35		
8	V_{SSD}									easure only	148.9
			r is <20%). r 100 ft of st				ibs on each	side oi the	stream, and	ı ine	140.9
		•	Left Side:	3	5		Right Side:		35		
9	V_{SRICH}		egetation sp the tallest s								0.00
			er 100 feet a						iii stiata. O	50003	0.00
	Group 1 = 1.0							Group	2 (-1.0)		
	Acer rubrum				Ailanthus a	Itissima	✓	Lonicera ja	ponica		
	Acer sacch	narum		Nyssa sylv	atica		Albizia julib	rissin		Lonicera ta	tarica
	Aesculus f	lava		Oxydendrun	arboreum		Alliaria peti	olata		Lotus corni	culatus
	Asimina tri	loba		Prunus ser	otina		Alternanthe			Lythrum sa	licaria
	Betula alleg	ghaniensis		Quercus al	ba	philoxeroides		es	✓	Microstegiun	n vimineum
	Betula lent	'a		Quercus co	occinea		Aster tataricus		Paulownia	tomentosa	
	Carya alba	1		Quercus in	nbricaria		Cerastium	fontanum		Polygonum (cuspidatum
	Carya glab	ora		Quercus pi	rinus		Coronilla va	aria		Pueraria m	ontana
	Carya ova	lis		Quercus ru	bra		Elaeagnus u	mbellata	\checkmark	Rosa multir	flora
	Carya ova	ta		Quercus ve	elutina		Lespedeza	bicolor		Sorghum h	alepense
	Cornus flo	rida		Sassafras	albidum		Lespedeza	cuneata		Verbena bi	asiliensis
	Fagus gra	ndifolia		Tilia americ	cana		Ligustrum ob	otusifolium			
	Fraxinus a	mericana		Tsuga can	adensis		Ligustrum s	sinense			
	Liriodendror	n tulipifera		Ulmus ame	ericana						
	Magnolia a	acuminata									
		0	Species in	Group 1				3	Species in	Group 2	
	Sample Variables 10-11 within at least 8 subplots (40" x 40", or 1m x 1m) in the riparian/buffer zone within 25 feet from each										
_	e Variables The four su						_			ııı ∠ə teet tro	om each
10	V _{DETRITUS}	Average pe	ercent cover are include.	of leaves,	sticks, or oth	ner organic ı	material. W	oody debris	s <4" diame	ter and	1.67 %
			Left	Side			Right	Side]	
		0	0	5		0	0	5			
•											

11	V_{HERB}	Average ne	rcentage co	ver of herb	aceous ved	etation (mea	asure only it	ftree cover	is <20%) F)o not	
	▼ HERB	include woo	ody stems a	t least 4" db	oh and 36" t	all. Because	there may	be several	layers of gro	ound cover	98 %
		vegetation at each sub		s up througl	n 200% are	accepted. I	Enter the pe	rcent cover	of ground v	egetation	90 70
		at each sut	Left	Side			Righ	t Side		1	
		100	100	95		100	100	95		1	
Sampl	e Variable 1	2 within the	e entire cat	chment of	the stream						
12	V_{WLUSE}	Weighted A	Average of F	Runoff Score	e for waters	hed:					0.80
									D #	% in	Running
			Land	Use (Choos	e From Dro	p List)			Runoff Score	Catch-	Percent
	Forest and native range (<50% ground cover)								0.5	ment 41	(not >100) 41
											
	Forest and n	ative range (>	> 75% ground	cover)					1	59	100
								•			
	▼										
								▼			
	S	-HH1					No	tes:	1		
V	ariable	Value	VSI			was comp					
V _c	CANOPY	Not Used, <20%	Not Used			at satellite es are bas					5.
Ve	MBED	2.2	0.51			hment valu					number.
	UBSTRATE	2.00 in	1.00								
V_{B}	ERO	0 %	1.00								
VL	WD	0.0	0.00								
V _T	DBH	Not Used	Not Used								
Vs	NAG	148.9	0.50								
Vs	SD	148.9	1.00								
Vs	RICH	0.00	0.00								
V_{D}	ETRITUS	1.7 %	0.02								
V_{H}	ERB	98 %	1.00								
Vw	LUSE	0.8	0.84								

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (220% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: Mountain Valley Pipeline

Location: Spread I, Franklin County, UNT to Turkey Creek

Sampling Date: 8-27-21 Project Site Before Project

Subclass for this SAR:

Ephemeral Stream

Uppermost stratum present at this SAR: SAR number: S-HH1

Shrub/Herb Strata

Functional Results Summary: Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.55
Biogeochemical Cycling	0.42
Habitat	0.29

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V_{EMBED}	Average embeddedness of channel.	2.15	0.51
V _{SUBSTRATE}	Median stream channel substrate particle size.	2.00	1.00
V_{BERO}	Total percent of eroded stream channel bank.	0.00	1.00
V_{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V_{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	148.94	0.50
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	148.94	1.00
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	1.67	0.02
V_{HERB}			1.00
V _{WLUSE}			0.84

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

		<u> </u>							
STREAM NAME		LOCATION							
STATION #	RIVERMILE	STREAM CLASS							
LAT	LONG	_ RIVER BASIN							
STORET#		AGENCY							
INVESTIGATORS									
FORM COMPLETED B	Y	DATETIME	REASON FOR SURVEY						
WEATHER CONDITIONS	ra: show		Has there been a heavy rain in the last 7 days? Yes No Air Temperature0 C Other						
SITE LOCATION/MAI		site and indicate the areas sat	Down ST						
To Va Gas									
out	Up ST	Stream 4	7ftx 1ft Timber ma						
Gas in			LO						
From WV		1	R Buffer						

Stream Type Coldwater

Catchment Area_

Warmwater

_km²

Tidal

Spring-fed Mixture of origins Other____

Stream Subsystem Perennial Intermittent

Glacial Non-glacial montane Swamp and bog

Stream Origin

STREAM CHARACTERIZATION

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	t Comme Comme Industri Utural Other _ ential	rcial al	Obvious sources	No evidence Some potential sources Obvious sources Local Watershed Erosion				
RIPARIA VEGETA (18 meter	N FION buffer)	Trees	e the dominant type and S ant species present	hrubs	minant species present Grasses He	rbaceous				
INSTREA FEATURI		Estimat Samplin Area in Estimat	km² (m²x1000) red Stream Depth Velocity m	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No				
LARGE W DEBRIS	VOODY	LWD Density		n²/km² (LWD / 1	reach area)					
AQUATIC VEGETA		Roote Floati Domin a	e the dominant type and demergent Rong Algae Authors pecies present of the reach with aquat	ooted submerge ttached Algae	nt Rooted floating	Free floating				
Not e water samp	nough to	Specific Dissolve pH	cature0 C c Conductance ed Oxygen city strument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks				
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	ical Anaerobic	Petroleum None	are the undersides blac	Paper fiber Sand Other h are not deeply embedded, k in color?				
INC	INORGANIC SUBSTRATE COMPONENTS ORGANIC SUBSTRATE COMPONENTS									
Substrate Type	(should a Diamet	dd up to 1 er	% Composition in Sampling Reach	Substrate Type	(does not necessarily add Characteristic	wp to 100%) % Composition in Sampling Area				
Bedrock			Sampinig Reacti	Detritus	sticks, wood, coarse plant materials (CPOM)	Samping Area				

INC	ORGANIC SUBSTRATE (should add up to		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)					
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area			
Bedrock			Detritus	sticks, wood, coarse plant				
Boulder	> 256 mm (10")			materials (CPOM)				
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic				
Gravel	2-64 mm (0.1"-2.5")			(FPOM)				
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments				
Silt	0.004-0.06 mm							
Clay	< 0.004 mm (slick)							

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category		
	Parameter	Optimal	Suboptimal	Marginal	Poor	
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.	
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).	
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total	Caare	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		LOT NUMBER
FORM COMPLETED BY	DATETIME	REASON FOR SURVEY
HADITAT TYPES Indicate the percentage of	and habitat type present	

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Franklin County Stream ID: S-HH1

Stream Name: UNT to Turkey Creek HUC Code: 03010101 Upper Roanoke Basin:

Survey Date: 8/25/2021 Surveyors: AJ, VM Type: Representative

			LE COUNT	T .		T	ı
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	•	87	87.00	87.00
	Very Fine	.062125		-		0.00	87.00
	Fine	.12525		•		0.00	87.00
	Medium	.255	SAND	-		0.00	87.00
	Coarse	.50-1.0	1	A	10	10.00	97.00
.0408	Very Coarse	1.0-2	1	^		0.00	97.00
.0816	Very Fine	2 -4		A		0.00	97.00
.1622	Fine	4 -5.7	1	A		0.00	97.00
.2231	Fine	5.7 - 8	1	A		0.00	97.00
.3144	Medium	8 -11.3		▲		0.00	97.00
.4463	Medium	11.3 - 16	GRAVEL	A		0.00	97.00
.6389	Coarse	16 -22.6		A		0.00	97.00
.89 - 1.26	Coarse	22.6 - 32	7	A		0.00	97.00
1.26 - 1.77	Vry Coarse	32 - 45	1	A		0.00	97.00
1.77 -2.5	Vry Coarse	45 - 64	7	A		0.00	97.00
2.5 - 3.5	Small	64 - 90		A		0.00	97.00
3.5 - 5.0	Small	90 - 128	1	A		0.00	97.00
5.0 - 7.1	Large	128 - 180	COBBLE	A	3	3.00	100.0
7.1 - 10.1	Large	180 - 256	1	A		0.00	100.0
10.1 - 14.3	Small	256 - 362		<u> </u>		0.00	100.0
14.3 - 20	Small	362 - 512	1	<u> </u>		0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	<u> </u>		0.00	100.0
40 - 80	Large	1024 -2048	1	<u> </u>		0.00	100.0
80 - 160	Vry Large	2048 -4096	1	<u> </u>		0.00	100.0
	Bedrock		BDRK	<u> </u>		0.00	100.0
				Totals:	100		

RIVERMORPH PARTICLE SUMMARY

River Name: UNT to Turkey Creek Reach Name: S-HH1 Representative 08/25/2021

Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	87 0 0 0 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	87.00 0.00 0.00 0.00 10.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	87.00 87.00 87.00 87.00 97.00 97.00 97.00 97.00 97.00 97.00 97.00 97.00 97.00 97.00 100.00 100.00 100.00 100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.01 0.03 0.04 0.06 0.9 180 87 10 0		

Total Particles = 100.

Ephemeral Stream Assessment Form (Form 1a) Unified Stream Methodology for use in Virginia For use in ephemeral streams Cowardin **Impact Impact Project # Project Name** HUC SAR# Locality **Date** Length **Factor** Class. **Mountain Valley Pipeline (Mountain** 22865.06 S-HH1 18 ranklin Coun R6 03010101 8/25/2021 **Valley Pipeline, LLC)** Name(s) of Evaluator(s) **Stream Name and Information** SAR Length 18 Spread I; Franklin County, UNT to Turkey Creek AJ, VM 2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable) NOTES>> **Conditional Category Optimal Suboptimal** Marginal **Poor** Low Marginal: **High Poor:** Non-maintained, Low Suboptimal: **High Suboptimal**: Lawns, mowed, **High Marginal:** dense herbaceous Riparian areas Riparian areas and maintained Low Poor: Non-maintained, with tree stratum vegetation, with tree stratum areas, nurseries; Impervious (dbh > 3 inches) dense herbaceous riparian areas no-till cropland; (dbh > 3 inches) surfaces, mine lacking shrub and vegetation with present, with Tree stratum (dbh > 3 inches) present, actively grazed present, with 30% spoil lands, Riparian >30% tree canopy tree stratum, hay either a shrub with > 60% tree canopy cover and an to 60% tree pasture, sparsely denuded surfaces, production, ponds cover and a layer or a tree **Buffers** non-maintained understory. Wetlands vegetated noncanopy cover and row crops, active layer (dbh > 3 maintained open water. If maintained area, feed lots, trails, or areas. containing both inches) present, present, tree understory. other comparable herbaceous and recently seeded with <30% tree stratum (dbh >3 Recent cutover and stabilized, or shrub layers or a conditions. inches) present, (dense canopy cover. non-maintained other comparable with <30% tree vegetation). condition. understory. canopy cover with maintained understory. High High High Low Low Low Condition 1.5 1.2 1.1 0.5 0.85 0.75 0.6 **Scores** 1. Delineate riparian areas along each stream bank into Condition Categories and Condition Scores using the descriptors. Ensure the sums 2. Determine square footage for each by measuring or estimating length and width. Calculators are provided for you of % Riparian below. 3. Enter the % Riparian Area and Score for each riparian category in the blocks below. Blocks equal 100 100% 100% % Riparian Area> **Right Bank** 0.85 Score > CI= (Sum % RA * Scores*0.01)/2 % Riparian Area> 100% 100% Rt Bank CI > CI 0.85 **Left Bank** 0.85 0.85 Lt Bank CI > 0.85 Score > REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH THE REACH CONDITION INDEX (RCI) >> 0.43 NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number. RCI= (Riparian CI)/2

COMPENSATION REQUIREMENT (CR) >>

CR = RCI X LF X IF


8


INSERT PHOTOS:





CAPTION. Assessment is limited to areas within the temporary ROW.

DESCRIBE PROPOSED IMPACT:		
	PROVIDED UNDER SEPARATE COVER	
	PROVIDED UNDER SEPARATE COVER	












CL STAKEOUT POINTS: S-HH1 CROSS SECTION B (PIPE CL)									
	PRE	-CROSSING		POST-CF	ROSSING				
DT LOC	NODTHING	FACTING		VERT.	HORZ.				
PT. LOC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.				
TS-L	13428086.21	2027514.06	903.08						
BS-L	13428087.72	2027511.88	901.97						
THW	13428088.35	2027510.89	901.85						
BS-R	13428089.42	2027509.73	902.21						
TS-R	13428091.26	2027507.05	903.05						



SURVEY NOTES:

- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on December 4, 2018.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. All section views shown are left to right facing downstream.
- 6. Cross-section B shot at location of pipe centerline (based on best professional judgement).





L:\Survey\22000s\22800\22865.03\Spread I Work Dwgs 22865_03 S-I MP 279-291 Sheets.dwg