Reach S-HH4 (Pipeline ROW) Intermittent Spread I Franklin County, Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	\checkmark
RBP Physical Characteristics Form	\checkmark
Water Quality Data	N/A – Low flow
RBP Habitat Form	\checkmark
RBP Benthic Form	\checkmark
Benthic Identification Sheet	N/A –Low flow
Wolman Pebble Count	\checkmark
RiverMorph Data Sheet	\checkmark
USM Form (Virginia Only)	\checkmark
Longitudinal Profile and Cross Sections	\checkmark

Spread I Stream S-HH4 (Pipeline ROW) Franklin County



Photo Type: US VIEW Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking S upstream, DW



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking N downstream, DW

Spread I Stream S-HH4 (Pipeline ROW) Franklin County



Photo Type: LB CL Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking E at right streambank, DW



Photo Type: RB CL Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking W at left streambank, DW

Spread I Stream S-HH4 (Pipeline ROW) Franklin County



Photo Type: DS VIEW Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking N downstream, DW

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		N	lountain V	/alley Pipeline			OORDINATE	
IMPACT STREAM/SITE ID (watershed size {acreage},				S-HH4	11.87 ac			
STREAM IMPACT LENGTH:	97	FORM MITIGAT		RESTORATION (Levels I-III)		MIT COORDINATES: (in Decimal Degrees)		
Column No. 1- Impact Existing	g Condition (De	ebit)		Column No. 2- Mitigation Existing C	ondition	- Baseli	ne (Credit)	
Stream Classification:	Inter	mittent		Stream Classification:				
Percent Stream Channel SI	оре	5.18		Percent Stream Channel SI	оре			
HGM Score (attach d	ata forms):			HGM Score (attach	data forn	ns):		
		Average					Average	
Hydrology	0.56			Hydrology				
Biogeochemical Cycling	0.42	0.45333333		Biogeochemical Cycling			0	
Habitat	0.38			Habitat				
PART I - Physical, Chemical and	Biological Indi	cators		PART I - Physical, Chemical an	d Biologio	cal Indic	cators	
	Points Scale Range	Site Score			Points Scale	Range	Site Score	
PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all streams	classificatio	ons)		
JSEPA RBP (High Gradient Data Sheet)				USEPA RBP (Low Gradient Data Sheet)				
. Epifaunal Substrate/Available Cover	0-20	0		1. Epifaunal Substrate/Available Cover	0-20			
. Embeddedness	0-20	12		2. Pool Substrate Characterization	0-20			
8. Velocity/ Depth Regime	0-20	0		3. Pool Variability	0-20			
. Sediment Deposition	0-20	18		4. Sediment Deposition	0-20			
5. Channel Flow Status	0-20 0-1	0		5. Channel Flow Status	0-20	0-1		
6. Channel Alteration	0-20	19		6. Channel Alteration	0-20	0-1		
7. Frequency of Riffles (or bends)	0-20	0		7. Channel Sinuosity	0-20			
B. Bank Stability (LB & RB)	0-20	19		8. Bank Stability (LB & RB)	0-20			
9. Vegetative Protection (LB & RB)	0-20	18		9. Vegetative Protection (LB & RB)	0-20			
10. Riparian Vegetative Zone Width (LB & RB)	0-20	18		10. Riparian Vegetative Zone Width (LB & RB)	0-20			
Total RBP Score	Marginal	104		Total RBP Score	Poo	or	0	
Sub-Total CHEMICAL INDICATOR (Applies to Intermitter	at and Parannial S	0.52		Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	and Doron	nial Strag	0	
							ams)	
WVDEP Water Quality Indicators (General Specific Conductivity)			WVDEP Water Quality Indicators (General) Specific Conductivity				
	0.00				0.00			
100-199 - 85 points	0-90				0-90			
bH				рН			0	
	0-80				5-90	0-1		
5.6-5.9 = 45 points				DO				
	10-30				10-30			
Sub-Total	•			Sub-Total	•		0	
BIOLOGICAL INDICATOR (Applies to Intermit	tent and Perennia	Streams)		BIOLOGICAL INDICATOR (Applies to Intermitted	ent and Per	ennial Str	reams)	
VV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				
0	0-100 0-1				0-100	0-1		
Sub-Total	· · · ·	0		Sub-Total	ļ		0	
PART II - Index and U	Init Score			PART II - Index and	Unit Scor	e		
				la des	Linco	Feet	Linit Ora	
Index	Linear Feet	Unit Score		Index	Linear	reet	Unit Score	

0

0

0

Index	Linear Feet	Unit Score
0.557	97	53.9966667

	37.056594	Lon.		-79.835785	WEATHER:			Sunny	DATE:		8/26/20	021
	MITIGATION STREAM CLASS./ (watershed size {acreage								Comments:			
		Lon.			PRECIPITATION PAST 48 HRS:			No	Mitigation Length:			
	Column No. 3- Mitigation Pr Post Completion			ears	Column No. 4- Mitigation Proj Post Completion		en Yea	ırs	Column No. 5- Mitigation Projecte	ed at Matu	rity (Cro	edit)
Str	eam Classification:			0	Stream Classification:		0		Stream Classification:		0	
	Percent Stream Channel SI	lope		0	Percent Stream Channel S	lope		0	Percent Stream Channel SI	оре		0
	HGM Score (attach	data for	rms):		HGM Score (attach d	ata forms	5):		HGM Score (attach da	ita forms):	
				Average				Average		1		Average
Bio	drology geochemical Cycling bitat			0	Hydrology Biogeochemical Cycling Habitat			0	Hydrology Biogeochemical Cycling Habitat			0
па	PART I - Physical, Chemical an	nd Biolog	jical Indi	icators	PART I - Physical, Chemical and	Biologica	I Indic	ators	PART I - Physical, Chemical and	Biological	Indicat	ors
		Points Scale	Range	Site Score		Points Scale	Range	Site Score		Points Scale	Range	Site Score
PH	YSICAL INDICATOR (Applies to all streams	s classificat	tions)		PHYSICAL INDICATOR (Applies to all streams	s classificati	ons)		PHYSICAL INDICATOR (Applies to all streams	classification	ns)	
US	EPA RBP (High Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)			
1. E	pifaunal Substrate/Available Cover	0-20			1. Epifaunal Substrate/Available Cover	0-20			1. Epifaunal Substrate/Available Cover	0-20		
	mbeddedness	0-20	-		2. Embeddedness	0-20			2. Embeddedness	0-20	-	
	/elocity/ Depth Regime Sediment Deposition	0-20	-		3. Velocity/ Depth Regime 4. Sediment Deposition	0-20			3. Velocity/ Depth Regime 4. Sediment Deposition	0-20 0-20	-	
	Channel Flow Status	0-20	1		5. Channel Flow Status	0-20			5. Channel Flow Status	0-20		
	Channel Alteration	0-20	0-1		6. Channel Alteration	0-20	0-1		6. Channel Alteration	0-20	0-1	
7. F	requency of Riffles (or bends)	0-20	1		7. Frequency of Riffles (or bends)	0-20			7. Frequency of Riffles (or bends)	0-20		
8. E	Bank Stability (LB & RB)	0-20	1		8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		
9. V	egetative Protection (LB & RB)	0-20]		9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20		
	Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB & RB)	0-20		
	al RBP Score	Po	oor	0	Total RBP Score	Poo	or	0	Total RBP Score	Poo	r	0
Sub	p-Total			0	Sub-Total			0	Sub-Total			0
сн	EMICAL INDICATOR (Applies to Intermitter	nt and Pere	ennial Stre	eams)	CHEMICAL INDICATOR (Applies to Intermitte	nt and Perer	nnial Str	eams)	CHEMICAL INDICATOR (Applies to Intermittent	and Perenr	ial Strea	ims)
wv	DEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Genera	I)			WVDEP Water Quality Indicators (General)			
Spe	ecific Conductivity	-			Specific Conductivity				Specific Conductivity	1		
		0-90				0-90				0-90		
рH			-		pH				pH			
рп		1	0-1		рп	1	0-1		рп	1	0-1	
		5-90				5-90				5-90		
DO					DO		1		DO			
		10-30	1			10-30				10-30		
<u> </u>	T - 4 - 1			0				0				
	p-Total			0	Sub-Total			0	Sub-Total			0
	DLOGICAL INDICATOR (Applies to Interm	nittent and	l Perenni	al Streams)	BIOLOGICAL INDICATOR (Applies to Intern	nittent and	Perenn	ial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and P	erennia	l Streams)
WV	Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			
		0-100	0-1			0-100	0-1			0-100	0-1	
Sub	o-Total			0	Sub-Total			0	Sub-Total			0
	PART II - Index and	l Unit Sco	ore		PART II - Index and L	Init Score			PART II - Index and U	nit Score		
_												

Index

0

Linear Feet Unit Score

0

0

Index	Linear Feet	Unit Score
0	0	0

PART II - Index and Of	in Score	
Index	Linear Feet	Unit Score
0	0	0

											Versio	n 10-20-17
		_	High-G		Headwat					ia		
				Field D	Data She	et and (Calcu	ulato	r			
	Team:	JM, DW						L	atitude/UT	M Northing:	37.056594	
Pro	oject Name:	Mountain V	puntain Valley Pipeline Longitude/UTM Easting: -79.835785							5		
	Location:	Franklin Co	Inklin County Sampling Date: 8/26/2021									
SA	AR Number:	S-HH4	Reach	Length (ft):	56	Stream T	ype:	Inter	mittent Strea	im		•
	Top Strata:	Shr	Shrub/Herb Strata (determined from percent calculated in V _{CCANOPY})									
Site	and Timing:	Project Site	Project Site Before Project						•			
Sampl	le Variables	1-4 in stre	am channe									
1		roughly equ less than 2	ercent cover uidistant poi 20%, enter a	ints along th It least one	ne stream. value betwe	Measure o een 0 and 1	nly if tr	ee/sa	pling cover	is at least 2		Not Used, <20%
		rcent cover	measureme	nts at each	point belov	V:						
l	10											
2	V _{EMBED}	points alon	mbeddedne ng the strear	n. Select a	particle from	m the bed.	Befor	e mov	ving it, detei	rmine the p	ercentage	2.2
		according t	ace and area to the follow	ing table. I	f the bed is	an artificia	lsurfac	ce, or	composed			
			ore of 1. If t					-				•
		Embedded Minshall 19	Iness rating 983)	for gravel, o	cobble and	boulder pa	rticles	(resca	aled from P	latts, Megal	nan, and	Measure at least
		Rating	Rating Des	scription								30 points
		5			covered, su	rrounded, o	or burie	ed by	fine sedime	ent (or bedro	ock)	
	Ì	4			ace covered]
	Ì	3			rface covere							
		2			rface covere	•					:-:=I	
	List the rati	1	>75 percen		e covered, s	urrounded,	or pui	lea by	/ fine seum	ient (or arm		J
		-			2	2		2	1	1	1	
	3	1	4	3	3	3	-	3	1	1	1	
	3	3	1	3	3	4		1				
3	V _{SUBSTRATE}		eam channe ig the strear							ughly equic	listant	2.55 in
		•	•							÷ .		
	•		nches to the 0.0 in, sand			•	low (be	edroci	k should be	counted as	s 99 in,	
	5.00	4.00	2.50	4.20	2.90	4.40	2.	80	0.08	0.08	0.08	
	1.70	2.60	0.08	2.00	5.20	3.00	-	08	5.90	0.08	0.08	
4	V _{BERO}		ent of erode ne total perc to 200%									54 %
		may be up		21	- 64		ה: ה+ I	- ku	F	6	Ì	
			Left Bank:	20	5 ft		Right I	Bank:	5	ft		
Sampl	ample Variables 5-9 within the entire riparian/buffer zone adjacent to the stream channel (25 feet from each bank).											

5	V_{LWD}	Number of down woody stems (at least 4 inches in diameter and 36 inches in length) per 100 feet of stream reach. Enter the number from the entire 50'-wide buffer and within the channel, and the amount per 100 feet of stream will be calculated.							1.8	
	Number of downed woody stems: 1									
6	V _{TDBH}			(measure only if V _{CCANC} ameter. Enter tree DBI			east 20%)). Trees	are at least	Not Used
	List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of the stream below:									
			Left Side			Rig	ht Side			
7	V _{SNAG}	Number of	f snags (at)	east 4" dbh and 36" tall) per 100	feet of stream. Fi	nter numh	oer of sr	ads on each	
,	♥ SNAG		•	id the amount per 100 f	<i>,</i> .					0.0
				0			0			
8	V _{SSD}	Number of	Left Side		s un to 4 i	Right Side:	0 00 feet of	stream	(measure	
Ũ	only if tree cover is <20%). Enter number of saplings and shrubs on each side of the stream, and the						133.9			
		amount pe	er 100 ft of s Left Side	stream will be calculated	d.	Right Side:	54			
9	V _{SRICH}	Riparian v		pecies richness per 100) feet of st	-		cies pre	esent from	
	<u>eraer</u>	Group 1 in	the tallest	stratum. Check all exo and the subindex will b	tic and inv	asive species pre	esent in all			0.00
		Grou	up 1 = 1.0		Group 2 (-1.0)					
	Acer rubr	um		Magnolia tripetala		Ailanthus altiss	sima		Lonicera ja	ponica
	Acer sace	charum		Nyssa sylvatica		Albizia julibriss	in		Lonicera ta	ntarica
	Aesculus	flava		Oxydendrum arboreum		Alliaria petiolat	а		Lotus corni	iculatus
	Asimina ti	riloba		Prunus serotina		Alternanthera			Lythrum sa	licaria
	Betula alle	eghaniensis		Quercus alba		philoxeroides		7	Microstegiur	n vimineum
	Betula ler	nta		Quercus coccinea		Aster tataricus			Paulownia	tomentosa
	Carya alb	а		Quercus imbricaria		Cerastium font	anum		Polygonum	cuspidatum
	Carya gla	bra		Quercus prinus		Coronilla varia			Pueraria m	ontana
	Carya ova	alis		Quercus rubra		Elaeagnus umbe	ellata		Rosa multi	flora
	Carya ova	ata		Quercus velutina		Lespedeza bico	olor		Sorghum h	alepense
	Cornus flo	orida		Sassafras albidum		Lespedeza cun	neata		Verbena bi	rasiliensis
	Fagus gra	andifolia		Tilia americana		Ligustrum obtusi	folium			
	Fraxinus	americana		Tsuga canadensis		Ligustrum sine	nse			•
7	Liriodendro	on tulipifera		Ulmus americana						
	Magnolia	acuminata								
		1	Species ir	Group 1			1 S	necico i	n Group 2	
		I	opecies II				1 3	heries l	n Gioup Z	

Sample Variables 10-11 within at least 8 subplots (40" x 40", or 1m x 1m) in the riparian/buffer zone within 25 feet from each bank. The four subplots should be placed roughly equidistantly along each side of the stream.

10	V _{DETRITUS}		ercent cover are include.							eter and	27.67 %
			Left	Side			Righ	t Side		1	
			5	20	70	1	0	70			
											-
11	V _{HERB}	include wo cover vege	ercentage co ody stems a etation perce at each sub	it least 4" d intages up	bh and 36"	tall. Becaus	se there ma	y be severa	l layers of g	round	65 %
			Left	Side	_		Righ	t Side	-		
			80	60	30	100	100	20			
_			ne entire ca								
12	V _{wluse}	vveighted /	Average of F	Runom Sco	re for waters	snea:					0.71
			Land I	Jse (Choos	se From Dro	op List)			Runoff Score	% in Catch- ment	Running Percent (not >100)
	Forest and r	native range (<50% ground	cover)				•	0.5	14	14
	Forest and r	native range (>75% ground	cover)				•	1	64	78
	Impervious	areas (parking	g lots, roofs, d	riveways, etc	<u>_</u>)			-	0	22	100
								-			
								•			
								-			
	<u> </u>							•			
								•			
	S	S-HH4					No	tes:			
Va	ariable	Value	VSI				pleted usir				
Vc	CANOPY	Not Used, <20%	Not Used		v		sat satellite ies are bas	• •		••	
V _E	MBED	2.2	0.53				lues have l				
Vs	UBSTRATE	2.55 in	1.00								
V _B	ERO	54 %	0.79								
VL	WD	1.8	0.22								
VT	DBH	Not Used	Not Used								
Vs	NAG	0.0	0.10								
Vs	SD	133.9	1.00								
	RICH	0.00	0.00								
	ETRITUS	27.7 %	0.34								
	ERB	65 %	0.87								
	/LUSE	0.71	0.75								

S-HH4

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for $V_{CCANOPY}$ (\geq 20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

 Project Name: Mountain Valley Pipeline

 Location: Franklin County

 Sampling Date: 8/26/2021

 Project Site

 Before Project

 Subclass for this SAR:

Intermittent Stream

Uppermost stratum present at this SAR: Shrub/Herb Strata

Functional Results Summary:

Enter Results in Section A of the Mitigation Sufficiency Calculator

SAR number:

Function	Functional Capacity Index
Hydrology	0.56
Biogeochemical Cycling	0.42
Habitat	0.38

Variable Measure and Subindex Summary:

Variable			Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	2.20	0.53
V _{SUBSTRATE}	Median stream channel substrate particle size.	2.55	1.00
V _{BERO}			0.79
V _{LWD}	Number of down woody stems per 100 feet of stream.	1.79	0.22
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	133.93	1.00
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
	V _{DETRITUS} Average percent cover of leaves, sticks, etc.		0.34
V _{HERB}	Average percent cover of herbaceous vegetation.	65.00	0.87
VWLUSE	Weighted Average of Runoff Score for Catchment.	0.71	0.75

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET #	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY	

WEATHER CONDITIONS	Now Past 24 hours Has there been a heavy rain in the last 7 days? Storm (heavy rain) rain (steady rain) showers (intermittent) % %cloud cover clear/sunny Air Temperature0 C
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph)
XCFS	MOSTLY Grub/brass Pipe CL XXXXX ROAD Timber MAT
STREAM CHARACTERIZATION	Stream Subsystem Stream Type Perennial Intermittent Tidal Coldwater Warmwater
	Stream Origin Catchment Area Glacial Spring-fed Non-glacial montane Mixture of origins Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES	Predominant Surrounding Landuse Local Watershed NPS Pollution Forest Commercial Field/Pasture Industrial Agricultural Other Residential Other Indicate the dominant type and record the dominant species present Watershed NPS Pollution
VEGETATION (18 meter buffer)	Trees Shrubs Grasses Herbaceous Dominant species present
INSTREAM FEATURES	Estimated Reach Length m Canopy Cover Partly open Partly shaded Shaded Estimated Stream Width m High Water Mark m Sampling Reach Area m² Proportion of Reach Represented by Stream Morphology Types Riffle m% Area in km² (m²x1000) mm Morphology Types Riffle m% Surface Velocity m/sec Channelized Yes No Dam Present Yes No No
LARGE WOODY DEBRIS	LWDm² Density of LWDm²/km² (LWD/ reach area)
AQUATIC VEGETATION	Indicate the dominant type and record the dominant species present Rooted submergent Rooted floating Free floating Rooted emergent Rooted submergent Rooted floating Free floating Floating Algae Attached Algae Portion of the reach with aquatic vegetation%
WATER QUALITY Not enough water to sample	Temperature0 C Water Odors Normal/None Sewage Specific Conductance Petroleum Chemical Dissolved Oxygen Water Surface Oils Other pH Slick Sheen Globs Flecks Turbidity Turbidity (if not measured) Clear □ Slightly turbid Turbid VQ Instrument Used Other Other
SEDIMENT/ SUBSTRATE	Odors Normal Chemical Other

INC	DRGANIC SUBSTRATE (should add up to			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)							
Substrate Type Diameter		% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area						
Bedrock			Detritus	sticks, wood, coarse plant							
Boulder	> 256 mm (10")			materials (CPOM)							
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic							
Gravel	2-64 mm (0.1"-2.5")			(FPOM)							
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments							
Silt	0.004-0.06 mm										
Clay	< 0.004 mm (slick)										

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET #	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY			

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted iı	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
Iram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	ı Category	
Parameter	Optimal	Suboptimal	Marginal	MarginalPoorization may be e; embankments g structures in both banks; $0 80\%$ of stream annelized and d.Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.876543210876543210anal riffle or bend; ontours provide obitat; distance riffles divided by no f the stream is 15 to 25.Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.876543210876543210901111111900543210100000000011000000001210000001432100014321001510110015101100151011001611000171010
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
 SCORE 8. Bank Stability (score each bank) Note: determine left or right side by facing downstream. SCORE (LB) SCORE (RB) 9. Vegetative Protection (score each bank) 	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	streambank surfaces covered by vegetation;
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score _____

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION						
STATION #	_ RIVERMILE	STREAM CLASS						
LAT	LONG	RIVER BASIN						
STORET #		AGENCY						
INVESTIGATORS			LOT NUMBER					
FORM COMPLETED	BY	DATE TIME	REASON FOR SURVEY					
HABITAT TYPES	Indicate the percentage of Cobble% Sn Submerged Macrophytes	ags% Vegetated B	anks% Sand%)%					
SAMPLE COLLECTION	Indicate the number of jab	lected? wading fi ps/kicks taken in each habitat ty lags Vegetated B	anks Sand					
GENERAL COMMENTS								

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

Basin:

County:Franklin CountyStream Name:UNT to Maggodee CreekHUC Code:03010101Survey Date:8/26/2021Surveyors:JM, DWType:Representative

Stream ID: S-HH4

Upper Roanoke

			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	▲ ▼	35	35.00	35.00
	Very Fine	.062125		▲ ▼	0	0.00	35.00
	Fine	.12525	1	▲ ▼	0	0.00	35.00
	Medium	.255	S A N D	▲ ▼	0	0.00	35.00
	Coarse	.50-1.0		▲ ▼	0	0.00	35.00
.0408	Very Coarse	1.0-2		▲ ▼	0	0.00	35.00
.0816	Very Fine	2 -4		▲ ▼	0	0.00	35.00
.1622	Fine	4 -5.7	GRAVEL	▲ ▼	0	0.00	35.00
.2231	Fine	5.7 - 8		▲ ▼	0	0.00	35.00
.3144	Medium	8 -11.3		▲ ▼	0	0.00	35.00
.4463	Medium	11.3 - 16		▲ ▼	0	0.00	35.00
.6389	Coarse	16 -22.6		▲ ▼	0	0.00	35.00
.89 - 1.26	Coarse	22.6 - 32		▲ ▼	3	3.00	38.00
1.26 - 1.77	Vry Coarse	32 - 45			5	5.00	43.00
1.77 -2.5	Vry Coarse	45 - 64		▲ ▼	7	7.00	50.00
2.5 - 3.5	Small	64 - 90		▲ ▼	20	20.00	70.00
3.5 - 5.0	Small	90 - 128	1	▲ ▼	16	16.00	86.00
5.0 - 7.1	Large	128 - 180	SAND GRAVEL COBBLE BOULDER BDRK	▲ ▼	12	12.00	98.00
7.1 - 10.1	Large	180 - 256		▲ ▼	2	2.00	100.00
10.1 - 14.3	Small	256 - 362		▲ ▼	0	0.00	100.00
14.3 - 20	Small	362 - 512	COBBLE BOULDER	▲ ▼	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	▲ ▼	0	0.00	100.00
40 - 80	Large	1024 -2048	1	▲ ▼	0	0.00	100.00
80 - 160	Vry Large	2048 -4096	1	▲ ▼	0	0.00	100.00
	Bedrock		BDRK	▲ ▼	0	0.00	100.00
				Totals:	100		

River Name: Reach Name: Sample Name: Survey Date:	UNT to Maggod S-HH4 Representativ 08/26/2021	ee Creek e	
Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	35 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	35.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 12.00 2.00 0.	35.00 30.00 100.00 100.00 100.00 100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Gravel (%) Boulder (%) Bedrock (%)	0.03 0.06 64 123.25 167 256 35 0 15 50 0 0		

Total Particles = 100.

				ream Method		•				
Project #	Project Name (App				For use in wadeable channels classified as intermitte Locality Cowardin HUC Class. HUC HUC			Impact Length	Impact Factor	
22865.06	Mountain Valley Pipeline Valley Pipeline, L	•	Franklin County	R4	03010101	8/26/2021	S-HH4	97	1	
Nam	e(s) of Evaluator(s)	Stream Name	and Informa	tion				SAR Length		
	DW	UNT to Magg	odee Creek					97		
. Channel C	condition: Assess the cross-section	on of the stream a		lition (erosion, ago Conditional Catego	· •					
	Optimal	Subo	otimal	Marg	-	Po	or	Sev		
Channel Condition	Very little incision or active erosion; 80- 100% stable banks. Vegetative surface protection or natural rock, prominent (80-100%). AND/OR Stable point bars / bankfull benches are present. Access to their original floodplain or fully developed wide bankfull benches. Mid- channel bars and transverse bars few. Transient sediment deposition covers less than 10% of bottom.	erosion or unprotect of banks are st Vegetative protect prominent (60- Depositional feat stability. The ban channels are well de has access to ban newly developed	able (60-80%). ion or natural rock 80%) AND/OR ures contribute to kfull and low flow fined. Stream likely nkfull benches,or floodplains along each. Transient 0-40% of the stream	or Poor due to lo Erosion may be pre- both banks. Veget 40-60% of banks. So vertical or under 40-60% Sediment r transient, contri Deposition that cor may be forming/pr	stable than Severe wer bank slopes. esent on 40-60% of ative protection on treambanks may be ercut. AND/OR may be temporary / bute instability. htribute to stability, esent. AND/OR V- have vegetative % of the banks and es which contribute	laterally unstable further. Majority of vertical. Erosion pr banks. Vegetative on 20-40% of bank to prevent erosion. the stream is cove Sediment is temp nature, and contri AND/OR V-shap vegetative protect 40% of the banks a	cised. Vertically / e. Likely to widen both banks are near esent on 60-80% of e protection present s, and is insufficient AND/OR 60-80% of ered by sediment. orary / transient in buting to instability. bed channels have ion is present on > and stable sediment is absent.	Deeply incised (vertical/lateral insi incision, flow contained Streambed below ave majority of banks v Vegetative protection than 20% of banks, erosion. Obvious present. Erosion/raw AND/OR Aggrading than 80% of stream deposition, contribut Multiple thread of subterrance	stability. Severe ed within the banks. erage rooting depth, vertical/undercut. on present on less , is not preventing banks on 80-100%. g channel. Greater bed is covered by uting to instability. channels and/or	CI
Scores	3	2.	4)	1 1	.6	1		2.00

NOTES>>

2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable)

			Cor	ditional Cate	gory				NOTES>>		
	Optin	nal	Subo	ptimal	Mar	ginal	Po	oor			
Riparian Buffers	Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas.		with 30% to 60% tree canopy cover and containing both	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover	High Marginal: d Non-maintained, ve dense herbaceous ar vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree	nurseries; no-till	Low Poor: Impervious surfaces, mine spoil lands,			
			High	Low	High	Low	High	Low			
Scores	1.5		1.2	1.1	0.85	0.75	0.6	0.5	1		
	arian areas along eac juare footage for eac							the sums Riparian			
Enter the % F	Riparian Area and Sc	ore for each ripa	arian category in th	ne blocks below.			Blocks e	equal 100			
Dight Bank	% Riparian Area>	65%	35%					100%			
Right Bank	Score >	1.2	0.5								
									CI= (Sum % RA * Scor	es*0.01)/2	
Left Bank	% Riparian Area>	70%	30%					100%	Rt Bank CI >	0.96	
	Score >	0.75	0.5						Lt Bank CI >	0.68	0
	I HABITAT: Varie	ed substrate size	es, water velocity a	and depths; woody	/ and leafy debris;	stable substrate; l	low embededness	; shade; undercut	banks; root mats; SA	AV; riffle/pool	
omplexes, stab	le features.										
	le features.			Conditiona	al Category				NOTES>>		
	le features. Optin	nal	Subo	Conditiona ptimal		ginal	Po	oor	NOTES>>		

Scores	1.5	1.2	0.9	0.5	High / Low	1.20
					Stream Gradient	CI
		populations.	populations.	than 10% of the reach.		
Cover	in greater than 50% of the reach.	adequate for maintenance of	adequate for maintenance of	elements are typically present in less		
Available	Habitat elements are typically present	present in 30-50% of the reach and are	present in 10-30% of the reach and are	lacking or are unstable. Habitat		
		Stable Habitat elements are typically	Stable Habitat elements are typically			

Reach R3-R4

File: https://tetratechinc.sharepoint.com/teams/MVPStreamWetlandAssessment/Shared Documents/General/01. Virginia Field Data Management/04. 1_QAQC (Complete for review)/0 Ready for Oct 15 Submittal/S-HH4_20211003KW_KEHDONE/10. S-HH4_USM_MVP_20

Project #	Project Name (Applicant)		Locality	Cowardin Class.	HUC	Date	SAR #	Impact Length	Impact Factor	
22865.06			Franklin County	R4	03010101	8/26/2021	S-HH4	97	1	
. CHANNEI	_ ALTERATION: Stream crossin	igs, riprap, concret			ghtening of chann	el, channelization,		-	ons, livestock	
	Negligible	Conditional Category					NOTES>>			
	Negligible	IVIII	nor	Moderate 40 - 60% of reach 60 - 80% of reach		Severe				
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	20-40% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	is disrupted by any of the channel	is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	by any of the chann	el alterations listed uidelines AND/OR ored with gabion,			CI
Scores	1.5	1.3	1.1	0.9	0.7	0.	5			1.50
	REACH	CONDITION	INDEX and S	STREAM CO	NDITION UN	ITS FOR THI	S REACH			
OTE: The Cls a	and RCI should be rounded to 2 deci	mal places. The CF	R should be round	led to a whole nun	nber.		THE REACI	H CONDITION IN	DEX (RCI) >>	1.10
						RCI= (Sum of	all CI's)/5, exce	ept if stream is ep	hemeral RCI = (F	Riparian C
							COMPENSA	TION REQUIRE	MENT (CR) >>	107






CAPTION. Assessment is limited to areas within the temporary ROW.

DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER

Reach R3-R4

File: https://tetratechinc.sharepoint.com/teams/MVPStreamWetlandAssessment/Shared Documents/General/01. Virginia Field Data Management/04. 1_QAQC (Complete for review)/0 Ready for Oct 15 Submittal/S-HH4_20211003KW_KEHDONE/10. S-HH4_USM_MVP_20



	LEGEND
	STUDY AREA (EASEMENT)
	EXISTING SURVEY-LOCATED THALWEG
EW	EXISTING SURVEY-LOCATED EDGE OF WATER (AS NECESSARY)
	EXISTING CONTOUR LINE (MAJOR)
	EXISTING CONTOUR LINE (MINOR)
905.9 +	EXISTING SURVEYED GROUND SHOT ELEVATION
<u>A</u>	BENCHMARK POINT (WSSI)

PROFILE LEGEND

EXISTING STREAM PROFILE

INVERT ALONG THALWEG

888

886

0 + 00

SURVEY NOTES:

DISTANCE ALONG CROSS-SECTION (FT)

1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on February 15, 2019.

 $\frac{PROFILE}{H:} 1"=10'$

V: 1"=5'

SCALE:

2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.


3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).

4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.


5. All section views shown are left to right facing downstream.

6. Cross-section B shot at location of pipe centerline (based on best professional judgement).

CL STAKEOUT POINTS: S-HH4 CROSS SECTION B (PIPE CL)									
	PR	POST-CROSSING							
PT. LOC.	NORTHING	EASTING		VERT.	HORZ.				
P1. LUC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.				
TS-L	13457272.19	1980021.88	896.74						
BS-L	13457267.02	1980024.70	893.67						
THW	13457266.23	1980025.18	893.62						
BS-R	13457265.11	1980025.97	893.82						
TS-R	13457244.12	1980039.62	898.81						







0+10 0+20 0+30 0+40 0+50 0+60 0+70 0+80 0+90 1+00