Baseline Assessment - Stream Attributes

Reach S-II7 (Timber Mat Crossing) Intermittent Spread I Franklin County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Slope is <4%
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	√
Longitudinal Profile and Cross Sections	✓



Photo Type: DS VIEW Location, Orientation, Photographer Initials: Downstream view of ROW looking S, KD



Photo Type: US VIEW
Location, Orientation, Photographer Initials: Upstream view of ROW looking N, KD



Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking W, KD



Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking E, KD



Location, Orientation, Photographer Initials: Downstream conditions outside of ROW looking S, KD

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		M	lountain V	alley Pipeline		COORDINATES: cimal Degrees)	Lat.	37.091354	Lon.	-79.992013		WEATHER:		Sunny		DATE:	Augus	st 27, 2021
IMPACT STREAM/SITE II (watershed size (acreage).				S	i-II7			MITIGATION STREAM CLA (watershed size (ac	ASS./SITE ID AND reage), unaltered or imp		V:					Comments:		
STREAM IMPACT LENGTH:	20	FORM MITIGAT		RESTORATION (Levels I-III)		OORDINATES: cimal Degrees)	Lat.		Lon.			PRECIPITATION PAST 48 HRS:		None		Mitigation Length:		
Column No. 1- Impact Existing	g Condition (Deb	oit)		Column No. 2- Mitigation Existing C	ondition - Base	line (Credit)		Column No. 3- Mitigatio Post Compl	n Projected at Five letion (Credit)	Years		Column No. 4- Mitigation Proje Post Completion (ears		Column No. 5- Mitigation Projecte	d at Maturity ((Credit)
Stream Classification:	Interm	nittent		Stream Classification:				Stream Classification:		0		Stream Classification:		0	St	Stream Classification:		0
Percent Stream Channel S	•	2		Percent Stream Channel Si	•			Percent Stream Chann		0		Percent Stream Channel Sl	•	0		Percent Stream Channel Sle	•	0
HGM Score (attach d	data forms):			HGM Score (attach	data forms):			HGM Score (att	tach data forms):			HGM Score (attach da	ata forms):			HGM Score (attach da	ta forms):	
Hydrology Biogeochemical Cycling Habitat		Average 0		Hydrology Biogeochemical Cycling Habitat		Average 0		Hydrology Biogeochemical Cycling Habitat		Average 0		Hydrology Biogeochemical Cycling Habitat		Average 0	Ві	lydrology Biogeochemical Cycling Habitat		Average 0
PART I - Physical, Chemical and				PART I - Physical, Chemical an				PART I - Physical, Chemic				PART I - Physical, Chemical and				PART I - Physical, Chemical and I		
PHYSICAL INDICATOR (Applies to all stream	Points Scale Range	Site Score		PHYSICAL INDICATOR (Applies to all streams	Points Scale Range	Site Score		DUVERCAL INDICATOR (AF to all at	Points Scale Rang	p Site Score		PHYSICAL INDICATOR (Applies to all streams	Points Scale Range	Site Score		PHYSICAL INDICATOR (Applies to all streams	Points Scale Rang	inge Site Score
USEPA RBP (High Gradient Data Sheet)	ns classifications)			USEPA RBP (Low Gradient Data Sheet)	classifications)			PHYSICAL INDICATOR (Applies to all str USEPA RBP (High Gradient Data She				USEPA RBP (High Gradient Data Sheet)	s classifications)			JSEPA RBP (High Gradient Data Sheet)	classifications)	
Epifaunal Substrate/Available Cover	0-20	0		Epifaunal Substrate/Available Cover	0-20			Epifaunal Substrate/Available Cover	0-20			Epifaunal Substrate/Available Cover	0-20		1.	. Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness	0-20	4		2. Pool Substrate Characterization	0-20			2. Embeddedness	0-20			Embeddedness	0-20		2.	. Embeddedness	0-20	
3. Velocity/ Depth Regime	0-20	0		3. Pool Variability	0-20			3. Velocity/ Depth Regime	0-20			3. Velocity/ Depth Regime	0-20			. Velocity/ Depth Regime	0-20	
Sediment Deposition	0-20	16		Sediment Deposition	0-20			Sediment Deposition	0-20			Sediment Deposition	0-20			. Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0-1	0		5. Channel Flow Status	0-20			5. Channel Flow Status	0-20			5. Channel Flow Status	0-20 0-1			. Channel Flow Status	0-20	.1
6. Channel Alteration	0-20	20		6. Channel Alteration	0-20			6. Channel Alteration	0-20			Channel Alteration	0-20		6.	. Channel Alteration	0-20	
7. Frequency of Riffles (or bends)	0-20	0		7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20			7. Frequency of Riffles (or bends)	0-20		7.	. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	16		8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		8.	. Bank Stability (LB & RB)	0-20	1
9. Vegetative Protection (LB & RB)	0-20	10		9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20		9.	. Vegetative Protection (LB & RB)	0-20	1
Riparian Vegetative Zone Width (LB & RB)		10		10. Riparian Vegetative Zone Width (LB & RB)	0-20			 Riparian Vegetative Zone Width (LB & R 	RB) 0-20			10. Riparian Vegetative Zone Width (LB & RB)				Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score	Marginal	76		Total RBP Score	Poor	0		Total RBP Score	Poor	0		Total RBP Score	Poor	0		otal RBP Score	Poor	0
Sub-Total CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial St	0.38		Sub-Total CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial St	0 reams)		Sub-Total CHEMICAL INDICATOR (Applies to Inter	mittent and Perennial	O Streams)		Sub-Total CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial S	0 Streams)		Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	t and Perennial :	O Streams)
WVDEP Water Quality Indicators (Genera		icums)		WVDEP Water Quality Indicators (General)		cuis)		WVDEP Water Quality Indicators (Ger		ou curry,		WVDEP Water Quality Indicators (General		Jacums)	_	WDEP Water Quality Indicators (General)		Jucums)
Specific Conductivity				Specific Conductivity				Specific Conductivity				Specific Conductivity			S	pecific Conductivity		
100 100 05 11	0-90				0-90				0-90				0-90				0-90	1
100-199 - 85 points				nH	-			nH				nН	_		ni	н		
pri	0-1			pri	0-1			pri	0-1			pri	0-1		Pi		0-1	м
5.6-5.9 = 45 points	0-80				5-90				5-90				5-90				5-90	1
DO				DO				DO				DO			D	.0		
	10-30				10-30			1	10-30			1	10-30				10-30	
Sub-Total				Sub-Total	!	0		Sub-Total		0		Sub-Total		0	S	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennial	Streams)		BIOLOGICAL INDICATOR (Applies to Intermitt	ent and Perennial	Streams)		BIOLOGICAL INDICATOR (Applies to In	ntermittent and Perer	nial Streams)		BIOLOGICAL INDICATOR (Applies to Interm	nittent and Pereni	nial Streams)		BIOLOGICAL INDICATOR (Applies to Intermi	ttent and Peren	nnial Streams)
WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			w	VV Stream Condition Index (WVSCI)		
0	0-100 0-1			,	0-100 0-1			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0-100 0-1			, , , , , , , , , , , , , , , , , , , ,	0-100 0-1		Ï		0-100 0-1	-1
Sub-Total	-	0		Sub-Total	-	0		Sub-Total		0		Sub-Total	1	0	Si	Sub-Total		0
										n								
PART II - Index and I	Unit Score			PART II - Index and	unit Score			PART II - Index	and Unit Score			PART II - Index and U	init Score			PART II - Index and U	iit Score	
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Fee	t Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	et Unit Score
0.590	20	11.8		0	0	0		0	0	0		0	0	0		0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STORET#		AGENCY VADEQ	
INVESTIGATORS TC, K			
FORM COMPLETED BY	TC	DATE 8/27/2021 TIME 12:00 PM	REASON FOR SURVEY Baseline Assessment
WEATHER CONDITIONS	Now	Past 24 hours	Has there been a heavy rain in the last 7 days? Yes ✓ No

WEATHER CONDITIONS	Now Past 24 hours Yes ✓ No storm (heavy rain) rain (steady rain) showers (intermittent) % cloud cover clear/sunny Has there been a heavy rain in the last 7 days? Yes ✓ No Air Temperature 30 ° C Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas compled (or attach a photograph)
	dense n'panan vey. S-117 Bridge dense n'panan weg
	Going Away
STREAM	Stream Subsystem Stream Type
CHARACTERIZATION	☐Perennial ☐Intermittent ☐I'idal ☐Coldwater ☐Warmwater
	Stream Origin Glacial Non-glacial montane Swamp and bog Catchment Area 0.05 km² Mixture of origins Other Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Predom Fores Field/ Agric Resid	ultural	nding Lan Comme Industria Other	rcial al		Local Watershed NPS ☐ No evidence Son Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	TION		the dominar	_		ominai [/]	nt species present Grasses He	rbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	ed Reach Ler ed Stream W ag Reach Are km² (m²x100 ed Stream Do Velocity veg)	idth 0.15 a 2.25 0)	m m² km² m		Canopy Cover ☐ Partly open ☐ Partl High Water Mark ☐ Proportion of Reach Romorphology Types Riffle	epresented by Stream Run%
LARGE V DEBRIS	VOODY	LWD Density			n²/km² (LWD / 1	reach	area)	
AQUATIO VEGETA	CTION	Domina	nt species pr	esent grasses				□Free floating
WATER (QUALITY	Specific Dissolve pH Turbidi	ature Conductance ed Oxygen ty trument Usec	e				Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Absen		wage naerobic	Petroleum None	se se	Relict shells	h are not deeply embedded,
INC	ORGANIC SUBS	STRATE (ITS			GANIC SUBSTRATE Colors not necessarily add	
Substrate Type	Diamet	er	% Compo Sampling		Substrate Type		Characteristic	% Composition in Sampling Area
Bedrock Boulder	> 256 mm (10")				Detritus		s, wood, coarse plant erials (CPOM)	0
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-				Muck-Mud	black (FPC	k, very fine organic DM)	25
Sand Silt Clay	0.06-2mm (gritt 0.004-0.06 mm < 0.004 mm (sli		10 85 5		Marl	grey.	, shell fragments	0

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-II7	LOCATION Franklin County
STATION # RIVERMILE	STREAM CLASS Intermittent
LAT <u>37.091354</u> LONG <u>-79.992013</u>	RIVER BASIN Upper Roanoke
STORET#	AGENCY VADEQ
INVESTIGATORS TC, KD	
FORM COMPLETED BY TC	DATE 8/27/2021 TIME 12:00 PM AM PM REASON FOR SURVEY Baseline Assessment

	Habitat				
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	score 4	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
ıram	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
P_{ϵ}	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Notes: No flow.

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category	
	Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	score 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
samp	score ⁽⁾	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing deventram.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
eva	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to b	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE 5	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 5	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE 5	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 5	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Notes: No flow.

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-I	17						LOC	ATION	√ Fran	ıklin	Сс	ount	у							
STATION #	R	IVE	RMI	LE_			STR	EAM C	CLASS	Int	erm	nitte	nt							
LAT 37.091354	_ L	ONC	j -79.	99201	3		RIVI	ER BAS	SIN (Jppe	er F	Roar	noke	;						
STORET#							AGF	ENCY V	/ADE	Q										
INVESTIGATORS T	C, KI)											I	LOT	NUMBER					
FORM COMPLETED	ЭBY	T	С				DAT TIM		7/2021 00 PM				I	REAS	SON FOR SURVEY [3aselir	ne A	sse	ssm	ent
HABITAT TYPES		Cob	ble_		%	tage of Sna	ags	habitat %	type p	Veg	eta	ted :	Banl	ks	%	%				
SAMPLE	G	ear	used	Е	D-fr	ame	kick-	-net												
COLLECTION								_							_	_				
	Н	ow v	vere	tne	samp	oles coll	ectea?	· L	wadi	ng		ш	Iror	n bar	ık 🔲 from bo	oat				
		Cob	ble			r of jab □Sna phytes_	ags			Veg	geta	ted :		ks	Sand)					
GENERAL COMMENTS	Ν	o f	low	/. N	10 :	samp	ole t	aker	1											
Indicate estimated Dominant Periphyton Filamentous Algae					0	1 2	3			S	lim	nes			rates	0	1 1	2		4
Macrophytes						1 2		-			ish		11 V C	icoi	aics		1	_	3	-
FIELD OBSERVA Indicate estimated				e:	0 =	Absen anisms	t/Not), 3=	Obse Abun							, 4 = Dominant (>				18)	
Porifera	0	1	2	3	4	Aniso			0		l	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygo	•		0		1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes Turbellaria	0	1	2 2	3	4 4	Hemi	_		0		1 1	2	3	4 4	Trichoptera Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepic	_		0		ı 1	2	3	4	Other	U	1	2	3	4
Oligochaeta	0	1	2	3	4	Sialio	_	a	0		1	2	3	4						
Isopoda	0	1	2	3	4	Cory		ae	0		ı 1	2	3	4						
Amphipoda	0	1	2	3	4	Tipul			0			2	3	4						
Decapoda	0	1	2	3	4	Empi		•	0			2	3	4						
Gastropoda	0	1	2	3	4	Simu			0		1	2	3	4						
Bivalvia	0	1	2	3	4	Tabir			0		1	2	3	4						
						Culci			0		1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Franklin County Stream ID: S-II7

Stream Name: UNT to Little Creek

HUC Code: 03010101 Basin: Upper Roanoke

Survey Date: 8/27/2021 Surveyors: TC, KD Type: Representative

T 1	DADTIGI E		LE COUNT	D (1.1	7D + 1 //	T: 0/	0/ 0
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cur
	Silt/Clay	< .062	S/C	^	75	75.00	75.00
	Very Fine	.062125		^	15	15.00	90.00
	Fine	.12525	1	^	10	10.00	100.0
	Medium	.255	SAND	•	0	0.00	100.0
	Coarse	.50-1.0	1	•	0	0.00	100.0
.0408	Very Coarse	1.0-2	1	•	0	0.00	100.0
.0816	Very Fine	2 -4		•	0	0.00	100.0
.1622	Fine	4 -5.7	1	•	0	0.00	100.0
.2231	Fine	5.7 - 8	1	•	0	0.00	100.0
.3144	Medium	8 -11.3	GRAVEL	•	0	0.00	100.0
.4463	Medium	11.3 - 16		•	0	0.00	100.0
.6389	Coarse	16 -22.6		•	0	0.00	100.0
.89 - 1.26	Coarse	22.6 - 32	1	•	0	0.00	100.0
1.26 - 1.77	Vry Coarse	32 - 45	-	•	0	0.00	100.0
1.77 -2.5	Vry Coarse	45 - 64	1	4	0	0.00	100.0
2.5 - 3.5	Small	64 - 90		4	0	0.00	100.0
3.5 - 5.0	Small	90 - 128	COBBLE	A	0	0.00	100.0
5.0 - 7.1	Large	128 - 180	COBBLE	•	0	0.00	100.0
7.1 - 10.1	Large	180 - 256	1	4	0	0.00	100.0
10.1 - 14.3	Small	256 - 362		4	0	0.00	100.0
14.3 - 20	Small	362 - 512		4	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	4	0	0.00	100.0
40 - 80	Large	1024 -2048		•	0	0.00	100.0
80 - 160	Vry Large	2048 -4096		4	0	0.00	100.0
	Bedrock		BDRK	•	0	0.00	100.0
				Totals	100		

RIVERMORPH PARTICLE SUMMARY

River Name: UNT to Little Creek Reach Name: S-II7 Sample Name: Representative Sample Name: Representative Survey Date: 08/27/2021

Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	75 15 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	75.00 15.00 10.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	75.00 90.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.01 0.03 0.04 0.1 0.19 0.25 75 25 0		

Total Particles = 100.

Stream Assessment Form (Form 1) Unified Stream Methodology for use in Virginia For use in wadeable channels classified as intermittent or perennial Cowardin **Impact Impact** Project # **Project Name (Applicant)** Locality HIIC Date SAR# Length **Factor** Class Mountain Valley Pipeline (Mountain Franklin 22865.06 03010101 8/27/2021 S-II7 Valley Pipeline, LLC) County SAR Length Name(s) of Evaluator(s) Stream Name and Information TC, KD **Unnamed Tributary to Little Creek** Channel Condition: Assess the cross-section of the stream and prevailing condition (erosion, aggradation) Marginal Poor Optimal Suboptimal Severe Slightly incised, few areas of active erosion or unprotected banks. Majority Often incised, but less than Severe or Poor. Banks more stable than Severe Overwidened/incised. Vertically laterally unstable. Likely to widen Very little incision or active erosion; 80 100% stable banks. Vegetative surface Deeply incised (or excavated), vertical/lateral instability. Severe Channel protection or natural rock, prominent of banks are stable (60-80%). or Poor due to lower bank slopes urther. Majority of both banks are ne ncision, flow contained within the bank 80-100%). AND/OR Stable point bars Vegetative protection or natural rock Erosion may be present on 40-60% of vertical. Erosion present on 60-80% of Streambed below average rooting depth Condition bankfull benches are present. Access prominent (60-80%) AND/OR both banks. Vegetative protection on banks. Vegetative protection present majority of banks vertical/undercut. to their original floodplain or fully leveloped wide bankfull benches. Mid-40-60% of banks. Streambanks may b vertical or undercut. AND/OR on 20-40% of banks, and is insufficient to prevent erosion. AND/OR 60-80% of Vegetative protection present on less than 20% of banks, is not preventing Depositional features contribute to stability. The bankfull and low flow 40-60% Sediment may be temporary transient, contribute instability. Deposition that contribute to stability, the stream is covered by sediment. Sediment is temporary / transient in nature, and contributing to instability. erosion. Obvious bank sloughing resent. Erosion/raw banks on 80-100% AND/OR Aggrading channel. Greater channel bars and transverse bars few. annels are well defined. Stream likel Transient sediment deposition covers less than 10% of bottom. has access to bankfull benches,or newly developed floodplains along portions of the reach. Transient liment covers 10-40% of the street may be forming/present. AND/OR V-shaped channels have vegetative AND/OR V-shaped channels have vegetative protection is present on > than 80% of stream bed is covered by deposition, contributing to instability. bottom. protection on > 40% of the banks and 40% of the banks and stable sediment Multiple thread channels and/or depositional features which contribute deposition is absent subterranean flow. to stability. CI 3 2.4 1.6 3 00 **Scores** NOTES>> 2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable) Conditional Category NOTES>> Optimal Marginal Low Marginal: High Poor: Lawn Non-maintained mowed, and High Suboptimal: Low Suboptimal High Marginal: lense herbaceou maintained areas I ow Poor Riparian areas with tree stratum (dbh > Riparian areas with tree stratum (dbh > Non-maintained, nurseries; no-till egetation, ripariar Impervious lense herbaceou eas lacking shrul cropland; actively surfaces, mine 3 inches) present. 3 inches) present, vegetation with Tree stratum (dbh > 3 inches) present and tree stratum grazed pasture spoil lands Riparian with 30% to 60% with 30% to 60% with > 60% tree canopy cover. Wetlands located within the riparian ither a shrub layer enuded surface hay production, parsely vegetate tree canopy cover tree canopy cover **Buffers** or a tree layer (dbh onds, open wate non-maintained row crops, active ind containing bot and a maintained If present, tree area, recently areas. > 3 inches) feed lots, trails, or herbaceous and shrub layers or a nderstory. Recer cutover (dense present, with <30% stratum (dbh >3 seeded and other comparable tabilized, or othe tree canopy cover inches) present, with <30% tree conditions. non-maintained vegetation). comparable understory anopy cover with condition. understory High Low High Low High Low 1.5 **Scores** 1.1 0.85 0.5 Delineate riparian areas along each stream bank into Condition Categories and Condition Scores using the descriptors. Ensure the sums Determine square footage for each by measuring or estimating length and width. Calculators are provided for you below of % Riparian Enter the % Riparian Area and Score for each riparian category in the blocks below Blocks equal 100 % Riparian Area> 80% 20% 100% Right Bank 0.75 0.5 Score > CI= (Sum % RA * Scores*0.01)/2 20% 80% Rt Bank CI > 0.70 CI Left Bank 0.5 Lt Bank CI > 0.70 0.70 3. INSTREAM HABITAT: Varied substrate sizes, water velocity and depths; woody and leafy debris; stable substrate; low embeddedness; shade; undercut banks; root mats; SAV; riffle/pool complexes, stable features **Conditional Category** NOTES>> Optimal Suboptimal Marginal Poor Instream Habitat/ Stable habitat elements are typically Stable habitat elements are typically Habitat elements listed above are Available present in 30-50% of the reach and are present in 10-30% of the reach and are Habitat elements are typically present lacking or are unstable. Habitat in greater than 50% of the reach. adequate for maintenance of adequate for maintenance of elements are typically present in less Cover populations. than 10% of the reach. **Stream Gradient** CI 1.5 0.9 High 0.50 **Scores** Stream Impact Assessment Form Page 2

Project #	Project Name (App	licant)	Locality	Cowardin Class.	HUC	Date	SAR#	Impact Length	Impact Factor
22865.06	Mountain Valley Pipeline Valley Pipeline, L	•	Franklin County	R4	03010101	8/27/2021	S-II7	20	1
. CHANNEL	. ALTERATION: Stream crossin	ngs, riprap, concre		ncrete blocks, strai	ghtening of chann	nel, channelization,		poil piles, constricti	ons, livestock
	Negligible	Mir	nor		erate	Sev	ere		
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	the channel	40 - 60% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander	of the channel	Greater than 80% o by any of the chann in the parameter g 80% of banks sho riprap, or	el alterations listed uidelines AND/OR ored with gabion,		
		-		pattern has not recovered.	pattern has not recovered.				

REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH

NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number.

THE REA

THE REACH CONDITION INDEX (RCI) >> 1.14

RCI= (Sum of all Cl's)/5, except if stream is ephemeral RCI = (Riparian Cl/2)

COMPENSATION REQUIREMENT (CR) >> 23

CR = RCI X L_I X IF

INSERT PHOTOS:


(WSSI Photo Location L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread |\Field Forms\S-|I7\Photos\S-|I7_2021-08-27_11-35-37.jpg)



 $\label{eq:constraint} \mbox{Downstream view facing S within the ROW. Assessment is limited to areas within the temporary ROW.}$

DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER



LEGEND STUDY AREA (EASEMENT) EXISTING SURVEY-LOCATED THALWEG - - \cdot 1904 \cdot - EXISTING MINOR CONTOUR

SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON AUGUST 27, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. CROSS SECTION A GENERATED USING SURFACE (NOT SURVEYED.) ALL OTHER WERE GENERATED FROM SURVEY DATA.

No.	Date	Eng.	Revision		

PRE-CROSSING PHOTOS

• 185°S (T) • 37°5'29"N, 79°59'31"W ±16ft ▲ 1270ft

PHOTO TAKEN AUGUST 27, 2021 LOOKING

DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

© 7°N (T) © 37°5'28"N, 79°59'31"W ±2240ft ▲ 1274ft

Checked SEPT. 2021 Date:

CAD File No.



PHOTO TAKEN AUGUST 27, 2021 LOOKING

POST-CROSSING PHOTOS

UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PENDING CROSSING


PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

CROSS SECTION LEGEND


CROSS SECTION H: 1"=10' V: 1"=5'

— — EXISTING GRADE

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.



CL STAKEOUT POINTS: S-II7 CROSS SECTION A (PIPE CL)								
	PRE-CROSSING			POST-CROSSING				
DT LOC	NORTHING	EASTING	ELEV	VERT.	HORZ.			
PT. LOC.	NORTHING	EASTING		DIFF.	DIFF.			
TS-L	13469401.0300'	1934322.1630'	1264.473'					
BS-L	13469400.6600'	1934318.9130'	1263.097'					
THW	13469400.7400'	1934317.0680'	1263.099'					
BS-R	13469400.6200'	1934313.5830'	1263.363'					
TS-R	13469400.7500'	1934311.4740'	1263.846'					



S-II7 BASELINE CROSS-SECTION A PIPE CL EX. THALWEG EL.: 1263.0 1266 -1266 1264 1264 --1262 0+10 0+20

DISTANCE ALONG CROSS-SECTION (FT)

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

Drawing No