Baseline Assessment – Stream Attributes

Reach S-IJ10 (Timber Mat Crossing) Perennial Spread I Franklin County, Virginia

Data	Included				
Photos	✓				
SWVM Form	✓				
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable)				
RBP Physical Characteristics Form	✓				
Water Quality Data	✓				
RBP Habitat Form	✓				
RBP Benthic Form	✓				
Benthic Identification Sheet	✓				
Wolman Pebble Count	✓				
RiverMorph Data Sheet	✓				
USM Form (Virginia Only)	✓				
Longitudinal Profile and Cross Sections	✓				



Location, Orientation, Photographer Initials: Downstream view of ROW looking SE, TC



Location, Orientation, Photographer Initials: Upstream view of ROW looking NW, TC



Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking SW, TC



Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking NE, TC

Spread I Stream S-IJ10 (Timber Mat) Franklin County




Location, Orientation, Photographer Initials: Downstream conditions outside of ROW looking S, TC

 $L: \cline{L:l22000s} \cline{$

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Мо	untain Va	alley Pipeline		COORDINATES: imal Degrees)	Lat.	37.089179	Lon.	-80.005026	WEATHER:		Sunny	DATE:	August 27	7, 2021
IMPACT STREAM/SITE ID (watershed size {acreage}				S-IJ	J10			MITIGATION STREAM CLASS./ (watershed size {acreage			: :			Comments:		
STREAM IMPACT LENGTH:	20	FORM O		RESTORATION (Levels I-III)		OORDINATES: imal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		None	Mitigation Length:		
Column No. 1- Impact Existing	g Condition (Deb	oit)		Column No. 2- Mitigation Existing Co	ondition - Basel	line (Credit)		Column No. 3- Mitigation Pro Post Completion		'ears	Column No. 4- Mitigation Pro		ars	Column No. 5- Mitigation Projecte	d at Maturity (Cr	redit)
Stream Classification:	Perei	nnial		Stream Classification:				Stream Classification:		0	Stream Classification:	0		Stream Classification:	0	
Percent Stream Channel SI	lope	1.67		Percent Stream Channel Slo	pe			Percent Stream Channel SI	ope	0	Percent Stream Channel S	lope	0	Percent Stream Channel Slo	ope	0
HGM Score (attach d	lata forms):			HGM Score (attach d	ata forms):			HGM Score (attach	data forms):		HGM Score (attach d	lata forms):		HGM Score (attach da	ta forms):	
		Average				Average				Average			Average			Average
Hydrology Biogeochemical Cycling		0	II-	Hydrology Biogeochemical Cycling		0		Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling		0
Habitat PART I - Physical, Chemical and	l Biological Indic	ators		Habitat PART I - Physical, Chemical and	Biological Indi	cators		Habitat PART I - Physical, Chemical ar	nd Biological Ind	icators	Habitat PART I - Physical, Chemical and	Biological Indica	ators	Habitat PART I - Physical, Chemical and E	Biological Indicat	itors
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Range	Site Score		Points Scale Range	Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	s classifications)			PHYSICAL INDICATOR (Applies to all streams cl	lassifications)			PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stream	s classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)	
USEPA RBP (High Gradient Data Sheet)				USEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		
Epifaunal Substrate/Available Cover Embeddedness	0-20	18 13		Epifaunal Substrate/Available Cover Pool Substrate Characterization	0-20			Epifaunal Substrate/Available Cover Embeddedness	0-20		Epifaunal Substrate/Available Cover Embeddedness	0-20		Epifaunal Substrate/Available Cover Embeddedness	0-20	
3. Velocity/ Depth Regime	0-20	10		3. Pool Variability	0-20 0-20			Velocity/ Depth Regime	0-20		Z. Embeddedness 3. Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20	10		4. Sediment Deposition	0-20			Velocity Depth Regime Sediment Deposition	0-20		4. Sediment Deposition	0-20		4. Sediment Deposition	0-20	
5. Channel Flow Status	0-20	13		5. Channel Flow Status	0-20			5. Channel Flow Status	0-20		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	
6. Channel Alteration	0-20	19		6. Channel Alteration	0-20			6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20	
7. Frequency of Riffles (or bends)	0-20	17		7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	10		8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	9		9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	13		10. Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score	Suboptimal	132	II-	Total RBP Score	Poor	0		Total RBP Score	Poor	0	Total RBP Score	Poor	0	Total RBP Score	Poor	0
Sub-Total		0.66		Sub-Total		0		Sub-Total		0	Sub-Total		0	Sub-Total		0
CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Str	eams)		CHEMICAL INDICATOR (Applies to Intermittent a	and Perennial Stre	eams)		CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Stre	eams)	CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Stre	eams)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Strea	ams)
WVDEP Water Quality Indicators (General Specific Conductivity	l)			WVDEP Water Quality Indicators (General) Specific Conductivity				WVDEP Water Quality Indicators (General Specific Conductivity)		WVDEP Water Quality Indicators (General Specific Conductivity	l)		WVDEP Water Quality Indicators (General) Specific Conductivity		
Specific Conductivity				Specific Colludetivity				opecine conductivity			Specific conductivity			Specific Conductivity		
<=99 - 90 points	0-90	66			0-90				0-90			0-90			0-90	
pH .		(0)		pH				рН			рН			pH		
	0-80	7.4			5-90 0-1				5-90 0-1			5-90 0-1			5-90 0-1	
6.0-8.0 = 80 points				DO				DO.			DO.			DO		
В			-					ВО	Т		БО	T		ВО		
>5.0 = 30 points	10-30	8.03			10-30				10-30			10-30			10-30	
Sub-Total		1		Sub-Total	•	0		Sub-Total	•	0	Sub-Total		0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermit	ttent and Perennial S	Streams)		BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)				BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perenn	al Streams)	BIOLOGICAL INDICATOR (Applies to Interr	mittent and Perenni	ial Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	ttent and Perennial	al Streams)
WV Stream Condition Index (WVSCI)	<u> </u>			WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		
Good	0-100 0-1	76.1			0-100 0-1				0-100 0-1			0-100 0-1			0-100 0-1	
Sub-Total		0.761		Sub-Total		0		Sub-Total		0	Sub-Total		0	Sub-Total		0
PART II - Index and U	Jnit Score			PART II - Index and U	Init Score			PART II - Index and	Unit Score		PART II - Index and U	Jnit Score		PART II - Index and Ur	nit Score	
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Scor
0.907	20	46.44		•	0	0		•	0	0		0	0			

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-IJ10		LOCATION Roanoke County					
STATION #	RIVERMILE	STREAM CLASS Perennial					
LAT <u>37.089179</u> I	LONG80.005026	RIVER BASIN Upper Roan	noke				
STORET#		AGENCY VADEQ					
INVESTIGATORS KD, T	īC						
FORM COMPLETED BY	KD	DATE 8/27/21 TIME 9:00 AM	REASON FOR SURVEY Baseline Assessment				
WEATHER CONDITIONS	rain (s	n (heavy rain) (steady rain) (steady rain) (steady rain)	Has there been a heavy rain in the last 7 days? ✓ Yes No Air Temperature 24 0 C Other				



PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Predom Fores Field Agric Resid	Pasture Indu	mercial strial	Local Watershed NPS ☑ No evidence ☐ Sor ☐ Obvious sources Local Watershed Eros ☑ None ☐ Moderate	ne potential sources					
RIPARIA VEGETA (18 meter	TION		Indicate the dominant type and record the dominant species present ☐ Trees ☐ Shrubs ☐ Grasses ☐ Herbaceous Dominant species present Regweed (Ambrosia sp.)								
INSTREA FEATURI		Estimat Samplin Area in Estimat	km² (m²x1000)ed Stream Deptho	m m² km²	_ , , ,	Run <u>∘</u> %					
LARGE V DEBRIS	VOODY	LWD Density	of LWD	_m²/km² (LWD/	reach area)						
AQUATION VEGETATION (DS, US)		Roote Floati	e the dominant type and emergent ng Algae and species present of the reach with aq	Rooted submerge Attached Algae		Free floating					
WATER (QUALITY	Specific Dissolve pH 74,7	rature 21.3, 21.4 0 C Conductance 66.0, 67.9 ed Oxygen 8.03, 6.72 3 tty ttrument Used VA2			Other NA Globs Flecks ured)					
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils			Lρoking at stones which are the undersides black	Paper fiber Sand Other NA ch are not deeply embedded, ck in color?					
INC		STRATE (COMPONENTS 00%)		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)						
Substrate Type	Diamet	er	% Composition in Sampling Reach		Characteristic	% Composition in Sampling Area					
Bedrock Boulder	> 256 mm (10"))	0	Detritus	sticks, wood, coarse plant materials (CPOM)	0					
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-2		30 60	Muck-Mud	black, very fine organic (FPOM)	0					
Sand Silt Clay	0.06-2mm (gritt 0.004-0.06 mm < 0.004 mm (sli		10 0 0	Marl	grey, shell fragments	0					

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-IJ10	LOCATION Roanoke County				
STATION # RIVERMILE	STREAM CLASS Perennial				
LAT <u>37.089179</u> LONG <u>-80.005026</u>	RIVER BASIN Upper Roanoke				
STORET#	AGENCY VADEQ				
INVESTIGATORS KD, TC					
FORM COMPLETED BY KD	DATE 8/27/21 REASON FOR SURVEY TIME 9:00 AM PM Baseline Assessment				

	Habitat		Condition	Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.		
	SCORE 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.		
ted in	SCORE 13	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).		
ıram	SCORE 10	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
$P_{\mathcal{E}}$	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.		
	SCORE 10	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.		
	SCORE 13	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		

Notes:

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.		
	SCORE 19	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.		
amp	SCORE 17	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.		
e ev	SCORE 3	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
s to k	SCORE 7	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
Parameter	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.		
	SCORE 4	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE 5	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.		
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
1	SCORE 5	Right Bank 10 9	8 7 6	5 4 3	2 1 0		


132 Notes:

A-8

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

1																			
STREAM NAME S-I	·IJ10					LOCA	TION	Roand	oke (Coun	ty								
STATION #	RIVERMILE						STREAM CLASS Perennial												
LAT 37.089179	_ L(LONG80.005026						RIVER BASIN Upper Roanoke											
STORET#								AGENCY VADEQ											
INVESTIGATORS K	(D, T(0					LOT NUMBER							NUMBER					_
FORM COMPLETE	D BY	K	D				DATE TIME					F	REAS	SON FOR SURVEY B	aselir	ne A	sse	ssm	ent
HABITAT TYPES	✓	Indicate the percentage of each habit ✓ Cobble 50 % Snags% Submerged Macrophytes %							Î₽ÎV	eget			ks_60_	%	%				
SAMPLE	G	ear	used		D-fr	ame 🗸	kick-n	et		По	ther								_
COLLECTION														_					
	H	ow v	vere	the	samp	les colle	cted?	✓	wading	g	Ш	fron	n ban	k ☐ from box	at				
	✓	Cob	ble 4			r of jabs ☐Sna phytes_	gs	taken i —	$\square V$	eget	oitat ated i ther	Banl	ks	Sand)					
GENERAL COMMENTS	IL4 KICKS IN TIME NADIJAL CJAWIJSH AND JANIAH DANELS CAHONLAND																		
QUALITATIVE																			
Indicate estimated Dominant Periphyton	d abı				0	1 2	Not O	Observ 4	ed, 1	Sliı	nes			ommon, 3= Abun	0	1	2	3	-
Indicate estimated Dominant	d abı				0 = A	1 2 1 2	3 3	Observ	ed, 1	Sliı	nes croii		= C	·	0 0			3 3 3	4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimate	d abu	ONS	S Ol	F Me:	0 0 0 0 ACI 0 = 0	1 2 1 2 1 2 ROBEN Absent anisms)	3 3 3 NTHO /Not (0, 3= A	Dbserv 4 4 4 4 OS Observ	ved, 1	Slin Ma Fish 1 = 1	nes croin h Rare	e (1	rtebr -3 or	rganisms), 2 = Co , 4 = Dominant (>	0 0 0	1 1 1 1 1 (3	2 2 2 2	3 3	4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimates	ATIO	ONS und	S Ol anco	F M 3	0 0 0 0 ACI 0 = orga	1 2 1 2 1 2 ROBEN Absent Aniso	3 3 3 NTHO /Not (0, 3= A)	Dbserv 4 4 4 4 OS Observ	ved, 1 ant (>	Slin Ma Fisi 1 = 1	mes croin	e (1)	-3 or sms)	rganisms), 2 = Co , 4 = Dominant (>	0 0 0 0 mmoi 50 or	1 1 1 1 1 (3	2 2 2 2 -9 nism	3 3 3	4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimates Porifera Hydrozoa	ATIO	ONS und	S Olance	F M e: 3	0 0 0 0 ACI 0 = orga	1 2 1 2 1 2 ROBEN Absent Aniso Zygop	3 3 3 NTHO (Not (), 3= A	Dbserv 4 4 4 4 OS Observ	ved, 1 ant (>	Slin Ma Fisl 1 = 1 1 1	Rarrorgs	anis	-3 or 4 4	rganisms), 2 = Co , 4 = Dominant (> Chironomidae Ephemeroptera	0 0 0 0 mmor 50 or	1 1 1 1 1 1	2 2 2 2 -9 nism	3 3 3 3	4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimate Porifera Hydrozoa Platyhelminthes	ATIO	ONS 1 1 1 1	S Olance	FF M e: 3 3 3 3	0 0 0 0 ACI 0 = 0 orga	1 2 1 2 1 2 ROBEN Absent Anisos Zygor Hemij	3 3 3 NTHO /Not (), 3= A ptera ptera ptera	Dbserv 4 4 4 4 OS Observ	ved, 1 ant (>	Slin Ma Fisi 1 = 1 > 10	mes croin Rare orga 2 2 2	3 3 3	-3 or 4 4 4 4	rganisms), 2 = Co, 4 = Dominant (> Chironomidae Ephemeroptera Trichoptera	0 0 0 0 mmoi 50 or	1 1 1 m (3 rgan	2 2 2 2 nism	3 3 3 3 3 3	4 4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimate Porifera Hydrozoa Platyhelminthes Turbellaria	ATIO d abu	ONS und 1 1 1 1	S Olanco	F M e: 3 3 3 3 3	0 0 0 0 ACI 0 0 orga	1 2 1 2 1 2 ROBEN Absent Anisms) Aniso Zygor Hemij Coleo	3 3 3 NTHO /Not () 0, 3= A ptera ptera ptera	4 4 4 4 Observ	ved, 1 ant (> 0 0 0 0 0 0	Slin Ma Fis 1 = 1 1 1 1 1	mes croin h	3 3 3 3	-3 or 4 4 4 4 4	rganisms), 2 = Co , 4 = Dominant (> Chironomidae Ephemeroptera	0 0 0 0 mmor 50 or	1 1 1 1 1 1	2 2 2 2 -9 nism	3 3 3 3	4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimates Porifera Hydrozoa Platyhelminthes Turbellaria Hirudinea	ATIO O O O O O O	ONS und 1 1 1 1 1	2 2 2 2 2	F M e: 3 3 3 3 3 3	0 0 0 0 ACI 0 = orga 4 4 4 4 4 4	1 2 1 2 1 2 ROBEN Absent Anison Zygor Heming Coleo Lepid	3 3 3 NTHO /Not (0, 3= A) ptera ptera ptera ptera ptera	4 4 4 4 Observ	o 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Slin Ma Fisl 1 = 1 1 1 1 1 1	Rarcorg:	3 3 3 3 3	-3 on 4 4 4 4 4 4	rganisms), 2 = Co, 4 = Dominant (> Chironomidae Ephemeroptera Trichoptera	0 0 0 0 mmoi 50 or	1 1 1 m (3 rgan	2 2 2 2 nism	3 3 3 3 3 3	4 4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimates Porifera Hydrozoa Platyhelminthes Turbellaria Hirudinea Oligochaeta	ATIO O O O O O O O	ONS und 1 1 1 1 1 1	2 2 2 2 2 2 2	3 3 3 3 3 3	0 0 0 0 ACI 0 0 e orga	1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	3 3 3 NTHO /Not (0, 3= A) ptera ptera ptera ptera ptera ptera ae	4 4 4 4 OS Observ	0 0 0 0 0 0	Slin Ma Fiss 1 = 1 1 1 1 1 1 1 1 1	Rarrorga 2 2 2 2 2 2	3 3 3 3 3 3	-3 or sms) 4 4 4 4 4	rganisms), 2 = Co, 4 = Dominant (> Chironomidae Ephemeroptera Trichoptera	0 0 0 0 mmoi 50 or	1 1 1 m (3 rgan	2 2 2 2 nism	3 3 3 3 3 3	4 4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimate Porifera Hydrozoa Platyhelminthes Turbellaria Hirudinea Oligochaeta Isopoda	ATIO O O O O O O	ONS und 1 1 1 1 1	2 2 2 2 2 2 2 2	F M e: 3 3 3 3 3 3	0 0 0 0 ACI 0 = orga 4 4 4 4 4 4	1 2 1 2 1 2 1 2 Absent/Absent Aniso Zygop Hemip Coleo Lepid Sialid Coryd	3 3 3 NTHO /Not (0, 3= A) ptera ptera ptera ptera ptera ae lalidae	4 4 4 4 OS Observ	o 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Slin Ma Fisl 1 = 1 1 1 1 1 1	Rare orga	3 3 3 3 3	-3 on 4 4 4 4 4 4	rganisms), 2 = Co, 4 = Dominant (> Chironomidae Ephemeroptera Trichoptera	0 0 0 0 mmoi 50 or	1 1 1 m (3 rgan	2 2 2 2 nism	3 3 3 3 3 3	4 4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimate Porifera Hydrozoa Platyhelminthes Turbellaria Hirudinea Oligochaeta Isopoda Amphipoda	0 0 0 0 0 0	ONS und 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3	0 0 0 0 ACII a 0 o 0 o 0 4 4 4 4 4 4 4 4 4 4	1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	3 3 3 NTHO /Not () 0, 3= A ptera ptera ptera ptera ae lalidae idae	4 4 4 4 OS Observ	0 0 0 0 0 0	Slin Ma Fis 1 = : >10 1	mes croin h	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	-3 or sms) 4 4 4 4 4 4 4	rganisms), 2 = Co, 4 = Dominant (> Chironomidae Ephemeroptera Trichoptera	0 0 0 0 mmoi 50 or	1 1 1 m (3 rgan	2 2 2 2 nism	3 3 3 3 3 3	4 4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimates Porifera Hydrozoa Platyhelminthes Turbellaria Hirudinea Oligochaeta Isopoda Amphipoda Decapoda	0 0 0 0 0 0	ONS und 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3	0 0 0 0 ACI 0 = 0 orga	1 2 1 2 1 2 1 2 Absent/Absent Aniso Zygop Hemip Coleo Lepid Sialid Coryd	3 3 3 NTHO /Not (0, 3= A) ptera ptera ptera ptera ae lalidae dae didae	4 4 4 4 OS Observ	0 0 0 0 0 0	Slin Ma Fis 1 = : >10 1	Rare orga	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	-3 on 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	rganisms), 2 = Co, 4 = Dominant (> Chironomidae Ephemeroptera Trichoptera	0 0 0 0 mmoi 50 or	1 1 1 m (3 rgan	2 2 2 2 nism	3 3 3 3 3 3	4 4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimate Porifera Hydrozoa Platyhelminthes Turbellaria Hirudinea Oligochaeta Isopoda Amphipoda	ATIO O O O O O O O O O O O O O O O O O O	ONS und 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3 3	0 0 0 0 0 ACI 0 = org 4 4 4 4 4 4 4 4 4 4 4 4	1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	3 3 3 NTHO /Not (0, 3= A) ptera ptera ptera ptera ae lalidae didae didae iidae	4 4 4 4 OS Observ	0 0 0 0 0 0 0 0 0	Slin Ma Fis 1 = 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Rarrorgs 2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	-3 or 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	rganisms), 2 = Co, 4 = Dominant (> Chironomidae Ephemeroptera Trichoptera	0 0 0 0 mmoi 50 or	1 1 1 m (3 rgan	2 2 2 2 nism	3 3 3 3 3 3	4 4 4 4

Mountain Valley Pipeline Data are not adjusted for subsampling



	Sample ID Collection Date	S-IJ10 08-27-2021
ORDER	GENUS/SPECIES	COUNT
Ephemeroptera	·	1
Ephemeroptera		18
Ephemeroptera Ephemeroptera		6 2
Ephemeroptera Ephemeroptera		1
	Eurylophella sp.	1
Ephemeroptera		1
Ephemeroptera	Leptophlebiidae	1
Ephemeroptera	Maccaffertium sp.	12
Ephemeroptera		1
Ephemeroptera		1
	Teloganopsis deficiens Eccoptura xanthenes	3
Plecoptera		2
	Neoperla sp.	6
Plecoptera		1
•	Cheumatopsyche sp.	14
	Chimarra sp.	1
	Hydropsyche sp.	4
	Calopterygidae	2
	Gomphidae	1
	Ophiogomphus sp.	1
·	Anchytarsus bicolor	1
-	Helichus sp.	1
·	Optioservus sp.	47 15
·	Oulimnius sp. Psephenus sp.	
-	Stenelmis sp.	3
	Corydalus sp.	1
Diptera-Chironomidae	-	7
Diptera-Chironomidae		2
Diptera-Chironomidae		4
Diptera-Chironomidae	T	8
Diptera-Chironomidae		1
Diptera-Chironomidae	·	2
Diptera-Chironomidae	•	2
Diptera-Chironomidae	•	1
· ·	' '	12
Diptera-Chironomidae	7.7	12
Diptera-Chironomidae Diptera-Chironomidae	·	4
Diptera-Chironomidae		2
	Thienemannimyia gr. sp.	4
Diptera-Chironomidae		1
•	Antocha sp.	1
	Atylotus/Tabanus sp.	2
	Ceratopogoninae Hemerodromia sp.	3 6
	Hernerodromia sp. Hexatoma sp.	4
	Simuliidae	3
	Lumbricina	3
	tubificoid Naididae w/o cap setae	1
	Hydryphantidae	1
	Lebertia sp.	4
Other Organisms Other Organisms		2 2
Other Organisms	TOTAL	235

Mountain Valley Pipeline WV SCI Metrics



Sample ID Collection Date	
WVSCI Metric Values Total taxa EPT taxa EPT Chironomidae 2 Dominant HBI	30 11 33.6 21.7 48.5 4.60
WVSCI Metric Scores Total taxa EPT taxa % EPT Chironomidae 2 Dominant HBI	142.9 84.6 36.6 79.1 80.5 76.1
WVSCI Metric Scores Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	100.0 84.6 36.6 79.1 80.5 76.1
WVSCI Total Score	76.1

WVSCI Thresholds

Unimpaired = > 68.00 Gray Zone = 60.61 to 68.00 Impaired = <60.61

WOLMAN PEBBLE COUNT FORM

County: Franklin County Stream ID: S-IJ10

Stream Name: Little Creek

HUC Code: 03010101 Basin: Upper Roanoke

Survey Date: 8/27/2021 Surveyors: KD TC Type: Representative

r 1	D . D.TIGI E		LE COUNT			T =	0.0
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cui
	Silt/Clay	< .062	S/C	-	12	12.00	12.00
	Very Fine	.062125		•	0	0.00	12.00
	Fine	.12525	1	•	2	2.00	14.00
	Medium	.255	SAND	•	2	2.00	16.00
	Coarse	.50-1.0	1	•	7	7.00	23.00
.0408	Very Coarse	1.0-2	1	•	0	0.00	23.00
.0816	Very Fine	2 -4		•	2	2.00	25.00
.1622	Fine	4 -5.7	1	•	0	0.00	25.00
.2231	Fine	5.7 - 8	1	^	4	4.00	29.00
.3144	Medium	8 -11.3	1	•	9	9.00	38.00
.4463	Medium	11.3 - 16	GRAVEL	•	2	2.00	40.00
.6389	Coarse	16 -22.6	1	4	6	6.00	46.00
.89 - 1.26	Coarse	22.6 - 32	1	4	9	9.00	55.00
1.26 - 1.77	Vry Coarse	32 - 45	1	4	13	13.00	68.00
1.77 -2.5	Vry Coarse	45 - 64	1	4	17	17.00	85.00
2.5 - 3.5	Small	64 - 90		4	9	9.00	94.00
3.5 - 5.0	Small	90 - 128	1	4	4	4.00	98.00
5.0 - 7.1	Large	128 - 180	COBBLE	4	2	2.00	100.0
7.1 - 10.1	Large	180 - 256	1	4	0	0.00	100.0
10.1 - 14.3	Small	256 - 362		^	0	0.00	100.0
14.3 - 20	Small	362 - 512	1	A	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	A	0	0.00	100.0
40 - 80	Large	1024 -2048	1	A	0	0.00	100.0
80 - 160	Vry Large	2048 -4096	1	A	0	0.00	100.0
	Bedrock		BDRK	^	0	0.00	100.0
			1	Totals	100		

RIVERMORPH PARTICLE SUMMARY

River Name: Little Creek
Reach Name: S-IJ10
Sample Name: Representative
Survey Date: 08/27/2021

Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	12 0 2 2 7 0 2 0 4 9 2 6 9 13 17 9 4 2 0 0 0 0	12.00 0.00 2.00 2.00 7.00 0.00 2.00 0.00 4.00 9.00 6.00 9.00 13.00 17.00 9.00 4.00 2.00 0.00 0.00 0.00 0.00 0.00	12.00 14.00 14.00 16.00 23.00 23.00 25.00 25.00 29.00 38.00 40.00 46.00 55.00 68.00 85.00 94.00 98.00 100.00 100.00 100.00 100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.5 10.2 26.78 62.88 99.5 180 12 11 62 15 0		

Total Particles = 100.

Project # Project Name (Applicant)		tream Method	ology for use	in Virginia	orm 1	l) 		
Project Walle (Applicant)	Locality	Cowardin Class.	HUC	Date	SAR#	Impact Length	Impact Factor	
22865.06 Mountain Valley Pipeline (Mountain Valley Pipeline, LLC)	County	R3	03010101	8/27/21	S-IJ10	20	1	
	n Name and Informa	tion				SAR Length		
TC, KD Little (Creek					83		
1. Channel Condition: Assess the cross-section of the		dition (erosion, agg Conditional Categor						
Optimal	Suboptimal	Marg	-	Po	or	Sev	ere	
Channel Condition 100% stable banks. Vegetative surface protection or natural rock, prominent (80-100%). AND/OR Stable point bars / bankfull benches are present. Access to their original floodplain or fully 100% stable banks. Vegetative surface erosion of be dependent of bars of being the protection of being the provided bars. Vegetative surface of being the provided bars. Vegetative surface erosion of ba	incised, few areas of active r unprotected banks. Majority miks are stable (60-80%), we protection or natural rock ninent (60-80%) AND/OR tional features contribute to		stable than Severe wer bank slopes. sent on 40-60% of ative protection on reambanks may be	vertical. Erosion pro banks. Vegetative on 20-40% of banks	 Likely to widen both banks are near esent on 60-80% of protection present s, and is insufficient 	Streambed below ave majority of banks Vegetative protection	stability. Severe ed within the banks. erage rooting depth, vertical/undercut. on present on less	
channel bars and transverse bars few. Transient sediment deposition covers less than 10% of bottom. channels has ac newly c	The bankfull and low flow are well defined. Stream likely cess to bankfull benches, or leveloped floodplains along ns of the reach. Transient covers 10-40% of the stream bottom.	v vertical or undercut. AND/OR 40-60% Sediment may be temporary / transient, contribute instability, Deposition that contribute to stability, may be forming/present. AND/OR V-		to prevent erosion. AND/OR 60-80% of the stream is covered by sediment. Sediment is temporary / transient in nature, and contributing to instability. AND/OR V-shaped channels have vegetative protection is present on > 40% of the banks and stable sediment		of than 20% of banks, is not preventing erosion. Obvious bank sloughing present. Erosion/raw banks on 80-100%. AND/OR Aggrading channel. Greater than 80% of stream bed is covered by deposition, contributing to instability.		CI
Scores 3	2.4	2	!	1.	.6	1		2.00
2. RIPARIAN BUFFERS: Assess both bank's 100 foot Optimal	riparian areas along the e Conditional Cate Suboptimal			length & width ma		NOTES>>		
Riparian Buffers Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas. High Sut Riparian tree stratum (dbh > 3 inches) present, with 30% tree can do conta herbace shrub la	poptimal: Low Suboptimal: areas with Riparian areas with Im (dbh > tree stratum (dbh > present, so to 60% with 30% to 60% with 30% to 60% with 30% to 60% us and a maintained upersor a cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
Hi	gh Low	High	Low	High	Low]		
Scores 1.5 1	.2 1.1	0.85	0.75	0.6	0.5			
Delineate riparian areas along each stream bank into Cond	nate riparian areas along each stream bank into Condition Categories and Condition S mine square footage for each by measuring or estimating length and width. Calculato				Ensure the sums of % Riparian Blocks equal 100			
	0	culators are provide	ed for you below.		•			
Determine square footage for each by measuring or estima Enter the % Riparian Area and Score for each riparian cate % Riparian Area 70% 65	0	culators are provide	ed for you below.		•			
Determine square footage for each by measuring or estima Enter the % Riparian Area and Score for each riparian cate Right Bank Riparian Area	gory in the blocks below.	culators are provide	ed for you below.		qual 100		20.04/6	
2. Determine square footage for each by measuring or estima 3. Enter the % Riparian Area and Score for each riparian cate Right Bank % Riparian Area > 20% 65 Score > 0.5 0	gory in the blocks below. 9% 15% 6 1.5	culators are provide	ed for you below.		qual 100 100%	CI= (Sum % RA * Soc Rt Bank CI >		CI
2. Determine square footage for each by measuring or estima 3. Enter the % Riparian Area and Score for each riparian cate Right Bank % Riparian Area 20% 65 Score > 0.5 0 Left Bank % Riparian Area 20% 80 W Riparian Area 20% 80 Control of the square of the squar	gory in the blocks below.	suators are provide	ed for you below.		qual 100	CI= (Sum % RA * Sco Rt Bank CI > Lt Bank CI >	ores*0.01)/2 0.72 0.58	CI 0.65
2. Determine square footage for each by measuring or estima 3. Enter the % Riparian Area and Score for each riparian cate Right Bank % Riparian Area > 20% 65 Score > 0.5 0	gory in the blocks below. 15% 15% 15% 1.5 1% 16 1.5 19% 16 1.6 1.7 19% 16 17.5 19% 18.6 19% 19% 19% 19% 19% 19% 19% 19% 19% 19%	and leafy debris;	,	Blocks e	100%	Rt Bank CI > Lt Bank CI > banks; root mats; S	0.72 0.58	
2. Determine square footage for each by measuring or estima 3. Enter the % Riparian Area and Score for each riparian cate Right Bank % Riparian Area 20% 65 Score > 0.5 0 Left Bank % Riparian Area 20% 80 Score > 0.5 0 3. INSTREAM HABITAT: Varied substrate sizes, water complexes, stable features.	gory in the blocks below. 15% 15% 16 1.5 1% 16 200 10% 15% 10% 10% 10% 10% 10% 10% 10% 10% 10% 10	al Category	stable substrate; l	Blocks e	100% 100% 100%	Rt Bank CI >	0.72 0.58	
2. Determine square footage for each by measuring or estima 3. Enter the % Riparian Area and Score for each riparian cate Right Bank % Riparian Area > 20% 65 Score > 0.5 0	gory in the blocks below. 15% 15% 15% 1.5 1% 16 1.5 19% 16 1.6	y and leafy debris; all Category Marc	stable substrate; I	Blocks e	qual 100 100% 100% 100% shade; undercut oor listed above are stable. Habitat ally present in less	Rt Bank CI > Lt Bank CI > banks; root mats; S	0.72 0.58 AV; riffle/pool	

Stream Impact Assessment Form Page 2									
Project # Project Name (Applicant) Locality Cowardin Class. HUC Date SAR # Impact Length Factor									
22865.06	Mountain Valley Pipeline Valley Pipeline, L	•	Franklin County	R3	03010101	8/27/21	S-IJ10	20	1
4. CHANNEL ALTERATION: Stream crossings, riprap, concrete, gabions, or concrete blocks, straightening of channel, channelization, embankments, spoil piles, constrictions, livestock									
	Conditional Category								
			Conditiona	al Category				NOTES>>	
	Negligible	Mi	Conditiona nor	Mod	erate	Sev	rere	NOTES>>	
Channel Alteration		Less than 20% of the stream reach is	20-40% of the stream reach is disrupted by any of the channel	Mod 40 - 60% of reach	60 - 80% of reach is disrupted by any of the channel alterations listed in	Greater than 80% c by any of the chanr in the parameter g 80% of banks sh riprap, or	of reach is disrupted neel alterations listed uidelines AND/OR ored with gabion,	NOTES>>	

NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number.

THE REACH CONDITION INDEX (RCI) >> 1.07

RCI= (Sum of all Cl's)/5, except if stream is ephemeral RCI = (Riparian Cl/2)

COMPENSATION REQUIREMENT (CR) >> 21

CR = RCI X L_I X IF

INSERT PHOTOS:

(WSSI Photo Location L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread I\Field Forms\S-IJ10\Photos\DS VIEW.JPG)


REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH




Downstream view facing E within the ROW. Assessment is limited to areas within the temporary ROW.


DESCRIBE PROPOSED IMPACT	Γ:	
--------------------------	----	--

PROVIDED UNDER SEPARATE COVER







CL STAKEOUT POINTS: S-IJ10 CROSS SECTION B (PIPE CL)					
	POST-CROSSING				
PT. LOC.	NORTHING	EASTING	ELEV	VERT.	HORZ.
P1. LOC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.
TS-L	13468579.06	1930547.25	1286.19		
BS-L	13468576.61	1930545.77	1283.91		
THW	13468575.66	1930545.22	1283.95		
BS-R	13468573.74	1930544.01	1284.38		
TS-R	13468570.94	1930542.23	1284.76		



SURVEY NOTES:

- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on September 10, 2018 and September 16, 2021.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. All section views shown are left to right facing downstream.
- 6. Cross-section B shot at location of pipe centerline (based on best professional judgement).
- 7. Pipe installed prior to survey.










EXISTING UPSTREAM CROSSING



POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING

PENDING CROSSING	

PHOTO TAKEN LOOKING

PENDING CROSSING

PHOTO TAKEN LOOKING

WSSI 2' C.I. Topo SIH PFS EJC Sheet # 1 of 1 Computer File Name: L:\Survey\22000s\22800\22865.03\Spread I Work Dwgs 2865_03 S-I MP 254-267 Sheets.dwg

Horizontal Datum: NAD 1983 UTM ZONE 1

Vertical Datum: NAVD 88

Boundary and Topo Source:

