Reach S-IJ4 (Timber Mat Crossing) Perennial Spread I Franklin County, Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	\checkmark
Water Quality Data	\checkmark
RBP Habitat Form	\checkmark
RBP Benthic Form	\checkmark
Benthic Identification Sheet	\checkmark
Wolman Pebble Count	\checkmark
RiverMorph Data Sheet	\checkmark
USM Form (Virginia Only)	\checkmark
Longitudinal Profile and Cross Sections	\checkmark

Franklin County



Photo Type: DS VIEW Location, Orientation, Photographer Initials: Downstream view of ROW looking NW, AW



Photo Type: US VIEW Location, Orientation, Photographer Initials: Upstream view of ROW looking SW, JB

Stream S-IJ4 (Timber Mat)

Franklin County




Photo Type: LB CL Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking NW, AW



Photo Type: RB CL Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking SE, AW

DEQ Permit #21-0416

Stream S-IJ4 (Timber Mat)

Franklin County



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream conditions outside of ROW looking SW, AW

L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread I\Field Forms\S-IJ4\1_QAQC\Photo Doc_S-IJ4.docx

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	37.091189	Lon.	-80.024366	WEATHER:	Sunny	DATE:	August 23, 2021
IMPACT STREAM/SITE ID (watershed size (acreage),	AND SITE DESCRIPTION: unaltered or impairments)	S-	IJ4		MITIGATION STREAM CLASS (watershed size (acreage			:		Comments:	
STREAM IMPACT LENGTH:	20 FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:	0.01"	Mitigation Length:	
Column No. 1- Impact Existing	g Condition (Debit)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation Pr Post Completion	rojected at Five Y n (Credit)	ears	Column No. 4- Mitigation Proj Post Completion (ected at Ten Years Credit)	Column No. 5- Mitigation Project	ed at Maturity (Credit)
Stream Classification:	Perennial	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Sl	ope 5	Percent Stream Channel Slo	ope		Percent Stream Channel S	lope	0	Percent Stream Channel S	lope 0	Percent Stream Channel S	lope 0
HGM Score (attach da	ata forms):	HGM Score (attach o	iata forms):		HGM Score (attach	n data forms):		HGM Score (attach d	ata forms):	HGM Score (attach d	ata forms):
	Average		Average				Average		Average		Average
Hydrology Biogeochemical Cycling	0	Hydrology Biogeochemical Cycling	0		Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling	0	Hydrology Biogeochemical Cycling	0
Habitat PART I - Physical, Chemical and	Distantiast Indiastan	Habitat PART I - Physical, Chemical and	Distanta		Habitat	nd Dislasiasi Inc		Habitat	Riele signal in dispetance	Habitat	Diala pinal Indianta m
PART I - Physical, Chemical and	-	PART I - Physical, Chemical and	-		PART I - Physical, Chemical a			PART I - Physical, Chemical and	_	PART I - Physical, Chemical and	
	Points Scale Range Site Score		Points Scale Range Site Score			Points Scale Range	Site Score		Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams	s classifications)	PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all stream	s classifications)		PHYSICAL INDICATOR (Applies to all stream	s classifications)	PHYSICAL INDICATOR (Applies to all streams	s classifications)
USERA RBP (High Gradient Data Sheet) L Spfand Storett Available Cover 2. Embeddedness 4. Sedient Deposition 5. Channel Flow Status 6. Channel Alviration 5. Channel Alviration 5. Channel Alviration 6. Sansk Status 6. Sansk Status 5. Sa		USEPA RAP (Low Gradient Data Sheet) L Epfanal Stockhard Available Cover 2 Pool Substrate Characterization 4 Sediment Deposition 5 Charanel Pool Stata 6 Charanel Availation 1 Charanel Availation 5 Bank Statal 8 Bank Statal 9 Bank Disolatiny (LB & RB) 1 Call RAP Score 2 Notestation Protection (LB & RB) 1 Call RAP Score 2 Not-Total CHEMICAL INDICATOR (Applies to Intermittent WVDEP Water Caality Indicators (General) 5 perfile DO	0.20 0.20 0.20 0.20 0.20 0.1 0.20 0.1 0.20 0.1 0.20 0.1 0.20 0.1 0.20 0.1 0.20 0 0.20 0 0.20 0 0.20 0 0.20 0 0.20 0 0.20 0 0.20 0 0.20 0 0.20 0 0.20 0 0.20 0 0.20 0 0.20 0 0.20 0 0.20 0 0.20 0 0.20 0 0.20 0 0.1 0		USEPA KRP (High dradient Data Sheet) I Epfland Storation Available Cover 2. Enteeddordness 4. Sediant Depotion 5. Channel Flore Status 6. Channel Flore Status 6. Channel Attration 7. Fraquency of Herita (or bends) 9. Bank Status) 6. Bank Status) 7. Ba		0 0 0 0	USEPA REP (High Gradient Data Sheet) 1. Epiforana Substrati/Available Cover 2. Embeddedness 3. Velocity/Deph Regime 4. Sedminef Deposition 5. Charnel Flow Status 5. Charnel Flow Status 1. Frequency of Rifling (or Lends) 5. Bank Statulty (LB & RB) 1. Vestatus of Rifling (or Lends) 5. Bank Statulty (LB & RB) 1. Vestatus Protection (LB & RB) 1. Vestatus Protection (LB & RB) 1. Constant Protection (LB		USEPA RBP (High Gradient Data Sheet) 1. Enflurant Substratiol/Available Cover 2. Embeddedness 3. Velocity (Deph Regime 4. Sodiment Deposition 5. Channel Pros Status 6. Channel Attration 1. Frequency of Riffles (or bands) 1. Status (Deph Regime 1. Solitation (LB & RB) 1. Vegetime Protection (LB & RB) 1. Vegetime Protection (LB & RB) 1. Call RBP Score Sub-Total CHEMICAL INDICATOR (Apples to Intermitte WVDEP Water Quality Indicators (General Specific Conductivity PI	
>5.0 = 30 points Sub-Total	1	Sub-Total	0		Sub-Total	+ +	0	Sub-Total	0	Sub-Total	0
BIOLOGICAL INDICATOR (Applies to Intermit	tent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Interr	nittent and Perenni	al Streams)	BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)
WV Stream Condition Index (WVSCI) Very Good Sub-Total	0-100 0-1 84 0.84	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1 O		WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1	0	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1 0
PART II - Index and U	Jnit Score	PART II - Index and I	Unit Score		PART II - Index an	d Unit Score		PART II - Index and L	Init Score	PART II - Index and L	Init Score
Index	Linear Feet Unit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Score
0.887	20 17.7333333	0	0 0		0	0	0	0	0 0	0	0 0
		L	1 1	IJ	L	1	I	L		Ц	I I

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-IJ4		LOCATION Franklin County	
STATION # R	IVERMILE	STREAM CLASS Perennial	
LAT 37.091189 LO	ONG -80.024366	RIVER BASIN Upper Roand	oke
STORET #		AGENCY VADEQ	
INVESTIGATORS AW, JE	3		
FORM COMPLETED BY	JB	DATE 8\23 TIME 10:30	REASON FOR SURVEY Baseline Assessment
WEATHER CONDITIONS	Now		Has there been a heavy rain in the last 7 days? Yes No
	□ rain (showers 0 % √ %c	(heavy rain) steady rain)	Air Temperature <u>26.1</u> ⁰ C Other
SITE LOCATION/MAP	Draw a map of the sit	e and indicate the areas sample	ed (or attach a photograph)
	Deal 1	verdotion Verdotion	NG AWAY hotbaleous vegetation FLOW us vegetation pc ing COMING IN
STREAM CHARACTERIZATION	Stream Subsystem Stream Origin Glacial Non-glacial montane Swamp and bog	☐Spring-fed	Stream Type Coldwater Warmwater Catchment Area 1.6 km ²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse ✓ Forest Commercial ✓ Field/Pasture Industrial ▲ Agricultural Other ▲ Residential Other Indicate the dominant type and record the domin □ Trees ☑ Shrubs □ Dominant species present Indian Grass; impatients capensis, Alrus	
INSTREAM FEATURES	Estimated Reach Length 7.5 m Estimated Stream Width 0.7 m Sampling Reach Area 52 m² Area in km² (m²x1000) km² Estimated Stream Depth 0.2 m Surface Velocity (at thalweg) 0.1 m/sec	Canopy Cover □Partly shaded □Shaded I Partly open □Partly shaded □Shaded High Water Mark 0.2 m Proportion of Reach Represented by Stream Morphology Types Riffle 75 % Run 25 % Pool 0 9% Run 25 % Channelized Yes No Dam Present Yes No
LARGE WOODY DEBRIS	LWD <u>•</u> m ² Density of LWD <u>•</u> m ² /km ² (LWD/ reac	ch area)
AQUATIC VEGETATION	Indicate the dominant type and record the domin Rooted emergent Floating Algae Dominant species present Portion of the reach with aquatic vegetation 20	Rooted floating Free floating
WATER QUALITY (DS,US)	Temperature 19, 19,1 0 C Specific Conductance 54.0, 53.4 uS/cm Dissolved Oxygen 9.56, 10.17 mg/L pH 7.77, 7.91 Turbidity WQ Instrument Used YSI	Water Odors Normal/None Sewage Petroleum Chemical Fishy Other Water Surface Oils Slick Slick Sheen Globs None Other Turbidity (if not measured) Turbid ✓ Clear Slightly turbid Turbid Opaque Stained Other
SEDIMENT/ SUBSTRATE	Odors Sewage Petroleum Chemical Anaerobic None Other Oils Pofuse	Deposits □Sludge □Sawdust □Paper fiber □Sand □Relict shells □Other

INC	ORGANIC SUBSTRATE (should add up to			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)						
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area					
Bedrock		25			0					
Boulder	> 256 mm (10")	2		materials (CPOM)	U					
Cobble	64-256 mm (2.5"-10")	26	Muck-Mud	black, very fine organic	0					
Gravel	2-64 mm (0.1"-2.5")	17		(FPOM)	0					
Sand	0.06-2mm (gritty)	30	Marl	grey, shell fragments	0					
Silt	0.004-0.06 mm	0]		0					
Clay	< 0.004 mm (slick)	0]							

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-IJ4	LOCATION Franklin County					
STATION # RIVERMILE	STREAM CLASS Perennial					
LAT <u>37.091189</u> LONG <u>-80.024366</u>	RIVER BASIN Upper Roanoke					
STORET #	AGENCY VADEQ					
INVESTIGATORS AW, JB						
FORM COMPLETED BY JB	DATE 8/23 TIME 10:30 AM PM REASON FOR SURVEY Baseline Assessment					

	Habitat		Condition	Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	_{score} 19	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
ı sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.				
ted ir	score 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).				
Iram	_{score} 15	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	_{score} 14	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.				
	_{score} 19	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

Notes:

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditio	n Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabio or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.				
	score 19	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
0	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water of shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.				
ſ	_{score} 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
•	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing 60-100% of bank has erosional scars.				
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streamban vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.				
	SCORE 6	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
	SCORE 6	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone - meters: little or no riparian vegetation due human activities.				
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0				

Total Score 164

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-IJ	14	LOCATION Franklin County						
STATION #	RIVERMILE	STREAM CLASS Perennial						
LAT <u>37.091189</u>	LONG80.024366	RIVER BASIN Upper Roand	ke					
STORET #		AGENCY VADEQ						
INVESTIGATORS A	N, JB		LOT NUMBER					
FORM COMPLETED	JB	DATE 8\23 TIME 10:30	REASON FOR SURVEY Baseline Assessment					
HABITAT TYPES	Indicate the percentage of each habitat type present ✓ Cobble 20% Snags 0% ✓ Vegetated Banks 100% ✓ Sand 30% ✓ Submerged Macrophytes 15% ✓ Other (Bedrock/Boulder/Gravel)) 25/5/20 %							
SAMPLE COLLECTION	Gear used D-frame		rom bank from boat					
	Indicate the number of jabs/kicks taken in each habitat type. Cobble 4 Snags Submerged Macrophytes Other (
GENERAL COMMENTS	Approximately 10) crayfish, 1 fish , an	nd 1 salamander discarded.					

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

Mountain Valley Pipeline Data are not adjusted for subsampling

ECO ANALYSTS, INC.

	Sample ID Collection Date	S-IJ4 08-23-2021
ORDER	GENUS/SPECIES	COUNT
Ephemeroptera		14
Ephemeroptera		14
Ephemeroptera		7
Ephemeroptera		2
	Eurylophella sp.	14
Ephemeroptera		3
	Maccaffertium sp.	23
Ephemeroptera		1
Plecoptera	Leuctra sp.	46
Plecoptera	Soyedina sp.	2
Trichoptera	Diplectrona sp.	12
Odonata	Boyeria sp.	1
Odonata	Calopterygidae	7
Coleoptera	Ectopria sp.	1
Coleoptera	Helichus sp.	2
Coleoptera	Optioservus sp.	25
Coleoptera	Oulimnius sp.	6
Diptera-Chironomidae	Brillia sp.	1
Diptera-Chironomidae	Cladotanytarsus sp.	1
Diptera-Chironomidae		2
	Demicryptochironomus sp.	1
Diptera-Chironomidae		1
Diptera-Chironomidae	Paracricotopus sp.	1
Diptera-Chironomidae	Parametriocnemus sp.	1
Diptera-Chironomidae	Paraphaenocladius sp.	1
Diptera-Chironomidae	Polypedilum sp.	5
Diptera-Chironomidae	Psilometriocnemus triannulatus	1
Diptera-Chironomidae		1
Diptera-Chironomidae		1
Diptera-Chironomidae	, ,	1
Diptera-Chironomidae	Thienemannimyia gr. sp.	4
Diptera-Chironomidae	Tvetenia sp.	1
Diptera	Ceratopogoninae	7
Diptera	Pseudolimnophila sp.	1
Annelida		4
	tubificoid Naididae w/o cap setae	4
	Sphaeriidae	1
	Cambarus sp.	1
	Sperchonopsis sp.	1
Other Organisms		1
	TOTAL	210

Mountain Valley Pipeline WV SCI Metrics

ECO ANALYSTS, INC.

Sample ID Collection Date	
WVSCI Metric Values	
Total taxa	22
EPT taxa	9
% EPT	59.5
% Chironomidae	11.0
% 2 Dominant	36.7
НВІ	4.24
WVSCI Metric Scores	
Total taxa	104.8
EPT taxa	69.2
% EPT	64.8
% Chironomidae	89.9
% 2 Dominant	99.0
HBI	81.1
WVSCI Metric Scores	
Total taxa	100.0
EPT taxa	69.2
% EPT	64.8
% Chironomidae	89.9
% 2 Dominant	99.0
HBI	81.1
WVSCI Total Score	84.0

WVSCI Thresholds

Unimpaired = > 68.00 Gray Zone = 60.61 to 68.00 Impaired = <60.61


WOLMAN PEBBLE COUNT FORM

County:Franklin CountyStream ID: S-IJ4Stream NameUNT to North Fork Blackwater IVUPHUC Code:03010101Basin:Upper RoanokeSurvey Date:8/23/2021VSurveySurveyors:AW; JBVVType:RepresentativeV

			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	▲ ▼	0	0.00	0.00
	Very Fine	.062125		▲ ▼	4	3.96	3.96
	Fine	.12525		▲ ▼	5	4.95	8.91
	Medium	.255	SAND	▲ ▼	13	12.87	21.78
	Coarse	.50-1.0		▲ ▼	4	3.96	25.74
.0408	Very Coarse	1.0-2	1	▲ ▼	7	6.93	32.67
.0816	Very Fine	2 -4		▲ ▼	0	0.00	32.67
.1622	Fine	4 -5.7	1	▲ ▼	0	0.00	32.67
.2231	Fine	5.7 - 8	1	▲ ▼	1	0.99	33.66
.3144	Medium	8 -11.3	GRAVEL	▲ ▼	2	1.98	35.64
.4463	Medium	11.3 - 16		▲ ▼	1	0.99	36.63
.6389	Coarse	16 -22.6		▲ ▼	5	4.95	41.58
.89 - 1.26	Coarse	22.6 - 32		▲ ▼	2	1.98	43.56
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	2	1.98	45.54
1.77 -2.5	Vry Coarse	45 - 64		▲ ▼	4	3.96	49.50
2.5 - 3.5	Small	64 - 90		▲ ▼	8	7.92	57.43
3.5 - 5.0	Small	90 - 128		▲ ▼	7	6.93	64.36
5.0 - 7.1	Large	128 - 180	COBBLE	▲ ▼	6	5.94	70.30
7.1 - 10.1	Large	180 - 256	1	▲ ▼	3	2.97	73.27
10.1 - 14.3	Small	256 - 362		▲ ▼	1	0.99	74.26
14.3 - 20	Small	362 - 512	1	▲ ▼	1	0.99	75.25
20 - 40	Medium	512 - 1024	BOULDER	▲ ▼	0	0.00	75.25
40 - 80	Large	1024 -2048		▲ ▼	0	0.00	75.25
80 - 160	Vry Large	2048 -4096	1	▲ ▼	0	0.00	75.25
	Bedrock		BDRK	▲ ▼	25	24.75	100.00
				Totals	101		
	Total Tally:						

	Representative				
Size (mm)	тот #	ITEM %	CUM %		
0 - 0.062 0.062 - 0.125 0.125 - 0.25	0 4 5	0.00 3.96 4.95 12.87 3.96 6.93 0.00 0.00 0.99 1.98 0.99 4.95 1.98 1.98 3.96 7.92 6.93 5.94 2.97 0.99 0.00 0.00 0.99 0.92 0.99 0.00 0.00 24.75	0.00 3.96 8.91 21.78 25.74 32.67 32.67 32.67 33.66 35.64 36.63 41.58 43.56 45.54 49.50 57.43 64.36 70.30 73.27 74.26 75.25 75.25		
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Gobble (%) Boulder (%) Bedrock (%)	0.39 10.23 65.64 Bedrock Bedrock 0 32.67 16.83 23.77 1.98 24.75				

Total Particles = 101.



Reach R3 File: L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread I\Field Forms\S-IJ4\1_QAQC\HGM_HG_R4R6_USM_Wolman.xlsx

Scores	1.5	1	.2	0	.9	0	.5	Hi	gh	1.50
	S	tream Ir	npact A	ssessn	nent Foi	rm Page	9 2			
Project #	Project Name (Applicant)		Project Name (Applicant) Locality Cowardin Class. HUC		Date SAR #		Impact Length	Impact Factor		
22865.06	Mountain Valley Pipeline (Mountain Valley Pipeline, LLC)		Franklin County	R3	03010101	8/23/21	S-IJ4	20	1	
. CHANNEL	ALTERATION: Stream crossin	igs, riprap, concret	te, gabions, or cor	ncrete blocks, strai	ightening of chanr	nel, channelization	, embankments, s	poil piles, constricti	ons, livestock	
		Conditional Category				1		NOTES>>		
	Negligible	Mir	nor	40 - 60% of reach	erate 60 - 80% of reach	Sev	/ere			
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	20-40% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines AND/OR 80% of banks shored with gabion, riprap, or cement.				СІ
Scores	1.5	1.3	1.1	0.9	0.7	0	.5			1.50
	REACH	CONDITION	INDEX and S	STREAM CO	NDITION UN	ITS FOR THI	S REACH			
IOTE: The Cls a	nd RCI should be rounded to 2 deci	mal places. The Cl	R should be round	led to a whole nun	nber.		THE REACH	I CONDITION IN	DEX (RCI) >>	1.22
						RCI= (Sum of	all CI's)/5, exce	pt if stream is ep	hemeral RCI = (F	Riparian CI/2
							COMPENSA	TION REQUIRE	MENT (CR) >>	24
								X L _I X IF		

INSERT PHOTOS:


(WSSI Photo Location "L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread I/Field Forms\S-IJ4\Photos\DS VIEW.jpg")




Looking downstream within the ROW facing W. Assessment is limited to areas within the temporary ROW.


DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER




	PR		POST-CF	ROSSING	
PT. LOC.	NORTHING	EASTING	ELEV	VERT.	HORZ.
P1. LOC.	NORTHING	EASTING		DIFF.	DIFF.
TS-L	13469223.1380'	1924874.0330'	1420.870'		
BS-L	13469226.1520'	1924870.4680'	1419.982'		
THW	13469227.7940'	1924867.8910'	1419.589'		
BS-R	13469229.7390'	1924865.7440'	1420.031'		
TS-R	13469230.9640'	1924864.3670'	1422.725'		





SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 13, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.



NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

