Reach S-KL39 (Pipeline ROW) Perennial Spread I Franklin County, Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope
	>4%)
RBP Physical Characteristics Form	\checkmark
Water Quality Data	\checkmark
RBP Habitat Form	\checkmark
RBP Benthic Form	\checkmark
Benthic Identification Sheet	\checkmark
Wolman Pebble Count	\checkmark
RiverMorph Data Sheet	\checkmark
USM Form (Virginia Only)	\checkmark
Longitudinal Profile and Cross Sections	\checkmark

Stream S-KL39 (Pipeline ROW) Franklin County



Photo Type: US VIEW Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking N upstream, VM




Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking E downstream, VM

Stream S-KL39 (Pipeline ROW) Franklin County



Photo Type: LB CL

Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking SW at right streambank, VM



Photo Type: RB CL Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking NE at left streambank, VM

DEQ Permit #21-0416



Photo Type: US COND Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking NW upstream, VM



Photo Type: DS VIEW Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking SE downstream, VM

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mountain			in Valley Pipeline		IMPACT COORDINATES: (in Decimal Degrees)		
IMPACT STREAM/SITE II (watershed size {acreage				S-K	L39/220 ac			
STREAM IMPACT LENGTH:			FORM OF MITIGATION:	RESTORATION (Levels I-III)		MIT COORDINATES: (in Decimal Degrees)		
Column No. 1- Impact Existin	ıg Conditio	on (Debit	:)	Column No. 2- Mitigation Existing	g Condition - Ba	seline (Credit)		
Stream Classification:		Perenr	nial	Stream Classification:				
Percent Stream Channel S	lope		1.48	Percent Stream Channel	Slope			
HGM Score (attach o	lata forms	s):		HGM Score (attac	ch data forms):			
			Average			Average		
Hydrology	<u> </u>			Hydrology				
Biogeochemical Cycling			0	Biogeochemical Cycling		0		
Habitat				Habitat				
PART I - Physical, Chemical and	l Biologica	I Indicat	ors	PART I - Physical, Chemical	and Biological I	ndicators		
	Points Scale	Range	Site Score		Points Scale Ran	ge Site Score		
PHYSICAL INDICATOR (Applies to all stream	s classificatio	ons)		PHYSICAL INDICATOR (Applies to all stream	ms classifications)			
JSEPA RBP (High Gradient Data Sheet)				USEPA RBP (Low Gradient Data Sheet)				
. Epifaunal Substrate/Available Cover	0-20		11	1. Epifaunal Substrate/Available Cover	0-20			
2. Embeddedness	0-20		9	2. Pool Substrate Characterization	0-20			
3. Velocity/ Depth Regime	0-20		11	3. Pool Variability	0-20			
. Sediment Deposition	0-20		<u>16</u> 13	4. Sediment Deposition	0-20			
5. Channel Flow Status 5. Channel Alteration	0-20	0-1	16	5. Channel Flow Status 6. Channel Alteration	0-20 0-	1		
7. Frequency of Riffles (or bends)	0-20		8	7. Channel Sinuosity	0-20			
B. Bank Stability (LB & RB)	0-20		12	8. Bank Stability (LB & RB)	0-20			
9. Vegetative Protection (LB & RB)	0-20		14	9. Vegetative Protection (LB & RB)	0-20			
0. Riparian Vegetative Zone Width (LB & RB)	0-20		18	10. Riparian Vegetative Zone Width (LB & RB)	0-20			
Total RBP Score	Subopt	timal	128	Total RBP Score	Poor	0		
Sub-Total			0.64	Sub-Total		0		
CHEMICAL INDICATOR (Applies to Intermitte	nt and Peren	nial Strea	ims)	CHEMICAL INDICATOR (Applies to Intermit	ttent and Perennial S	Streams)		
NVDEP Water Quality Indicators (Genera Specific Conductivity	ıl)			WVDEP Water Quality Indicators (Gener Specific Conductivity	ral)	0		
	0-90		122.9		0-90			
100-199 - 85 points				pH				
		0-1	7.00	P.1	0-	1		
6.0-8.0 = 80 points	0-80		7.09		5-90			
00				DO		0		
>50 - 20 points	10-30		7.1		10-30			
>5.0 = 30 points Sub-Total			0.975	Sub-Total	I	0		
BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Per	ennial Str		BIOLOGICAL INDICATOR (Applies to Interr	mittent and Perennia	•		
VV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				
· · ·	0-100	0-1	78.6		0-100 0-	1		
Very Good Sub-Total			0.786	Sub-Total		0		
PART II - Index and	Unit Score			PART II - Index a	nd Unit Score			

Index	Linear Feet	Unit Score
0.800	121	96.8403333

	37.061193	Lon.		-79.880018	WEATHER:			Sunny	DATE:	Auc	ust 29	8, 2021
										Aug	just 20	, 2021
	MITIGATION STREAM CLASS./ (watershed size {acreage								Comments:			
•		Lon.			PRECIPITATION PAST 48 HRS:				Mitigation Length:			
	Column No. 3- Mitigation Pr Post Completion			'ears	Column No. 4- Mitigation Pro Post Completion		Ten Yea	ars	Column No. 5- Mitigation Projecte	ed at Matur	ity (Cre	ədit)
,	Stream Classification:			0	Stream Classification:		0		Stream Classification:		0	
	Percent Stream Channel SI	lope		0	Percent Stream Channel S	lope		0	Percent Stream Channel SI	lope		0
	HGM Score (attach	data foi	rms):		HGM Score (attach o	lata forms	s):		HGM Score (attach da	ata forms)	:	
				Average	Hydrology			Average	Hydrology			Average
E	Hydrology Biogeochemical Cycling Habitat			0	Biogeochemical Cycling Habitat			0	Biogeochemical Cycling Habitat			0
	PART I - Physical, Chemical an	nd Biolog	jical Ind	icators	PART I - Physical, Chemical and	l Biologica	al Indic	ators	PART I - Physical, Chemical and	Biological	Indicat	ors
		Points Scale	Range	Site Score		Points Scale	Range	Site Score		Points Scale	Range	Site Score
F	PHYSICAL INDICATOR (Applies to all streams	s classificat	tions)		PHYSICAL INDICATOR (Applies to all stream	PHYSICAL INDICATOR (Applies to all streams classifications)		PHYSICAL INDICATOR (Applies to all streams classifications)				
	JSEPA RBP (High Gradient Data Sheet)		-		USEPA RBP (High Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)	-		
1	I. Epifaunal Substrate/Available Cover	0-20	4		1. Epifaunal Substrate/Available Cover	0-20	-		1. Epifaunal Substrate/Available Cover	0-20		
2	2. Embeddedness 3. Velocity/ Depth Regime	0-20	-		2. Embeddedness 3. Velocity/ Depth Regime	0-20	-		2. Embeddedness 3. Velocity/ Depth Regime	0-20	-	
2	4. Sediment Deposition	0-20	-		4. Sediment Deposition	0-20	-		4. Sediment Deposition	0-20		
Ę	5. Channel Flow Status	0-20	0-1		5. Channel Flow Status	0-20	0-1		5. Channel Flow Status	0-20	0.1	
e	6. Channel Alteration	0-20	0-1		6. Channel Alteration	0-20	0-1		6. Channel Alteration	0-20	0-1	
7	7. Frequency of Riffles (or bends)	0-20			7. Frequency of Riffles (or bends)	0-20			7. Frequency of Riffles (or bends)	0-20		
8	3. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		
	9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20		
	0. Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB & RB)	0-20		
	Total RBP Score	P	oor	0	Total RBP Score	Poo	or	0	Total RBP Score	Poor		0
	Sub-Total			0	Sub-Total			0	Sub-Total			0
C	CHEMICAL INDICATOR (Applies to Intermitter	nt and Pere	ennial Stre	eams)	CHEMICAL INDICATOR (Applies to Intermitte	ent and Perei	nnial Str	eams)	CHEMICAL INDICATOR (Applies to Intermitten	t and Perenn	al Strea	ms)
N	WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Genera	ıl)			WVDEP Water Quality Indicators (General)		
	Specific Conductivity	,			Specific Conductivity	,			Specific Conductivity			
		0-90	1			0-90]			0-90		
			-				-			0.00		
ł	оН		0.1		рН		0.1		рН		0.1	
		5-90	0-1			5-90	0-1			5-90	0-1	
F	00		1		DO		1		DO			
ľ		10-30	1			10.20	1			10-30		
		10-30				10-30				10-30		
S	Sub-Total			0	Sub-Total			0	Sub-Total			0
			BIOLOGICAL INDICATOR (Applies to Inter	mittent and	Perenn	ial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Po	erennial	Streams)		
ľ	WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			
		0-100	0-1	0	Sub Total	0-100	0-1	0	Sub Total	0-100	0-1	0
S	Sub-Total			0	Sub-Total			0	Sub-Total			0
	PART II - Index and	I Unit Sco	ore		PART II - Index and U	Jnit Score			PART II - Index and U	nit Score		

Index

0

Linear Feet Unit Score

0

0

Index	Linear Feet	Unit Score
0	0	0

Linear Feet Unit Score

0


0

Index

0

Index	Linear Feet	Unit Score
0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)



PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse ✓ Forest Commercial ✓ Field/Pasture Industrial ▲ Agricultural Other ■ Residential Other Indicate the dominant type and record the domin ☑ Trees ☑ Shrubs Dominant species present Sycamore. American beech, rose, jeweld	Grasses Herbaceous
INSTREAM FEATURES	Estimated Reach Length 19.8 m Estimated Stream Width 0.61 m Sampling Reach Area 12.08 m² Area in km² (m²x1000) km² Estimated Stream Depth 0.08 m Surface Velocity (at thalweg) 1.22 _m/sec	Canopy Cover □ Partly shaded □ Shaded □ Partly open □ Partly shaded □ Shaded High Water Mark m Proportion of Reach Represented by Stream Morphology Types Riffle 50 % Pool 40 % Channelized □ Yes Dam Present □ Yes
LARGE WOODY DEBRIS	LWDm ² Density of LWDm ² /km ² (LWD/ read	ch area)
AQUATIC VEGETATION	Indicate the dominant type and record the domin Rooted emergent Floating Algae Dominant species present None Portion of the reach with aquatic vegetation <u>o</u>	nant species present ☐Rooted floating ☐Free floating _%
WATER QUALITY	Temperature 19.80/19.5d 0 C Specific Conductance 122.90/123.2d ms/cm Dissolved Oxygen 7.10/6.9d mg/L pH 7.090/7.2d su Turbidity NA	Water Odors ☑ Normal/None □Sewage Petroleum ☐ Fishy ☐ Slick ☐ Slick ☐ Slick ☐ Other Turbidity (if not measured) ☐ Clear ☑ Slightly turbid ☐ Opaque □Stained ☐ Other
SEDIMENT/ SUBSTRATE	Odors ✓ Normal Chemical Other Oils ✓ Absent Slight Moderate Profuse	Deposits □Sludge □Sawdust □Paper fiber □Sand □Relict shells □Other □ Hooking at stones which are not deeply embedded, are the undersides black in color? □ Yes ☑ No

INC	DRGANIC SUBSTRATE (should add up to 1		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)				
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area		
Bedrock			Detritus	sticks, wood, coarse plant	E		
Boulder	> 256 mm (10")	2		materials (CPOM)	S		
Cobble	64-256 mm (2.5"-10")	4	Muck-Mud	black, very fine organic			
Gravel	2-64 mm (0.1"-2.5")	4		(FPOM)			
Sand	0.06-2mm (gritty)	10	Marl	grey, shell fragments			
Silt	0.004-0.06 mm	40]				
Clay	< 0.004 mm (slick)	40]				

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-KL39	LOCATION Franklin		
STATION # RIVERMILE	STREAM CLASS Perennial		
LAT <u>37.061193</u> LONG <u>-79.880018</u>	RIVER BASIN Upper Roanoke		
STORET #	AGENCY VADEQ		
INVESTIGATORS AJ, VM			
FORM COMPLETED BY AJ, VM	DATE 8/28/2021 TIME 0810 AM PM Baseline Assessment		

	Habitat		Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE 11	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ı sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted ir	score 9	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
ıram	SCORE 11 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	_{SCORE} 16 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	score 13▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat	Condition Category								
	Parameter	Optimal	Suboptimal	Marginal	Poor					
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.					
	_{score} 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
ung reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.					
amp	_{score} 8	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing dourstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.					
e ev	SCORE 6	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
101	SCORE 6	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
rarameter	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.					
	SCORE 7	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
	SCORE 7	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.					
	SCORE 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
	SCORE 9	Right Bank 10 9	8 7 6	5 4 3	2 1 0					

Total Score 128

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-KL39		LOCATION Franklin County				
STATION #	RIVERMILE	STREAM CLASS Perennial				
LAT37.061193	LONG79.880018	RIVER BASIN Upper Roano	ke			
STORET #		AGENCY VADEQ, WVDEP				
INVESTIGATORS SE	B, KD		LOT NUMBER			
FORM COMPLETED	^{BY} SB	DATE 9/2/2021 TIME 9:00 AM	REASON FOR SURVEY Baseline Assessment			
HABITAT TYPES	Indicate the percentage of each habitat type present ✓ Cobble 40 % Snags 100 % ✓ Vegetated Banks % ✓ Sand 60 % Submerged Macrophytes 10 % Ø Other ()%					
SAMPLE	Gear used □D-frame ☑ kick-net □Other					
COLLECTION	How were the samples coll	lected? 🔽 wading 🗌 fi	rom bank 🗌 from boat			
	Indicate the number of jabs/kicks taken in each habitat type. Cobble 4 Snags Submerged Macrophytes Other (
GENERAL COMMENTS	4 kicks collected in riffle habitat					

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

Mountain Valley Pipeline Data are not adjusted for subsampling

ECO ANALYSTS, INC.

	Sample ID Collection Date	S-KL39 09-02-2021
ORDER	GENUS/SPECIES	COUNT
Ephemeroptera		9
Ephemeroptera		1
	Eurylophella sp.	7
Ephemeroptera		3
	Maccaffertium sp.	24
	Leuctra sp.	8 82
	Cheumatopsyche sp.	
•	Chimarra sp.	4
•	Lype diversa	1
	Calopterygidae	3
	Gomphidae	1
	Helichus sp.	3
	Optioservus sp. Oulimnius sp.	3 3 5
Megaloptera		5
Diptera-Chironomidae	•	4
•		
Diptera-Chironomidae		10
Diptera-Chironomidae Diptera-Chironomidae	21	1
Diptera-Chironomidae		2 2 1
Diptera-Chironomidae		2
Diptera-Chironomidae		1
Diptera-Chironomidae		4
Diptera-Chironomidae		
•	Thienemannimyia gr. sp.	2 5
-	Atrichopogon sp.	2
-	Hemerodromia sp.	2
	Simulium sp.	3
-	Tipulidae	1
-	-	
	Enchytraeidae	1
	Lumbricina	1
	Naididae	13
	Sphaeriidae	2
Other Organisms	Turbellaria	2
	TOTAL	215

Mountain Valley Pipeline WV SCI Metrics

ECO ANALYSTS, INC.

Sample ID Collection Date	
WVSCI Metric Values Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	24 9 64.7 14.0 52.1 5.00
WVSCI Metric Scores Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	114.3 69.2 70.3 86.9 74.9 70.5
WVSCI Metric Scores Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	100.0 69.2 70.3 86.9 74.9 70.5
WVSCI Total Score	78.6

WVSCI Thresholds

Unimpaired = > 68.00 Gray Zone = 60.61 to 68.00 Impaired = <60.61

WOLMAN PEBBLE COUNT FORM

Basin:

County:Franklin CountyStream Name:UNT to Blackwater RiverHUC Code:03010101Survey Date:8/28/2021Surveyors:AJ, VMType:Representative

Stream ID: S-KL39

Upper Roanoke

Inches	PARTICLE	Millimeters	LE COUNT	Particle	Total #	Item %	% Cur
menes	FARICLE	Winnineters		Count	1 0ta1 #	Itelli 70	76 Cui
	Silt/Clay	< .062	S/C	÷	80	80.00	80.00
	Very Fine	.062125		▲ ▼	0	0.00	80.00
	Fine	.12525		▲ ▼	0	0.00	80.00
	Medium	.255	SAND	▲ ▼	0	0.00	80.00
	Coarse	.50-1.0		▲ ▼	10	10.00	90.00
.0408	Very Coarse	1.0-2		▲ ▼	0	0.00	90.00
.0816	Very Fine	2 -4		▲ ▼	0	0.00	90.00
.1622	Fine	4 -5.7		▲ ▼	0	0.00	90.00
.2231	Fine	5.7 - 8		▲ ▼	0	0.00	90.00
.3144	Medium	8 -11.3		▲ ▼	0	0.00	90.00
.4463	Medium	11.3 - 16	GRAVEL	▲ ▼	4	4.00	94.00
.6389	Coarse	16 -22.6		▲ ▼	0	0.00	94.00
.89 - 1.26	Coarse	22.6 - 32		▲ ▼	0	0.00	94.00
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	0	0.00	94.00
1.77 -2.5	Vry Coarse	45 - 64		* *	0	0.00	94.00
2.5 - 3.5	Small	64 - 90		* *	0	0.00	94.00
3.5 - 5.0	Small	90 - 128	CODDIE	▲ ▼	1	1.00	95.00
5.0 - 7.1	Large	128 - 180	COBBLE	▲ ▼	2	2.00	97.00
7.1 - 10.1	Large	180 - 256		▲ ▼	1	1.00	98.00
10.1 - 14.3	Small	256 - 362		* *	0	0.00	98.00
14.3 - 20	Small	362 - 512	1	• •	0	0.00	98.00
20 - 40	Medium	512 - 1024	BOULDER	▲ ▼	0	0.00	98.00
40 - 80	Large	1024 -2048]	* *	2	2.00	100.0
80 - 160	Vry Large	2048 -4096]	* *	0	0.00	100.0
	Bedrock		BDRK	* *	0	0.00	100.0
				Totals:	100		

	T to Blackwa KL39 presentative /28/2021		
Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	80 0 0 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.01 0.03 0.04 0.7 128 2047.95 80 10 4 4 2 0		

Total Particles = 100.

		S	Strean				-	-orm '	1)		
					ream Method			ial			
		/.			ble channels cla Cowardin				Impact	Impact	
Project #	-	Name (App	•	Locality	Class.	HUC	Date	SAR #	Length	Factor	
22865.07	Mountain Vall Valley	/ Pipeline, L		Franklin County	R3	03010101	8-28-21	S-KL39	121	1	
Name	e(s) of Evaluator	r(s)	Stream Name	e and Informa	ation				SAR Length		
	AJ, VM		UNT to Black	water River					121		
. Channel C	ondition: Assess	s the cross-sec	ion of the stream	and prevailing cor	ndition (erosion, a	agradation)					
	1		Subo		Conditional Catego		-	oor	Sev		
Channel	Very little incision or ac 100% stable banks surface protection or prominent (80-100%).	ctive erosion; 80. s. Vegetative r natural rock,	Slightly incised, fe erosion or unprotect of banks are st		Often incised, but I Poor. Banks more or Poor due to lo	ess than Severe or stable than Severe wer bank slopes. seent on 40-60% of	Overwidened/ii laterally unstat further. Majorit	incised. Vertically / le. Likely to widen / of both banks are ision present on 60-	Deeply incised vertical/lateral ins incision, flow con banks. Streambe	or excavated), stability. Severe tained within the	
Condition	bankfull benches are p to their original floor developed wide bankfu channel bars and trans Transient sediment de less than 10% o	present. Access idplain or fully ull benches. Mid- sverse bars few. eposition covers	prominent (60- Depositional feat stability. The ban channels are well likely has acce benches or ne portions of the n	-80%) AND/OR ures contribute to ktfull and low flow I defined. Stream ess to bankfull wly developed each. Transient s 10-40% of the	both banks. Vege 40-60% of banks. be vertical or un 40-60% Sediment transient, contr Deposition that co may be forming/pr shaped channels protection on > 40°	tative protection on Streambanks may dercut. AND/OR may be temporary / ibute instability. ntribute to stability, resent. AND/OR V- s have vegetative % of the banks and es which contribute	banks. Vegetativ on 20-40% of ban to prevent erosio the stream is coo Sediment is terr nature, and cont AND/OR V-sha vegetative protes 40% of the banks	e protection present ks, and is insufficient n. AND/OR 60-80% vered by sediment. porary / transient in ibuting to instability. ped channels have ttion is present on > and stable sediment in is absent.	majority of banks Vegetative protecti than 20% of banks erosion. Obvious present. Erosion/ 100%. AND/OR A than 80% of stream deposition, contribu Multiple thread of subterran	vertical/underout. on present on less , is not preventing s bank sloughing raw banks on 80- ggrading channel. bed is covered by uting to instability. channels and/or	СІ
Scores	3		2.	.4	:	2		1.6	1		2.00
	BUFFERS: Ass	sess both bank	s 100 foot riparian	n areas along the e	entire SAR. (roug	h measurements	of length & width	may be acceptable	:)		
RIPARIAN Riparian Buffers	NBUFFERS: Ass Optim: Tree stratum (dbh > 3 i with > 60% tree ca Wetlands located witt areas.	inches) present, anopy cover. thin the riparian	Con Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory.	ditional Cate otimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory	Figh Poor: Lawn: mowed, and nurseries; no-till cropland; activel grazed pasture, sparsely vegetate non-maintained area, recently seeded and stabilized, or othe comparable condition.	OOT Impervious spoil lands, d denuded surfaces, row crops, active feed lots, trails, or other comparable r conditions.	») NOTES>>		
RIPARIAN Riparian Buffers	Optima Tree stratum (dbh > 3 with > 60% tree ca Wetlands located with areas.	inches) present, anopy cover. hin the riparian	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory.	ditional Cate otimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	ginal Low Marginal: Non-maintained, dense herbaccous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh -3 inches) present, with <30% tree canopy cover with maintained understory Low	Figh Poor: Lawn: mowed, and maintained areas nurseries; no-till cropland; activel grazed pasture, sparsely vegetate non-maintained area, recently seeded and stabilized, or othe comparable condition.	OOT Impervious spoil lands, d denuded surfaces, row crops, active feed lots, trails, or other comparable r conditions.			
RIPARIAN	Optima Tree stratum (dbh > 3 with > 60% tree ca Wetlands located with	inches) present, anopy cover. hin the riparian	Con Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory.	ditional Cate otimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory	Figh Poor: Lawn: mowed, and nurseries; no-till cropland; activel grazed pasture, sparsely vegetate non-maintained area, recently seeded and stabilized, or othe comparable condition.	OOT Impervious spoil lands, d denuded surfaces, row crops, active feed lots, trails, or other comparable r conditions.			
Riparian Buffers Scores Delineate ripa Determine sq alow.	Optim: Tree stratum (dbh > 3 i with > 60% tree ca Wetlands located witt areas. 1.5 rian areas along each uare footage for each	inches) present, anopy cover. thin the riparian h stream bank h by measuring	Con Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Catt or estimating leng	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cal	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85	ginal Low Marginal: Non-maintained, dense herbaccous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh -3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 the descriptors.	P High Poor: Lawn: mowed, and uruseries; no-till cropland; actively grazed pasture, sparsely vegetate area, recently seeded and stabilized, or oth comparable condition. High 0.6	oor Impervious spoil lands, d denuded surfaces, mine spoil lands, d denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5			
RIPARIAN Riparian Buffers Scores Delineate ripa Determine sq low. Enter the % F	Optima Tree stratum (dbh > 3 with > 60% tree ca Wetlands located with areas.	inches) present, anopy cover. thin the riparian h stream bank h by measuring	Con Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Catt or estimating leng	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cal	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85	ginal Low Marginal: Non-maintained, dense herbaccous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh -3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 the descriptors.	P High Poor: Lawn: mowed, and uruseries; no-till cropland; actively grazed pasture, sparsely vegetate area, recently seeded and stabilized, or oth comparable condition. High 0.6	OOT Impervious surfaces, mine spoil lands, d denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
RIPARIAN Riparian Buffers Scores Delineate ripa Determine sq low. Enter the % F	Optim: Tree stratum (dbh > 3 i with > 60% tree ca Wetlands located witt areas. 1.5 rian areas along each uare footage for each Riparian Area and Sco	h stream bank h by measuring ore for each rip	Con Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Catt or estimating leng	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cal	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85	ginal Low Marginal: Non-maintained, dense herbaccous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh -3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 the descriptors.	P High Poor: Lawn: mowed, and uruseries; no-till cropland; actively grazed pasture, sparsely vegetate area, recently seeded and stabilized, or oth comparable condition. High 0.6	OOT Impervious spoil lands, d denuded surfaces, mine spoil lands, d denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 Riparian equal 100	NOTES>>		
Riparian Buffers Scores Delineate ripa Determine sq Jow. Enter the % F	Optim: Tree stratum (dbh > 3 i with > 60% tree ca Wetlands located witt areas. 1.5 rian areas along each uare footage for each Riparian Area and Sccc % Riparian Area	inches) present, anopy cover. thin the riparian h stream bank h by measuring ore for each rip 100% 0.85	Con Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Catt or estimating leng	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cal	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85	ginal Low Marginal: Non-maintained, dense herbaccous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh -3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 the descriptors.	P High Poor: Lawn: mowed, and uruseries; no-till cropland; actively grazed pasture, sparsely vegetate area, recently seeded and stabilized, or oth comparable condition. High 0.6	OOT Impervious spoil lands, denuded surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5	NOTES>>		
RIPARIAN Riparian Buffers Scores Delineate ripa Determine sq Jow. Enter the % F Right Bank	Optim: Tree stratum (dbh > 3 i with > 60% tree ca Wetlands located witt areas. 1.5 Trian areas along each uare footage for each Riparian Area and Scor % Riparian Area> Score > % Riparian Area>	inches) present, anopy cover. thin the riparian h stream bank h by measuring ore for each rip 100% 0.85	Con Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Catt or estimating leng	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cal	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85	ginal Low Marginal: Non-maintained, dense herbaccous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh -3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 the descriptors.	Figh Poor: Lawn: mowed, and maintained areas nurseries; no-till cropland; actively grazed pasture, sparsely vegetate area, recently seeded and stabilized, or oth comparable condition. High 0.6	OOT Impervious spoil lands, d denuded surfaces, mine spoil lands, d denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 Riparian equal 100	NOTES>> CI= (Sum % RA * Sc Rt Bank CI >	0.85	CI
Riparian Buffers Scores Delineate ripa Determine sq alow. Enter the % F Right Bank Left Bank	Optim: Tree stratum (dbh > 3 i with > 60% tree ca Wetlands located witt areas. 1.5 trian areas along each uare footage for each tiparian Area and Sccc % Riparian Area> Score > % Riparian Area> Score > M HABITAT: Varie	h stream bank h stream bank h by measuring ore for each rip 100% 0.85	Con Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Catt or estimating leng	ditional Cate otimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75	Figh Poor: Lawn: mowed, and maintained areas nurseries; no-till cropland; actively grazed pasture; sparsely vegetate non-maintained area, recently seeded and stabilized, or othe comparable condition. High 0.6 Blocks	OOF Impervious spoil lands, denuded surfaces, mine spoil lands, dotter comparable conditions. Low 0.5 Riparian equal 100 100% 100%	CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI >	0.85 0.85	CI 0.85
Riparian Buffers Scores Delineate ripa Determine sq Jov. Enter the % F Right Bank Left Bank	Optim: Tree stratum (dbh > 3 with > 60% tree ca Wetlands located with areas. 1.5 Trian areas along eact uare footage for each Riparian Area and Scor % Riparian Area> Score > % Riparian Area> Score > M HABITAT: Varie e features.	h stream bank b stream bank b y measuring fore for each rip 100% 0.85 100% 0.85 20% 100% 100% 0.85 20% 100% 0.85 20% 10% 0.85 20% 10% 10% 10% 10% 10% 10% 10% 1	Con Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Catt or estimating leng	ditional Cate otimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	yegery High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 ititon Scores using culators are provi	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 the descriptors. ded for you	Figh Poor: Lawn mowed, and nurseries; no-till cropland; actively grazed pasture, sparsely vegetate non-maintained area, recently seeded and stabilized, or othe comparable condition. High 0.6 Blocks	OOr Impervious spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 Riparian equal 100 100% 100% sess; shade; underce	CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI >	0.85 0.85	
Riparian Buffers Scores Delineate ripa Determine sq Jow. Enter the % F Right Bank Left Bank INSTREAN mplexes, stabl	Optim: Tree stratum (dbh > 3 i with > 60% tree ca Wetlands located witt areas. 1.5 trian areas along each uare footage for each tiparian Area and Sccc % Riparian Area> Score > % Riparian Area> Score > M HABITAT: Varie	h stream bank b stream bank b y measuring fore for each rip 100% 0.85 100% 0.85 20% 100% 100% 0.85 20% 100% 0.85 20% 10% 0.85 20% 10% 10% 10% 10% 10% 10% 10% 1	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both nerbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Cat or estimating leng arian category in t	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cat he blocks below.	yegery High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 ititon Scores using culators are provi	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75	Figh Poor: Lawn mowed, and nurseries; no-till cropland; actively grazed pasture, sparsely vegetate non-maintained area, recently seeded and stabilized, or othe comparable condition. High 0.6 Blocks	OOF Impervious spoil lands, denuded surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 Riparian equal 100 100% 100%	NOTES>> CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > ut banks; root mats	0.85 0.85	
Riparian Buffers Scores Delineate ripa Determine sq elow. Enter the % F Right Bank Left Bank .INSTREAN	Optim: Tree stratum (dbh > 3 with > 60% tree ca Wetlands located with areas. 1.5 Trian areas along eact uare footage for each Riparian Area and Scor % Riparian Area> Score > % Riparian Area> Score > M HABITAT: Varie e features.	al inches) present, anopy cover. thin the riparian h stream bank h by measuring ore for each rip 100% 0.85 100% 0.85 ed substrate siz al	Con Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Cat or estimating leng arian category in t	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cal he blocks below.	yegeray High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 itition Scores using toulators are provided to a state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the sta	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 the descriptors. ded for you	Figh Poor: Lawn: mowed, and maintained areas nurseries; no-till cropland; actively sparsely vegetate non-maintained area, recently seeded and stabilized, or othe comparable condition. High 0.6 Blocks Blocks is low embededn flabitat elemen lacking or are elements are typ	OOr Impervious spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 Riparian equal 100 100% 100% sess; shade; underce	CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > Lt Bank; root mats NOTES>>	0.85 0.85 ;; SAV; riffle/pool	0.85
Riparian Buffers Scores Delineate ripa Determine sq Jow. Enter the % F Right Bank Left Bank Left Bank Instream Habitat/ Available	Optim: Tree stratum (dbh > 3 i with > 60% tree ca Wetlands located witt areas. 1.5 rian areas along each uare footage for each tiparian Area and Scc % Riparian Area> Score > % Riparian Area> Score > % Riparian Area> Score > M HABITAT: Varie e features. Habitat elements are t	Inches) present, anopy cover. thin the riparian	Con Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Cat or estimating leng arian category in t ces, water velocity Stable habitat eler present in 30-50% c adequate for n popula	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cal he blocks below.	Gory Marg Marg High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 lition Scores using loulators are provi dy and leafy debria al Category Marg Stable habitat ele present in 10-30% adequate for r popul.	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 the descriptors. ded for you	Figh Poor: Lawn: mowed, and maintained areas nurseries; no-till cropland; actively grazed pasture; sparsely vegetate non-maintained area, recently seeded and stabilized, or othe comparable condition. High 0.6 Blocks Blocks ; low embededn ; low embededn habitat elemen lacking or are elements are typ than 10%	OOT Impervious spoil lands, denuded surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 Riparian equal 100 100% system coor ts listed above are unstable. Habitat cally present in less	NOTES>> CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > ut banks; root mats	0.85 0.85 SAV; riffle/pool	


Reach R3-R4 File: C:\Users\dan.weidenhof\Documents\Documents\Documents\VA Stream Sampling\0 QAQC SUBMITTALS\QAQC working 1st submittal\Ready for Submittal\Needs Benthics\S-KL39_20210913JC\8. S-KL39 Franklin USM_MVP_20210913JC.xlsx

Project #	Project Name (App	licant)	Locality	Cowardin Class.	HUC	Date	SAR #	Impact length	Impact Factor	
22865.07	Mountain Valley Pipeline Valley Pipeline, L	•	Franklin County	R3	03010101	8-28-21	S-KL39	121	1	
. CHANNE	L ALTERATION: Stream crossi	ngs, riprap, concre			raightening of cha	nnel, channelizatio			ctions, livestock	
			Conditiona					NOTES>>		
	Negligible	Mir	nor		erate	Sev	/ere			
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	the channel alterations listed in the parameter guidelines.	the channel alterations listed in the parameter guidelines.	of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered	is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered	by any of the chan in the parameter g 80% of banks sh riprap, o	of reach is disrupted nel alterations listed juidelines AND/OR nored with gabion, r cement.			CI
Scores	1.5	1.3	1.1	0.9	0.7	0	.5			1.30
	REACH C	ONDITION I	NDEX and S	TREAM CO	NDITION UN	ITS FOR TH	IS REACH			
OTE: The Cls a	and RCI should be rounded to 2 dec	mal places. The C	R should be roun	ded to a whole n	umber.		THE REACH	CONDITION INI	DEX (RCI) >>	1.07
						RCI= (Sum of	all CI's)/5, exce	pt if stream is ep	hemeral RCI =	(Riparian (
							COMPENSAT	ION REQUIREM	/IENT (CR) >>	129
							CP = PC	X L X IF		




DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER



CL STAKEOUT POINTS: S-KL39 CROSS SECTION B (PIPE CL)									
	PRE-CROSSING POST-CROSSIN								
		EASTING		VERT.	HORZ.				
PT. LOC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.				
TS-L	13458807.10	1967088.86	1059.36						
BS-L	13458808.31	1967089.75	1057.77						
THW	13458814.18	1967094.07	1055.86						
BS-R	13458816.29	1967098.06	1057.94						
TS-R	13458816.96	1967097.29	1059.40						



SURVEY NOTES:

1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on March 13, 2018.


2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.


3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).


4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.

5. All section views shown are left to right facing downstream.

6. Cross-section B shot at location of pipe centerline (based on best professional judgement).







EXISTING GRADE

SCALE: V: 1"=5'

CROSS SECTION LEGEND

 $\frac{\text{CROSS SECTION}}{\text{CALE:}} H: 1"=10'$