Baseline Assessment – Stream Attributes

Reach S-KL54 (Pipeline ROW) Perennial Spread I Franklin County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	✓
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	✓
Longitudinal Profile and Cross Sections	✓



Location, Orientation, Photographer Initials: Downstream at ROW/LOD on right bank looking N upstream, DW



Photo Type: LB US VIEW
Location, Orientation, Photographer Initials: Downstream at ROW/LOD on left bank looking N upstream, DW




Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking S downstream, DW



Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking W at right streambank, DW



Photo Type: RB CL Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking E at left streambank, DW



Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking N upstream, DW





Photo Type: LB DS VIEW Location, Orientation, Photographer Initials: Upstream at ROW/LOD on left bank looking S downstream, DW



Location, Orientation, Photographer Initials: Upstream at ROW/LOD on right bank looking S downstream, DW

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain \	falley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	37.059535	Lon.	-79.840624	WEATHER:	Sunny	DATE:	August 26, 2021
				(iii bedillal begiees)								August 26, 2021
IMPACT STREAM/SITE ID (watershed size (acreage),		ON:	S-KL54	1/377 ac		MITIGATION STREAM CLAS (watershed size {acre					Comments:	
STREAM IMPACT LENGTH:		FORM OF ITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:	No	Mitigation Length:	
Column No. 1- Impact Existing	Condition (Debit)		Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)	•	Column No. 3- Mitigation Post Complete		e Years	Column No. 4- Mitigation Proje Post Completion (C		Column No. 5- Mitigation Project	ted at Maturity (Credit)
Stream Classification:	Perennial		Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Slo	рре 2.2	27	Percent Stream Channel Slo	рре		Percent Stream Channel	Slope	o	Percent Stream Channel Slo	ope 0	Percent Stream Channel S	Slope 0
HGM Score (attach da	ta forms):		HGM Score (attach o	data forms):		HGM Score (atta	ch data forms)	:	HGM Score (attach da	ta forms):	HGM Score (attach o	lata forms):
Ludestan.	Aver	age	Harteste	Average		Nodestree.		Average		Average		Averag
Hydrology Biogeochemical Cycling Habitat	0		Hydrology Biogeochemical Cycling Habitat	0		Hydrology Biogeochemical Cycling Habitat		0	Hydrology Biogeochemical Cycling Habitat	0	Hydrology Biogeochemical Cycling Habitat	0
PART I - Physical, Chemical and I	Biological Indicators		PART I - Physical, Chemical and	d Biological Indicators		PART I - Physical, Chemical	and Biological	Indicators	PART I - Physical, Chemical and I	Biological Indicators	PART I - Physical, Chemical and	J Biological Indicators
	Points Scale Range Site Si	core		Points Scale Range Site Score			Points Scale Re	nge Site Score		Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all stres	ms classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all stream	s classifications)
USEPA RAPE (High Gradient Data Sheet) 1. Epitianus Substration Available Cover 2. Embeddedness 3. Velocity Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (L.B. & RB) 10. Repirative Vegetality Zone Width (LIB & RB) 10. Repirative Vegetality Zone Width (LIB & RB) 50-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	0-20 11 0-20 1	8 0 0 0 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	USEPA RAPP (Low Gradient Data Sheet) LEeflaans (Stortech Available Cover 2. Pool Substrate Characterization 3. Pool Variability 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alter ation 7. Channel Sirucisty 8. Bark Stability (LB & RB) 10. Repairative Sediment Vegetality Protection (LB & RB) 10. Repairative Vegetality Protection (LB & RB) Sub-Total WODE Water Quality Indicators (General) Specific Conductivity PH	0-20 0-20		USEPA KREP (High Gradient Data Sheet Lepfanana Sturated-Available Cover 2. Embaddschess 3. Velocity Depth Regime 4. Sedment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffiles (or bends) 8. Bank Stability (L. B. & RB) 10. Repaira Vestetistive Zone Width (L. B. RB) 10. Repair	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0 0 9 Streams)	USEPA RBP (High Gradient Data Sheet) L Epiflusura Substantel/Available Cover 2. Embeddedness 3. Velocity Depth Regime 4. Sediment Desosition 6. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Sability (LB & RB) 10. Regarden Veledening LB & RB) 10. Regarden Veledening LB & RB) 10. Frequency Detoction (LB & RB	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	USERA RISP (High Cracilent Data Sheet) 1. Epfilarus Substrate/Available Cover 2. Embeddedness 3. Velocity Pogth Regime 4. Sedment Deposition 5. Channel Flow Status 6. Channel Flow Status 6. Channel Alberation 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 10. Repartan Vestellarus Zore Width (LB & RB) 11. Repartan Vestellarus Zore Width (LB & RB) 12. Total RBP Score Sub-1 fold CHEMICAL INDICATOR (Applies to Intermitte WVDEP Water Quality Indicators (Genera Specific Conductivity PH DO DO	
>5.0 = 30 points iub-Total	10-30 7.8	38	Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitte	10-30 0		Sub-Total BIOLOGICAL INDICATOR (Applies to Inte	10-30	0	Sub-Total BIOLOGICAL INDICATOR (Applies to Interm	10-30 0	Sub-Total BIOLOGICAL INDICATOR (Applies to Intern	10-30 0
W Stream Condition Index (WVSCI)	retellina Sudams)		WV Stream Condition Index (WVSCI)	and a collinal Suballis)		WV Stream Condition Index (WVSCI)	tent and Peri	Julia Suleams)	WV Stream Condition Index (WVSCI)	ntont and Perennial Streams)	WV Stream Condition Index (WVSCI)	mont dilu retellinai otreams
Good	0-100 0-1 73	.5	*** Occurs Containon maex (***301)	0-100 0-1		W Street Condition index (WVSCI)	0-100	-1	Caediii Coliuldoli liidex (1975CI)	0-100 0-1	Stream Condition Index (WVSCI)	0-100 0-1
Sub-Total	0.7	35	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	0
PART II - Index and U	nit Score		PART II - Index and	Unit Score		PART II - Index a	ind Unit Score		PART II - Index and U	nit Score	PART II - Index and	Jnit Score
Index	Linear Feet Unit S	Score	Index	Linear Feet Unit Score		Index	Linear Fe	et Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Sc
0.810	76 61.	EC	0	0 0		0	0	0	0	0 0	0	0 0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

CEDEAN MANAGE CHIEFA		LOCATION Franklin County							
STREAM NAME S-KL54 STATION # R	IVERMILE 268.6	LOCATION Franklin County STREAM CLASS Perennial							
	ONG -79.840624								
	ONG 10:040024	RIVER BASIN Upper Roanoke							
STORET#	.,	AGENCY VADEQ							
INVESTIGATORS JM, DV	/V	- · 0/00/0004	I						
FORM COMPLETED BY	JM	DATE 8/26/2021 TIME 0800	REASON FOR SURVEY Baseline Assessment						
WEATHER CONDITIONS SITE LOCATION/MAP * Eroked LI:FF * Silf Force * CFS	rain (showers %c	(heavy rain) (steady rain)	Has there been a heavy rain in the last 7 days? Yes No Air Temperature 21 ° C Other d (or attach a photograph)						
STREAM CHARACTERIZATION	Stream Subsystem Perennial Into Stream Origin Glacial Non-glacial montane Swamp and bog	✓ Spring-fed	Stream Type Coldwater Warmwater Catchment Areakm²						

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Predominant Surrounding Landuse					
RIPARIA VEGETA (18 meter	TION		e the dominant type and S unt species present		minant species present ☑ Grasses ☑ He	rbaceous	
INSTREA FEATURI		Estimat Samplin Area in Estimat	ted Stream Depth 0.154 Velocity m	m m² km² m	Canopy Cover Partly open □Part High Water Mark 1. Proportion of Reach R Morphology Types Riffle 50 % Pool 50 % Channelized □Yes Dam Present □Yes	Run%	
LARGE V DEBRIS	VOODY	LWD Density	of LWDm	n ² /km ² (LWD /	reach area)		
AQUATIO VEGETA		✓ Roote Floati	e the dominant type and demergent	ooted submerge tached Algae	nt Rooted floating	Free floating	
WATER (QUALITY	Specific Dissolve pH 7.0344 Turbidi	cature 20.6 w/20.6 d O C c Conductance 51.5 w/51.4 d mg/L ced Oxygen 7.96 w/7.88 d mg/L city strument Used ysi			Chemical Other	
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils		Petroleum None	— Lρoking at stones whic are the undersides blace	☐Paper fiber ☐Sand]Other h are not deeply embedded, k in color?	
INC		STRATE (COMPONENTS (00%)		ORGANIC SUBSTRATE C (does not necessarily add		
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area	
Bedrock Boulder	> 256 mm (10")		20	Detritus	sticks, wood, coarse plant materials (CPOM)		
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-2		30	Muck-Mud	black, very fine organic (FPOM)		
Sand Silt Clay	0.06-2mm (gritt 0.004-0.06 mm < 0.004 mm (sli		50	Marl	grey, shell fragments		

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-KL54	LOCATION Franklin County				
STATION # RIVERMILE 268.6	STREAM CLASS Perennial				
LAT <u>37.059535</u> LONG <u>-79.840624</u>	RIVER BASIN Upper Roanoke				
STORET#	AGENCY VADEQ				
INVESTIGATORS JM, DW					
FORM COMPLETED BY JM	DATE M/26/2021 REASON FOR SURVEY Baseline Assessment				

	Habitat	Condition Category								
	Parameter	Optimal	Suboptimal	Marginal	Poor					
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.					
	SCORE 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
ı sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.					
ted in	SCORE 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).					
ıram	_{SCORE} 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
P ₂	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.					
	SCORE 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.					
	score 15	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					


HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Со	ndition	Category								
	Parameter	Optimal	Suboptimal		N	Iargina	ıl		Poor				
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in a of bridge abutments evidence of past channelization, i.e., dredging, (greater that past 20 yr) may be present, but recent channelization is no present.	reas ; nan	Channeliz extensive: or shoring present or and 40 to reach char disrupted.	emban structu both b 80% of nnelized	kments ires anks; stream	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.					
	score 9	20 19 18 17 16	15 14 13 12	11	10 9	8	7 6	5 4	3 2	1 0			
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffle infrequent; distance between riffles divided the width of the street between 7 to 15.	led by	Occasiona bottom co some hab between r the width between 1	ontours jitat; distiffles ditudent	provide tance vided by tream is	shallow	riffles; p listance vided by the stre	between the			
amp	SCORE 18	20 19 18 17 16	15 14 13 12	11	10 9	8	7 6	5 4	3 2	1 0			
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small are erosion mostly heals over. 5-30% of ban reach has areas of erosion moderately stable.	ed k in	Moderate 60% of ba areas of e erosion po floods.	ank in rosion;	each has high	Unstable areas; "rafrequent sections obvious 60-100% erosiona	aw" area along st and ben bank slo o of ban	ns craight ds; oughing;			
e eva	SCORE 7	Left Bank 10 9	8 7	6	5	4	3	2	1	0			
to be	SCORE 1	Right Bank 10 9	8 7	6	5	4	3	2	1	0			
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one of plants is not well-represented; disrupt evident but not affectfull plant growth pot oany great extent; than one-half of the potential plant stubble height remaining.	class ion cting tential more	50-70% of streambar covered by disruption patches of closely crommon; half of the stubble he	nk surfa y vegeta n obviou f bare so opped v less that e potent	ation; us; oil or regetation un one- ial plant	Less that streamba covered disruptio vegetatio removed 5 centim average	by vege n of streen is ver on has be to eters or	aces tation; eambank y high; een			
	SCORE 5	Left Bank 10 9	8 7	6	5	4	3	2	1	0			
	SCORE 4	Right Bank 10 9	8 7	6	5	4	3	2	1	0			
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zo 12-18 meters; huma activities have impa zone only minimally	Width of 12 meters activities zone a gre	; humai have im	n ipacted	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.						
	SCORE 3	Left Bank 10 9	8 7	6	5	4	3	2	1	0			
	SCORE 3	Right Bank 10 9	8 7	6	5	4	3	2	1	0			

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-KL54						LOCATION	LOCATION Franklin County										
STATION #	R	IVE	RMI	LE_		STREAM C	STREAM CLASS Perennial										
LAT 37.059535	_ L	ONC	j -79.	84062	4	RIVER BAS	RIVER BASIN Upper Roanoke										
STORET#						AGENCY	AGENCY										
INVESTIGATORS K	в тс	;				•				I	COT	NUMBER					
FORM COMPLETED	BY	K	В			DATE 79/9/2 TIME 10:00	021 0 AM			Ι	REAS	SON FOR SURVEY					
HABITAT TYPES	✓	Indicate the percentage of each habitat type present ☑ Cobble%										_%					
SAMPLE	G	ear	used		D-fr	ame ✓ kick-net		□c	ther								
COLLECTION																	
	н	ow v	vere	the	samp	les collected?	wadin	g	_	fror	n ban	k from boa	t				
	✓	Cob	ble 4			r of jabs/kicks taken Snags phytes	$\square V$	eget		Banl		Sand)	_				
GENERAL COMMENTS	4	kic	ks	dc	ne	in cobble riff	le ha	bit	ats	.							
QUALITATIVE I Indicate estimated Dominant							ved, 1	= I	Rare	e, 2	= C	ommon, 3= Abuno	lant,	4 =	=		
Periphyton					0	1 2 3 4		Sli	nes				0	1	2	3	4
Filamentous Algae					0	1 2 3 4		Ma	croi	nve	rtebr	ates	0	1	2	3	4
Macrophytes					0	1 2 3 4		Fis	h				0	1	2	3	4
	l abı	und	anc	e:	0 = org	Absent/Not Obser anisms), 3= Abund	dant (>10	org	anis	sms)	rganisms), 2 = Cor , 4 = Dominant (>5				18)	
Porifera						Anisoptera							0	1			
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda Castronada	0	1	2	3	4	Empididae Simuliidae	0	1	2	3	4						
Gastropoda Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
Divatvia	U	1	_	J	7	Culcidae	0	1	2	3	4						
						Culcidat	U										

Mountain Valley Pipeline Data are not adjusted for subsampling



	Sample ID Collection Date	
ORDER	GENUS/SPECIES	COUNT
Ephemeroptera		3
Ephemeroptera	·	15
Ephemeroptera		8
Ephemeroptera		2
	Maccaffertium sp.	10
Plecoptera	Leuctra sp.	4
Trichoptera	Cheumatopsyche sp.	25
·	Chimarra sp.	11
	Hydropsyche sp.	4
	Hydroptilidae	1
	Calopterygidae	1
	Microcylloepus sp.	2
	Optioservus sp.	1
·	Oulimnius sp.	4
-	Psephenus sp.	8
	Stenelmis sp.	3
	Corydalus sp.	2
Diptera-Chironomidae		1
Diptera-Chironomidae		2
Diptera-Chironomidae		3 7
Diptera-Chironomidae Diptera-Chironomidae		3
Diptera-Chironomidae		1
	·	'1
Diptera-Chironomidae	·	2
Diptera-Chironomidae	·	
Diptera-Chironomidae		22
Diptera-Chironomidae	·	1
Diptera-Chironomidae	•	1
Diptera-Chironomidae	Tanytarsus sp.	5
Diptera-Chironomidae	Thienemanniella sp.	1
Diptera-Chironomidae	Thienemannimyia gr. sp.	8
Diptera	Anopheles sp.	1
-	Antocha sp.	4
-	Atrichopogon sp.	1
-		
-	Empididae	1
-	Limonia sp.	1
-	Simulium sp.	1
Annelida	Naididae	12
Bivalvia	Pisidium sp.	1
Gastropoda	Elimia sp.	14
	Ferrissia sp.	12
	Lymnaeidae	4
	Atractides sp.	2
	Lebertia sp.	3
Other Organisms		1
Other Organisms		7
	Tetrastemmatidae	4
Other Organisms	гигренапа	232

Mountain Valley Pipeline WV SCI Metrics



Sample ID Collection Date	
WVSCI Metric Values Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	28 8 35.8 25.0 37.5 5.22
WVSCI Metric Scores Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	133.3 61.5 38.9 75.7 97.7 67.3
WVSCI Metric Scores Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	100.0 61.5 38.9 75.7 97.7 67.3
WVSCI Total Score	73.5

WVSCI Thresholds

Unimpaired = > 68.00 Gray Zone = 60.61 to 68.00 Impaired = <60.61

WOLMAN PEBBLE COUNT FORM

County: Franklin County Stream ID: S-KL54

Stream Name: UNT to Maggodee Creek

HUC Code: 03010101 Basin: Upper Roanoke

Survey Date: 8/26/2021
Surveyors: JM, DW
Type: Representative

			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	A	20	20.00	20.00
	Very Fine	.062125		A	11	11.00	31.00
	Fine	.12525		A	0	0.00	31.00
	Medium	.255	SAND	A	0	0.00	31.00
	Coarse	.50-1.0]	*	0	0.00	31.00
.0408	Very Coarse	1.0-2]	*	0	0.00	31.00
.0816	Very Fine	2 -4		~	0	0.00	31.00
.1622	Fine	4 -5.7]	^	0	0.00	31.00
.2231	Fine	5.7 - 8	1	^	4	4.00	35.00
.3144	Medium	8 -11.3	1	^	7	7.00	42.00
.4463	Medium	11.3 - 16	GRAVEL	A	4	4.00	46.00
.6389	Coarse	16 -22.6		A	3	3.00	49.00
.89 - 1.26	Coarse	22.6 - 32	1	A	2	2.00	51.00
1.26 - 1.77	Vry Coarse	32 - 45	1	A	4	4.00	55.00
1.77 -2.5	Vry Coarse	45 - 64	1	A	9	9.00	64.00
2.5 - 3.5	Small	64 - 90		A	13	13.00	77.00
3.5 - 5.0	Small	90 - 128	1	A	7	7.00	84.00
5.0 - 7.1	Large	128 - 180	COBBLE	A	5	5.00	89.00
7.1 - 10.1	Large	180 - 256	1	A	4	4.00	93.00
10.1 - 14.3	Small	256 - 362		A	3	3.00	96.00
14.3 - 20	Small	362 - 512	1	A	3	3.00	99.00
20 - 40	Medium	512 - 1024	BOULDER	A	1	1.00	100.0
40 - 80	Large	1024 -2048	1	A	0	0.00	100.0
80 - 160	Vry Large	2048 -4096	1	A	0	0.00	100.0
	Bedrock		BDRK	A	0	0.00	100.0
			1	Totals:	100		

RIVERMORPH PARTICLE SUMMARY

River Name: UNT to Maggodee Creek Reach Name: S-KL54 Representative 08/26/2021

Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	20 11 0 0 0 0 0 0 4 7 4 3 2 4 9 13 7 5 4 3 3 1 0 0	20.00 11.00 0.00 0.00 0.00 0.00 0.00 0.00 4.00 7.00 4.00 3.00 2.00 4.00 9.00 13.00 7.00 4.00 3.00 13.00 7.00 4.00 3.00 0.00	20.00 31.00 31.00 31.00 31.00 31.00 31.00 35.00 42.00 46.00 49.00 51.00 55.00 64.00 77.00 84.00 89.00 93.00 96.00 99.00 100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.05 8 27.3 128 326.67 1023.95 20 11 33 29 7		

Total Particles = 100.

Stream Assessment Form (Form 1) Unified Stream Methodology for use in Virginia or use in wadeable channels classified as intermittent or perennia SAR#/ Cowardin **Impact** Impact Project # **Project Name (Applicant)** Locality HUC Date **Data Point** Class <u>-ength</u> **Factor** Mountain Valley Pipeline (Mountain Franklin 22865.06 R3 03010101 8/27/2021 S-KL54 76 1 Valley Pipeline, LLC) County SAR Length Stream Name and Information Name(s) of Evaluator(s) JM, DW **UNT to Maggodee Creek** 76 1. Channel Condition: Assess the cross-section of the stream and prevailing condition (erosion, aggradation) Conditional Category Optimal Suboptimal Poor Severe Marginal ery little incision or active erosion; 80 Slightly incised, few areas of active Deeply incised (or excavated), ened/incised. 100% stable banks. Vegetative sion or unprotected banks. Majorit Poor, Banks more stable than Severe laterally unstable. Likely to widen vertical/lateral instability. Severe of banks are stable (60-80%). or Poor due to lower bank slopes further. Majority of both banks are ncision, flow contained within the Channel prominent (80-100%). AND/OR Stable Vegetative protection or natural rock Erosion may be present on 40-60% of near vertical. Erosion present on 60 banks. Streambed below average Condition both banks. Vegetative protection on 40-60% of banks. Streambanks may pankfull benches are present. Acces to their original floodplain or fully prominent (60-80%) AND/OR Depositional features contribute to banks. Vegetative protection presen on 20-40% of banks, and is insufficier majority of banks vertical/undercut. Vegetative protection present on less stability. The bankfull and low flow channels are well defined. Stream likely has access to bankfull be vertical or undercut. AND/OR 40-60% Sediment may be temporary transient, contribute instability. than 20% of banks, is not preventing eveloped wide bankfull benches. Mid to prevent erosion. AND/OR 60-80% channel bars and transverse bars few. Transient sediment deposition covers the stream is covered by sediment. Sediment is temporary / transient in erosion. Obvious bank sloughing present. Erosion/raw banks on 80-100%. AND/OR Aggrading channel. than 80% of stream bed is covered by deposition, contributing to instability. less than 10% of bottom. benches.or newly developed Deposition that contribute to stability nature, and contributing to instability portions of the reach. Transient sediment covers 10-40% of the may be forming/present. AND/OR V-shaped channels have vegetative AND/OR V-shaped channels have vegetative protection is present on > stream hottom protection on > 40% of the banks and 40% of the banks and stable sedimer Multiple thread channels and/or depositional features which contribute deposition is absent subterranean flow CI to stability. 3 2.00 **Scores** NOTES>> Assessment is limited to areas within the temporary ROW 2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable) **Conditional Category** NOTES>> Optimal Suboptimal Marginal Poor Low Marginal: High Poor: Lawns Low Suboptimal Non-maintained High Suboptima mowed, and Riparian areas with tree stratum High Marginal ense herbaceou aintained area Low Poor: Riparian areas Non-maintained, vegetation, with tree stratum nurseries: no-till Impervious (dbh > 3 inches) lense herbaceou riparian areas cropland: actively (dbh > 3 inches) surfaces mine resent, with 30% to 60% tree vegetation with acking shrub and spoil lands, ree stratum (dbh > 3 inches) presen present, with 309 grazed pasture, Riparian either a shrub tree stratum, hav with > 60% tree canopy cover. to 60% tree parsely vegetate lenuded surfaces anopy cover an a maintained layer or a tree layer (dbh > 3 roduction, pond open water. If **Buffers** Wetlands located within the riparian anopy cover ar row crops, active areas. containing both area, recently feed lots, trails, or understory. Recent cutover inches) present with <30% tree present, tree stratum (dbh >3 herbaceous and seeded and other comparable shrub layers or a abilized, or othe conditions (dense canopy cover inches) present non-maintained comparable vegetation). with <30% tree condition. understory canopy cover with maintained High Low High Low High Low 1.5 1.2 0.85 0.75 0.6 0.5 Scores 1.1 Delineate riparian areas along each stream bank into Condition Categories and Condition Scores using the descriptors Ensure the sums Determine square footage for each by measuring or estimating length and width. Calculators are provided for you of % Riparian elow Enter the % Riparian Area and Score for each riparian category in the blocks below Blocks equal 100 % Riparian Area> 25% 75% 100% Right Bank Score > 0.75 0.5 CI= (Sum % RA * Scores*0.01)/2 % Riparian Area> 30% 70% 100% Rt Bank CI > CI Left Bank 0.57 Score > 0.5 3. INSTREAM HABITAT: Varied substrate sizes, water velocity and depths; woody and leafy debris; stable substrate; low embededness; shade; undercut banks; root mats; SAV: ffle/pool complexes, stable features **Conditional Category** NOTES>> Instream Optimal Suboptimal Marginal Poor Habitat/ Stable habitat elements are typically Stable habitat elements are typically Habitat elements listed above are Available Habitat elements are typically presen present in 30-50% of the reach and present in 10-30% of the reach and lacking or are unstable. Habitat in greater than 50% of the reach are adequate for maintenance of are adequate for maintenance of elements are typically present in less Cover than 10% of the reach. populations populations Stream Gradient 1.5 1.2 0.9 High / Low 1.50 Scores Stream Impact Assessment Form Page 2 Cowardin Impact **Impact** Project # **Project Name (Applicant)** Locality HUC Date SAR# Class. length **Factor** Mountain Valley Pipeline (Mountain Franklin 22865.06 03010101 8/27/2021 S-KL54 R3 76 Valley Pipeline, LLC) County 4. CHANNEL ALTERATION: Stream crossings, riprap, concrete, gabions, or concrete blocks, straightening of channel, channelization, embankments, spoil piles, constrictions, livestock Conditional Category NOTES>> Moderate Negligible Minor Severe is disrupted by any is disrupted by any

REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH

NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number.


THE REACH CONDITION INDEX (RCI) >> 1.07

RCI= (Sum of all CI's)/5, except if stream is ephemeral RCI = (Riparian CI/2)

COMPENSATION REQUIREMENT (CR) >>


CR = RCI X L_I X IF


INSERT PHOTOS:




DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER





CL STAKEOUT POINTS: S-KL54 CROSS SECTION B (PIPE CL)							
	PRE-CROSSING			POST-CROSSING			
DT LOC	NODTHING	FACTINIC	EL E\ /	VERT.	HORZ.		
PT. LOC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.		
TS-L	13458328.50	1978597.05	907.12				
BS-L	13458326.11	1978593.83	906.22				
THW	13458324.31	1978591.19	905.40				
BS-R	13458322.11	1978588.33	906.43				
TS-R	13458320.23	1978585.18	909.22				



LEGEND STUDY AREA (EASEMENT) EXISTING SURVEY-LOCATED THALWEG EXISTING SURVEY-LOCATED EDGE OF WATER (AS NECESSARY) EXISTING CONTOUR LINE (MAJOR) EXISTING CONTOUR LINE (MINOR)


EXISTING SURVEYED GROUND SHOT ELEVATION

BENCHMARK POINT (WSSI)


907.6 +

SURVEY NOTES:

- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on October 2, 2018.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. All section views shown are left to right facing downstream.
- 6. Cross-section B shot at location of pipe centerline (based on best professional judgement).



NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.



to




PHOTO TAKEN LOOKING DOWNSTREAM



PHOTO TAKEN LOOKING UPSTREAM ALONG RIGHT BANK ON 03/26/2018

	POST-CROSSING PHOTOS
	PENDING CROSSING

PHOTO TAKEN LOOKING

PENDING CROSSING	

PHOTO TAKEN LOOKING




PHOTO TAKEN LOOKING

1 of 1

EJC SIH

Horizontal Datum: NAD 1983 UTM ZONE

Sheet #

Approved

NAS

Vertical Datum: NAVD 88

Boundary and Topo Source:

WSSI 2' C.I. Topo

Computer File Name: L:\Survey\22000s\22800\22865.03\Spread I Work Dwgs 22865_03 S-1 MP 268-278 Sheets.dwg