Reach S-P5 (Timber Mat Crossing) Ephemeral Spread I Pittsylvania County, Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	N/A - Slope less than 4%
RBP Physical Characteristics Form	\checkmark
Water Quality Data	N/A No flow
RBP Habitat Form	\checkmark
RBP Benthic Form	\checkmark
Benthic Identification Sheet	N/A – lack of habitat
Wolman Pebble Count	\checkmark
RiverMorph Data Sheet	\checkmark
USM Form (Virginia Only)	\checkmark
Longitudinal Profile and Cross Sections	\checkmark

Spread I

Stream S-P5 (Timber Mat) Pittsylvania County



Photo Type: DS VIEW Location, Orientation, Photographer Initials: Downstream view of ROW/LOD looking ENE, DJ/JM



Photo Type: US VIEW Location, Orientation, Photographer Initials: Upstream view of ROW/LOD looking WSW, DJ/JM

DEQ Permit #21-0416

Spread I

Stream S-P5 (Timber Mat) Pittsylvania County



Photo Type: LB CL Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking ENE, DJ/JM



Photo Type: RB CL Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking WSW, DJ/JM

DEQ Permit #21-0416

Spread I

Stream S-P5 (Timber Mat) Pittsylvania County



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream conditions outside of ROW/LOD looking E, DJ/JM

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountair	n Valley Pipeline		COORDINATES: cimal Degrees)	Lat.	36.892751	Lon.	-79.440053	WEATHER:		S
IMPACT STREAM/SITE ID (watershed size {acreage}, I			S-P5.	4.05 ac			MITIGATION STREAM CLASS. (watershed size {acreage					
STREAM IMPACT LENGTH:	20	FORM OF MITIGATION:	RESTORATION (Levels I-III)		OORDINATES: cimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		
Column No. 1- Impact Existing	Condition (De	bit)	Column No. 2- Mitigation Existing (Condition - Base	eline (Credit)		Column No. 3- Mitigation Pr Post Completio		Five Years	Column No. 4- Mitigation Pro Post Completion		ears
Stream Classification:	Ephe	emeral	Stream Classification:				Stream Classification:		0	Stream Classification:		0
Percent Stream Channel Slo	ope	3.06	Percent Stream Channel Si	оре			Percent Stream Channel S	Slope	0	Percent Stream Channel S	lope	
HGM Score (attach da	ata forms):		HGM Score (attach	data forms):			HGM Score (attach	h data forr	ns):	HGM Score (attach c	lata forms):	
		Average			Average				Average			
Hydrology			Hydrology				Hydrology			Hydrology		
Biogeochemical Cycling		0	Biogeochemical Cycling	-	0		Biogeochemical Cycling		0	Biogeochemical Cycling		
Habitat			Habitat				Habitat			Habitat		
PART I - Physical, Chemical and	Biological Indi	cators	PART I - Physical, Chemical ar	nd Biological Ind	dicators		PART I - Physical, Chemical a	and Biologi	cal Indicators	PART I - Physical, Chemical and	Biological Ind	icato
	Points Scale Range	Site Score		Points Scale Range	Site Score			Points Scale	Range Site Score		Points Scale Range	Ð
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	s classifications)			PHYSICAL INDICATOR (Applies to all stream	ns classificati	ons)	PHYSICAL INDICATOR (Applies to all stream	ns classifications)	
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		
1. Epifaunal Substrate/Available Cover	0-20	0	1. Epifaunal Substrate/Available Cover	0-20			1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20	_
2. Embeddedness	0-20	1	2. Pool Substrate Characterization	0-20			2. Embeddedness	0-20		2. Embeddedness	0-20	
3. Velocity/ Depth Regime 4. Sediment Deposition	0-20	0	3. Pool Variability 4. Sediment Deposition	0-20			3. Velocity/ Depth Regime 4. Sediment Deposition	0-20		3. Velocity/ Depth Regime 4. Sediment Deposition	0-20	
5. Channel Flow Status	0-20	0	5. Channel Flow Status	0-20			5. Channel Flow Status	0-20	-	5. Channel Flow Status	0-20	-
6. Channel Alteration	0-20 0-1	11	6. Channel Alteration	0-20 0-1			6. Channel Alteration	0-20	0-1	6. Channel Alteration	0-20 0-1	
7. Frequency of Riffles (or bends)	0-20	0	7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	
B. Bank Stability (LB & RB)	0-20	14	8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	10	9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	10	10. Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score	Marginal	49	Total RBP Score	Poor	0		Total RBP Score	Po	or O	Total RBP Score	Poor	
Sub-Total		0.40833333	Sub-Total		0		Sub-Total		0	Sub-Total		
CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial S	treams)	CHEMICAL INDICATOR (Applies to Intermittee	nt and Perennial S	treams)		CHEMICAL INDICATOR (Applies to Intermitte	ent and Pere	nnial Streams)	CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial	Strea
WVDEP Water Quality Indicators (General))		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Genera	al)		WVDEP Water Quality Indicators (Genera	al)	
Specific Conductivity			Specific Conductivity		0		Specific Conductivity			Specific Conductivity		
	0-90			0-90			1	0-90			0-90	
100-199 - 85 points pH			pH									
	0-1		þñ	0-1				1	0-1	pri	0-1	
5.6-5.9 = 45 points	0-80			5-90			1	5-90			5-90	
DO		30	DO		0		DO			DO		
	10-30			10-30				10-30			10-30	
			0.1.7.1.									
Sub-Total			Sub-Total		U		Sub-Total		0	Sub-Total		┶
BIOLOGICAL INDICATOR (Applies to Intermitt	ent and Perennia	l Streams)	BIOLOGICAL INDICATOR (Applies to Intermit	tent and Perennial	l Streams)		BIOLOGICAL INDICATOR (Applies to Interr	mittent and	Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Inter	mittent and Perei	nnial
WV Stream Condition Index (WVSCI)	1		WV Stream Condition Index (WVSCI)	1 1			WV Stream Condition Index (WVSCI)	1		WV Stream Condition Index (WVSCI)	1 1	_
0	0-100 0-1			0-100 0-1				0-100	0-1		0-100 0-1	
Sub-Total		0	Sub-Total		0		Sub-Total		0	Sub-Total	· ·	
PART II - Index and U	nit Score		PART II - Index and	Unit Score			PART II - Index and	d Unit Sco	re	PART II - Index and I	Jnit Score	
	L Incom Frank		la des	Lines F 1	Unit One and				Frat Hult Gran			
Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score		Index	Linear	Feet Unit Score	Index	Linear Feet	

0.604

12.0833333

DATE:			
	Au	gust 2	0, 2021
Comments:			
 Mitigation Length:			
Column No. 5- Mitigation Projecte	ed at Matu	rity (Cr	edit)
Stream Classification:		0	
Percent Stream Channel Sl	оре		0
HGM Score (attach da	ata forms	;): 	
			Average
Hydrology			
Biogeochemical Cycling			0
Habitat			
PART I - Physical, Chemical and	Biologica	I Indica	tors
	-		
	Points Scale	Range	Site Score
PHYSICAL INDICATOR (Applies to all streams USEPA RBP (High Gradient Data Sheet)	classificatio	ons)	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20	ons)	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20 0-20	ons)	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime	0-20 0-20 0-20	ons)	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition	0-20 0-20 0-20 0-20	ons)	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status	0-20 0-20 0-20 0-20 0-20	ons) 0-1	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration	0-20 0-20 0-20 0-20 0-20 0-20 0-20		
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends)	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20		
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20		
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB)	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20		
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB)	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0-1	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0-1	0
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB)	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0-1 Dr	0
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0-1 Dr	0
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0-1 Dr	0
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Riparian Vegetative Zone Vege	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0-1 Dr	0
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0-1 or	0
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Riparian Vegetative Zone Vege	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0-1 Dr	0
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Riparian Vegetative Zone Ve	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0-1 or	0
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Riparian Vegetative Zone Vege	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0-1 or	0
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Riparian Vegetative Zone Ve	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0-1 or	0
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Riparian Vegetative Zone Vegeta	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0-1 or	0 eams)
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Riparian Vegetative Zone Ve	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0-1 or 0-1	0 eams)
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Riparian Vegetative Zone Vidth (LB & RB) 10. Riparian Vegetative Zone	0-20 0-90 0-90 10-30	0-1 or 0-1 Perennia	0 eams)
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 2. Uspetative Protection (Applies to Intermitter WVDEP Water Quality Indicators (General Specific Conductivity DD D0 Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitter	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0-1 or 0-1	0 eams)



PART II - Index and Unit Score				
Index	Linear Feet	Unit Score		
0 0 0				

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET #	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY	

WEATHER CONDITIONS	Now Past 24 hours Has there been a heavy rain in the last 7 days? Storm (heavy rain) rain (steady rain) showers (intermittent)
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) Pipe
STREAM CHARACTERIZATION	Stream Subsystem Stream Type Perennial Intermittent Tidal Stream Origin Coldwater Warmwater Glacial Spring-fed Catchment Area Non-glacial montane Mixture of origins Km² Swamp and bog Other Km²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse Forest Commercial Field/Pasture Industrial Agricultural Other Residential Indicate the dominant type and record the domin Trees Shrubs Dominant species present	Grasses Herbaceous
INSTREAM FEATURES	Estimated Reach Length m Estimated Stream Width m Sampling Reach Area ² Area in km² (m²x1000) km² Estimated Stream Depth m Surface Velocity m/sec (at thalweg) m/sec	Canopy Cover Partly open Partly shaded Shaded High Water Mark m Proportion of Reach Represented by Stream Morphology Types Riffle% Run% Riffle % Root % Root % No No
LARGE WOODY DEBRIS AQUATIC VEGETATION	LWDm² Density of LWDm²/km² (LWD/ reac Indicate the dominant type and record the domin Rooted emergent Rooted submergent Floating Algae Attached Algae Dominant species present	ant species present Rooted floating Free floating
WATER QUALITY	Temperature0 C Specific Conductance Dissolved Oxygen pH Turbidity WQ Instrument Used	Water Odors Normal/None Sewage Petroleum Chemical Fishy Other Water Surface Oils Slick Slick Sheen Globs Flecks None Other Turbidity (if not measured) Clear Slightly turbid Clear Slightly turbid Turbid Opaque Stained Other
SEDIMENT/ SUBSTRATE	Odors Petroleum Normal Sewage Petroleum Chemical Anaerobic None Other	Deposits Sludge Sawdust Paper fiber Sand Relict shells Other Lpoking at stones which are not deeply embedded, are the undersides black in color? Yes No

INORGANIC SUBSTRATE COMPONENTS (should add up to 100%)			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)		
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock			Detritus	sticks, wood, coarse plant	
Boulder	> 256 mm (10")			materials (CPOM)	
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2.5")			(FPOM)	
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments	
Silt	0.004-0.06 mm				
Clay	< 0.004 mm (slick)				

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET #	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY	

	Habitat		Condition	1 Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted i	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
Iram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
A	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	ı Category	
Parameter	Optimal	Suboptimal	Marginal	Poor
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
 SCORE 8. Bank Stability (score each bank) Note: determine left or right side by facing downstream. SCORE (LB) SCORE (RB) 9. Vegetative Protection (score each bank) 	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score _____

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION		
STATION #	_ RIVERMILE	STREAM CLASS		
LAT	LONG	RIVER BASIN		
STORET #		AGENCY		
INVESTIGATORS			LOT NUMBER	
FORM COMPLETED	BY	DATE TIME	REASON FOR SURVEY	
HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%			
SAMPLE COLLECTION	Indicate the number of jab	lected? wading fi ps/kicks taken in each habitat ty lags Vegetated B	anks Sand	
GENERAL COMMENTS				

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County:	Pittsylvania	Stream ID:	S-P5
Stream Name:	UNT to Cherrystone Creek		
HUC Code:	03010105	Basin:	Banister
Survey Date:	8/20/2021		
Surveyors:	DW/JM		
Type:	Representative		

			LE COUNT			1	
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	÷	100	100.00	100.00
	Very Fine	.062125		•		0.00	100.00
	Fine	.12525		^		0.00	100.00
	Medium	.255	S A N D	\$		0.00	100.00
	Coarse	.50-1.0		^		0.00	100.00
.0408	Very Coarse	1.0-2		•		0.00	100.00
.0816	Very Fine	2 -4		÷		0.00	100.00
.1622	Fine	4 -5.7		\$		0.00	100.00
.2231	Fine	5.7 - 8		•		0.00	100.00
.3144	Medium	8 -11.3	GRAVEL	•		0.00	100.00
.4463	Medium	11.3 - 16		•		0.00	100.00
.6389	Coarse	16 -22.6		\$		0.00	100.00
.89 - 1.26	Coarse	22.6 - 32		^		0.00	100.00
1.26 - 1.77	Vry Coarse	32 - 45		^		0.00	100.00
1.77 -2.5	Vry Coarse	45 - 64	1	^		0.00	100.00
2.5 - 3.5	Small	64 - 90		^		0.00	100.00
3.5 - 5.0	Small	90 - 128	1	\$		0.00	100.00
5.0 - 7.1	Large	128 - 180	COBBLE	^		0.00	100.00
7.1 - 10.1	Large	180 - 256	1	\$		0.00	100.00
10.1 - 14.3	Small	256 - 362		\$		0.00	100.00
14.3 - 20	Small	362 - 512	1	\$		0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	^		0.00	100.00
40 - 80	Large	1024 -2048	1	^		0.00	100.00
80 - 160	Vry Large	2048 -4096	1	•		0.00	100.00
	Bedrock		BDRK	^		0.00	100.00
				Totals:	100		
	Total Tally:						

River Name: Reach Name: Sample Name: Survey Date:	UNT to Cherrys S-P5 Representative 08/20/2021		
Size (mm)	тот #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock		$100.00\\0.00\\0.00\\0.00\\0.00\\0.00\\0.00\\0.$	$ \begin{array}{c} 100.00\\ 100.00$
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Gravel (%) Boulder (%) Bedrock (%)	0.01 0.02 0.03 0.05 0.06 100 0 0 0 0		


Total Particles = 100.

				For us	e in ephemeral s	treams				
Project #	F	Project Name	•	Locality	Cowardin Class.	HUC	Date	SAR #	Impact Length	Impact Factor
22865.06	Mountain Valle	alley Pipeline y Pipeline, L		Pittslyvania	R6	03010105	8/20/2021	S-P5	20	1
Nam	e(s) of Evaluate	or(s)	Stream Name	and Informa	tion	•	•		SAR Length	
	JM DW		S-P5						11	0
RIPARIA	N BUFFERS: As	sess both bank's	100 foot riparian a	areas along the er	ntire SAR. (rough	measurements of	length & width ma	y be acceptable)		
			Con	ditional Cate	gory				NOTES>>	
	Optin	nal	Subo	ptimal	Mar	ginal	Po	or		
Riparian Buffers	Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover and an non-maintained understory. Wetlands areas.		High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with >30% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.	nurseries; no-till	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.		
			High	Low	High	Low	High	Low		
Condition Scores	1.5	5	1.2	1.1	0.85	0.75	0.6	0.5		
Delineate ripa	arian areas along ea	ch stream bank i	nto Condition Cate	egories and Condi	ition Scores using	the descriptors.	Ensure t	the sums		
	uare footage for eac Riparian Area and So				culators are provid	ed for you below.		Riparian Iqual 100		
	% Riparian Area>	100%						100%		
Right Bank	Score >	0.75						10070		
		0.1.0							CI= (Sum % RA * Sc	ores*0.01)/2
	% Riparian Area>	100%						100%	Rt Bank Cl >	0.75
Left Bank	Score >	0.75							Lt Bank CI >	0.75
		REACH		NDEX and S	TREAM COM		TS FOR THIS	S REACH		
TE: The Class 1	RCI should be rounded to							-	CONDITION IND	
re. The CIS and I	snouia pe rounded to	∠ decimal places. Th	e or should be rounde	su to a whole number.			<u> </u>		CONDITION INL CI= (Riparian CI)	()
								COMPENSAL	TION REQUIREM	'ENT (CR) >


INSERT PHOTOS:



DESCRIBE PROPOSED IMPACT:



(IN FEET) 1 inch = 20 ft.



CLS	STAKEOUT POIN	ITS: S-P5 CROS	SS SECTION	B (PIPE CL	}
	PR	POST-CI	ROSS		
PT. LOC.	NORTHING	EACTING	ELEV	VERT.	н
	NORTHING	EASTING	ELEV	DIFF.	D

PT. LOC.	NORTHING	EASTING	ELEV	DIFF.	DIF
TS-L	13399297.53	2096475.11	812.80		
BS-L	13399302.73	2096467.37	811.60		
THW	13399305.08	2096463.80	809.89		
BS-R	13399307.69	2096459.59	811.20		
TS-R	13399310.28	2096456.50	811.50		

	LEGEND
	STUDY AREA (EASEMENT)
	EXISTING SURVEY-LOCATED THALWEG
EW	EXISTING SURVEY-LOCATED EDGE OF WATER (AS NECESSARY)
	EXISTING CONTOUR LINE (MAJOR)
	EXISTING CONTOUR LINE (MINOR)
1176.8 +	EXISTING SURVEYED GROUND SHOT ELEVATION
\triangle	BENCHMARK POINT (WSSI)

SURVEY NOTES:

1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on March 29, 2019.


2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.


3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).

4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.

5. All section views shown are left to right facing downstream.

6. Cross-section B shot at location of pipe centerline (based on best professional judgement).





- SSING HORZ.