Baseline Assessment – Stream Attributes

Reach S-SS8 (Timber Mat Crossing) Perennial Spread I Franklin County County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A –No Riffles
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	√
Longitudinal Profile and Cross Sections	✓



Photo Type: DS VIEW
Location, Orientation, Photographer Initials: Downstream view of ROW/LOD looking S, DW



Photo Type: US VIEW

Location, Orientation, Photographer Initials: Upstream view of ROW/LOD looking N, Photographer Initials




Photo Type: LB CL

Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking W, DW




Photo Type: RB CL

Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking E, DW



Photo Type: DS COND

Location, Orientation, Photographer Initials: Downstream conditions outside of ROW/LOD looking S, DW

USACE FILE NO / Project Name: (v2.1, Sept 2015)		M	Mountain Valley Pipeline			COORDINATES: imal Degrees)	Lat.	36.970904	Lon.	-79.65737	WEATHER:		Sunny	DATE:	8/24	4/2021
IMPACT STREAM/SITE II (watershed size (acreage)				S-SS8/	52.46 ac			MITIGATION STREAM CLA (watershed size (acc	SS./SITE ID AND reage), unaltered or impa					Comments:		
STREAM IMPACT LENGTH:	20	FORM (RESTORATION (Levels I-III)		OORDINATES: imal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		No	Mitigation Length:		
Column No. 1- Impact Existin	ng Condition (Deb	it)		Column No. 2- Mitigation Existing C	ondition - Basel	ine (Credit)		Column No. 3- Mitigatio Post Compl	n Projected at Five etion (Credit)	Years	Column No. 4- Mitigation Pro Post Completion		ears	Column No. 5- Mitigation Proj	ected at Maturity (C	Credit)
Stream Classification:	Perer	nnial	9	Stream Classification:				Stream Classification:		0	Stream Classification:		0	Stream Classification:		0
Percent Stream Channel S	Slope	4		Percent Stream Channel Sle	рре			Percent Stream Channe	el Slope	0	Percent Stream Channel	Slope	0	Percent Stream Channe	I Slope	0
HGM Score (attach o	data forms):			HGM Score (attach	data forms):			HGM Score (att	ach data forms):		HGM Score (attach	data forms):		HGM Score (attac	n data forms):	
		Average				Average				Average			Average			Average
Hydrology				lydrology		_		Hydrology			Hydrology			Hydrology		
Biogeochemical Cycling		0	i i	Biogeochemical Cycling		n		Biogeochemical Cycling		0	Biogeochemical Cycling		0	Biogeochemical Cycling		
Habitat				labitat		ď		Habitat		- ·	Habitat		ď	Habitat		a '
PART I - Physical, Chemical and	d Biological Indic	ators	İ	PART I - Physical, Chemical an	d Biological Indi	icators		PART I - Physical, Chemic	al and Biological In	dicators	PART I - Physical, Chemical ar	d Biological Indi	icators	PART I - Physical, Chemical a	and Biological Indi	cators
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Range	Site Score		Points Scale Range	Site Score		Points Scale Range	ge Site Score
PHYSICAL INDICATOR (Applies to all stream	ns classifications)		1	PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all str	reams classifications)		PHYSICAL INDICATOR (Applies to all strea	ms classifications)		PHYSICAL INDICATOR (Applies to all stre	ams classifications)	
USEPA RBP (High Gradient Data Sheet)			L	JSEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data She			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Shee		
Epifaunal Substrate/Available Cover	0-20	12		. Epifaunal Substrate/Available Cover	0-20			Epifaunal Substrate/Available Cover	0-20		 Epifaunal Substrate/Available Cover 	0-20		 Epifaunal Substrate/Available Cover 	0-20	
2. Embeddedness	0-20	15	2	Pool Substrate Characterization	0-20			2. Embeddedness	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20	
Velocity/ Depth Regime	0-20	11	1	. Pool Variability	0-20			Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20	
Sediment Deposition	0-20	3	4	. Sediment Deposition	0-20			Sediment Deposition	0-20		Sediment Deposition	0-20		Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0-1	12	5	. Channel Flow Status	0-20 0-1			5. Channel Flow Status	0-20 0-1		Channel Flow Status	0-20 0-1		Channel Flow Status	0-20 0-1	1
Channel Alteration	0-20	19	6	. Channel Alteration	0-20			Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20	
Frequency of Riffles (or bends)	0-20	14	2	'. Channel Sinuosity	0-20			Frequency of Riffles (or bends)	0-20		Frequency of Riffles (or bends)	0-20		Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	20	8	I. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20 0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
Vegetative Protection (LB & RB)	0-20	20	9	. Vegetative Protection (LB & RB)	0-20			Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20	
 Riparian Vegetative Zone Width (LB & RB) 	0-20	17	L L		0-20			Riparian Vegetative Zone Width (LB & R	(B) 0-20		Riparian Vegetative Zone Width (LB & RB)	0-20		 Riparian Vegetative Zone Width (LB & RE 	3) 0-20	
Total RBP Score	Suboptimal	143		otal RBP Score	Poor	0		Total RBP Score	Poor	0	Total RBP Score	Poor	0	Total RBP Score	Poor	0
Sub-Total		0.715	8	Sub-Total		0		Sub-Total		0	Sub-Total		0	Sub-Total		0
CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Str	eams)		CHEMICAL INDICATOR (Applies to Intermitten	and Perennial Stre	eams)		CHEMICAL INDICATOR (Applies to Inter	mittent and Perennial S	streams)	CHEMICAL INDICATOR (Applies to Intermit	tent and Perennial S	Streams)	CHEMICAL INDICATOR (Applies to Interm	ittent and Perennial St	treams)
WVDEP Water Quality Indicators (General	al)		,	VVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (Ger	neral)		WVDEP Water Quality Indicators (Gene	ral)		WVDEP Water Quality Indicators (Gen	eral)	
Specific Conductivity			\$	Specific Conductivity				Specific Conductivity			Specific Conductivity			Specific Conductivity		
	0-90	46.7			0-90				0-90			0-90			0-90	
<=99 - 90 points		40.7	L						1							
рН			1	H	0.1			рН			рн			рН	0-1	
6.0-8.0 = 80 points	0-80	7			5-90			1	5-90			5-90			5-90	
0.0-0.0 = 00 politis			li li	00	_			no			no			no	_	
			ľ		10-30							10-30				
>5.0 = 30 points	10-30	6.76			10-30				10-30			10-30			10-30	
Sub-Total		1	9	Sub-Total		0		Sub-Total		0	Sub-Total		0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial S	Streams)		BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial S	Streams)		BIOLOGICAL INDICATOR (Applies to Ir	ntermittent and Pereni	nial Streams)	BIOLOGICAL INDICATOR (Applies to Inte	rmittent and Peren	inial Streams)	BIOLOGICAL INDICATOR (Applies to Int	ermittent and Perenr	nial Streams)
WV Stream Condition Index (WVSCI)			, t	VV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		
	0-100 0-1		F		0-100 0-1				0-100 0-1			0-100 0-1			0-100 0-1	
0	0-100 0-1		L		0-100 0-1				0-100 0-1			0-100 0-1			0-100 0-1	•
Sub-Total		0	1	Sub-Total		0	J	Sub-Total		0	Sub-Total		0	Sub-Total		0
PART II - Index and	Unit Score			PART II - Index and	Unit Score			PART II - Index	and Unit Score		PART II - Index and	Unit Score		PART II - Index an	d Unit Score	
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Foot	Unit Score	Index	Linear Feet	Unit Score	Index	Linear	t Unit Scoon
			ļ			Unit Score			Linear Feet				Unit Score		Linear Feet	t Unit Score
0.858	20	17.15	L	0	0	0		0	0	0	0	0	0	0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

CTD F 1 1 1 1 1 1 F		I OCATION			
STREAM NAME	IVEDMILE	LOCATION			
	IVERMILE	STREAM CLASS			
	ONG	RIVER BASIN			
STORET#		AGENCY			
INVESTIGATORS		T = . ==	1		
FORM COMPLETED BY		DATE	RE	ASON FOR SURVEY	
WEATHER CONDITIONS	rain shower % %c		ours Yes	here been a heavy rain in No emperature0 C	the last 7 days?
SITE LOCATION/MAP	Draw a map of the sit	te and indicate the ar	eas sampled (or	attach a photograph)	
	coming In	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	2.4 5 5		Coing Away
				1	
	_				
	LOD			- _	
STREAM CHARACTERIZATION		ermittent Tidal		m Type dwater Warmwater	²
	Stream Origin Glacial Non-glacial montan Swamp and bog	Spring-fed e Mixture of or Other		ument Areaki	m ²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field/ Agric	Pasture Industria ultural Other	rcial al	Local Watershed NPS Pollution No evidence ☐ Some potential sources Obvious sources Local Watershed Erosion None Moderate Heavy	me potential sources				
RIPARIA VEGETA (18 meter	TION	Trees	SI SI	hrubs	Grasses Herbaceous					
INSTREA FEATURI		Estimat Estimat Samplin Area in Estimat Surface	ed Reach Length ed Stream Width g Reach Area km² (m²x1000) ed Stream Depth Velocity m	m m m² km²	Canopy Cover Partly open Partly shaded Shaded High Water Markm Proportion of Reach Represented by Stream Morphology Types Riffle % Run% Pool% Channelized Yes No Dam Present Yes No					
LARGE V DEBRIS	VOODY	Forest Field/Pasture Agricultural Residential Other Other Obvious sources Local Watershed Erosion Nome Moderate Heavy								
AQUATION VEGETA		Rooted emergent Rooted submergent Rooted floating Free floating Bominant species present Rooted submergent Rooted floating Free floating Bominant species present								
WATER (QUALITY	Specific Dissolve pH Turbidi	Conductanceed Oxygenety		Normal/None Sewage Petroleum Chemical Fishy Other Water Surface Oils Slick Sheen Globs Flecks None Other Turbidity (if not measured) Clear D Slightly turbid Turbid					
SEDIMEN SUBSTRA		Norm Chem Other	•		Sludge Sawdust Paper fiber Sand Relict shells Other	_				
INC					ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)					
Substrate Type	Diamete	er								
Bedrock Boulder	> 256 mm (10")			Detritus	sticks, wood, coarse plant materials (CPOM)					
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-2			Muck-Mud	black, very fine organic (FPOM)					
Sand	0.06-2mm (gritt	y)		Marl	grey, shell fragments					

Silt

Clay

0.004-0.06 mm

< 0.004 mm (slick)

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION					
STATION # RIVERMILE	STREAM CLASS					
LAT LONG	RIVER BASIN					
STORET#	AGENCY					
INVESTIGATORS						
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY				

	Habitat		Condition	ı Category					
	Parameter Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.				
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).				
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
P _s	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category						
	Parameter	Optimal	Suboptimal	Marginal	Poor					
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	shallow riffles; poor habitat; distance between riffles divided by the					
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.					
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.					
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.					
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME	LOCATION										
STATION # RIVERMILE	STREAM CLASS										
LAT LONG	RIVER BASIN										
STORET#	AGENCY										
INVESTIGATORS		LOT NUMBER									
FORM COMPLETED BY	DATE REASON FOR SURVEY TIME										
HADITAT TYPES Indicate the percentage of	I A DIT AT TVDES Indicate the newcontage of each habitet time present										

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Franklin County Stream ID: S-SS8

Stream Name: Polecat Creek

HUC Code: 03010101 Basin: Upper Roanoke

Survey Date: 8/24/2021
Surveyors: JM, DW
Type: Representative

			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	A		0.00	0.00
	Very Fine	.062125		^		0.00	0.00
	Fine	.12525		^		0.00	0.00
	Medium	.255	SAND	^		0.00	0.00
	Coarse	.50-1.0		^		0.00	0.00
.0408	Very Coarse	1.0-2		_		0.00	0.00
.0816	Very Fine	2 -4		-		0.00	0.00
.1622	Fine	4 -5.7	GRAVEL	^	1	1.00	1.00
.2231	Fine	5.7 - 8		^	3	3.00	4.00
.3144	Medium	8 -11.3		^	5	5.00	9.00
.4463	Medium	11.3 - 16		^	3	3.00	12.00
.6389	Coarse	16 -22.6		A	5	5.00	17.00
.89 - 1.26	Coarse	22.6 - 32		^	7	7.00	24.00
.26 - 1.77	Vry Coarse	32 - 45		^	4	4.00	28.00
1.77 -2.5	Vry Coarse	45 - 64		A	7	7.00	35.00
2.5 - 3.5	Small	64 - 90		^	12	12.00	47.00
3.5 - 5.0	Small	90 - 128		^	24	24.00	71.00
5.0 - 7.1	Large	128 - 180	COBBLE	^	14	14.00	85.00
7.1 - 10.1	Large	180 - 256		A	9	9.00	94.00
0.1 - 14.3	Small	256 - 362		A	5	5.00	99.00
14.3 - 20	Small	362 - 512	BOULDER	<u> </u>		0.00	99.00
20 - 40	Medium	512 - 1024		<u> </u>		0.00	99.00
40 - 80	Large	1024 -2048	1	<u> </u>		0.00	99.00
80 - 160	Vry Large	2048 -4096	1	<u> </u>		0.00	99.00
	Bedrock		BDRK	<u> </u>	1	1.00	100.00
				Totals:	100		

RIVERMORPH PARTICLE SUMMARY

River Name: Polecat Creek
Reach Name: S-SS8
Sample Name: Representative
Survey Date: 08/24/2021

Size (mm)	тот #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	0 0 0 0 0 0 0 1 3 5 3 5 7 4 7 12 24 14 9 5 0 0 0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 1.00 3.00 5.00 7.00 4.00 7.00 4.00 7.00 12.00 24.00 14.00 9.00 5.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 1.00 4.00 9.00 12.00 17.00 24.00 28.00 35.00 47.00 71.00 85.00 94.00 99.00 99.00 99.00 99.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	21.28 64 94.75 176.29 277.2 Bedrock 0 0 35 59 5		

Total Particles = 100.

Stream Assessment Form (Form 1) Unified Stream Methodology for use in Virginia or use in wadeable channels classified as intermittent or perennial Cowardin Impact Impact Project # **Project Name (Applicant)** Locality HUC Date SAR# Class _ength Factor Mountain Valley Pipeline (Mountain Franklin 22865.06 R3 or R4 03010101 8/24/2021 S-SS8 20 1 Valley Pipeline, LLC) County Stream Name and Information SAR Length Name(s) of Evaluator(s) Spread I; Franklin County, Polecat Creek 94 JM, DW 1. Channel Condition: Assess the cross-section of the stream and prevailing condition (erosion, aggradation) Conditional Category Optimal Suboptimal Poor Severe Marginal ery little incision or active erosion; 80 Slightly incised, few areas of active Deeply incised (or excavated), ened/incised. 100% stable banks. Vegetative sion or unprotected banks. Majorit Poor, Banks more stable than Severe laterally unstable. Likely to widen vertical/lateral instability. Severe of banks are stable (60-80%). or Poor due to lower bank slopes further. Majority of both banks are ncision, flow contained within the Channel prominent (80-100%). AND/OR Stable Vegetative protection or natural rock Erosion may be present on 40-60% of near vertical. Erosion present on 60 banks. Streambed below average Condition both banks. Vegetative protection on 40-60% of banks. Streambanks may pankfull benches are present. Acces to their original floodplain or fully prominent (60-80%) AND/OR Depositional features contribute to banks. Vegetative protection presen on 20-40% of banks, and is insufficier majority of banks vertical/undercut. Vegetative protection present on less stability. The bankfull and low flow channels are well defined. Stream likely has access to bankfull be vertical or undercut. AND/OR 40-60% Sediment may be temporary transient, contribute instability. than 20% of banks, is not preventing eveloped wide bankfull benches. Mic to prevent erosion. AND/OR 60-80% channel bars and transverse bars few Transient sediment deposition covers the stream is covered by sediment. Sediment is temporary / transient in erosion. Obvious bank sloughing present. Erosion/raw banks on 80-100%. AND/OR Aggrading channel. than 80% of stream bed is covered by deposition, contributing to instability. less than 10% of bottom. benches,or newly developed Deposition that contribute to stability nature, and contributing to instability portions of the reach. Transient sediment covers 10-40% of the may be forming/present. AND/OR V-shaped channels have vegetative AND/OR V-shaped channels have vegetative protection is present on > stream hottom protection on > 40% of the banks and 10% of the banks and stable sedimer Multiple thread channels and/or depositional features which contribute deposition is absent subterranean flow CI to stability. 3 1.50 **Scores** 2.4 2 1.6 NOTES>> 2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable) **Conditional Category** NOTES>> Optimal Suboptimal Marginal Poor Low Marginal: High Poor: Lawns ow Suboptimal Non-maintained High Suboptima mowed, and Riparian areas with tree stratum High Marginal nse herbaceoi aintained area Low Poor: Riparian areas Non-maintained, vegetation, with tree stratum nurseries: no-till Impervious (dbh > 3 inches) lense herbaceou riparian areas cropland: actively (dbh > 3 inches) surfaces mine esent, with 30% to 60% tree vegetation with acking shrub and ree stratum (dbh > 3 inches) presen present, with 309 grazed pasture, spoil lands, Riparian either a shrub tree stratum, hav with > 60% tree canopy cover. to 60% tree parsely vegetate lenuded surfaces anopy cover an a maintained layer or a tree layer (dbh > 3 roduction, pond open water. If **Buffers** Wetlands located within the riparian anopy cover ar row crops, active areas. containing both area, recently feed lots, trails, or understory. Recent cutover inches) present with <30% tree present, tree herbaceous and seeded and other comparable conditions. stratum (dbh >3 shrub layers or a abilized, or othe canopy cover (dense inches) present non-maintained comparable vegetation). with <30% tree condition. understory canopy cover with maintained High Low High Low High Low 1.5 1.2 0.85 0.6 0.5 Scores 1.1 0.75 Delineate riparian areas along each stream bank into Condition Categories and Condition Scores using the descriptors Ensure the sums Determine square footage for each by measuring or estimating length and width. Calculators are provided for you of % Riparian pelow . Enter the % Riparian Area and Score for each riparian category in the blocks below Blocks equal 100 % Riparian Area> 30% 70% 100% Right Bank Score > 1.5 0.5 CI= (Sum % RA * Scores*0.01)/2 % Riparian Area> 30% 70% 100% Rt Bank CI > 0.80 CI Left Bank Score > 0.5 Lt Bank CI > 4.85 2.83 3. INSTREAM HABITAT: Varied substrate sizes, water velocity and depths; woody and leafy debris; stable substrate; low embededness; shade; undercut banks; root mats; SAV; ffle/pool complexes, stable features **Conditional Category** NOTES>> Instream Optimal Suboptimal Marginal Poor Habitat/ Stable habitat elements are typically Stable habitat elements are typically Habitat elements listed above are **Available** present in 30-50% of the reach and Habitat elements are typically preser present in 10-30% of the reach and lacking or are unstable. Habitat in greater than 50% of the reach are adequate for maintenance of are adequate for maintenance of elements are typically present in less Cover than 10% of the reach. populations populations Stream Gradient

Scores

1.5

0.9

0.5

1.2

High / Low

1 20

Stream Impact Assessment Form Page 2									
Project #	Project Name (Applicant)		Locality	Cowardin Class.	HUC	Date	SAR#	Impact Length	Impact Factor
22865.06	Mountain Valley Pipeline (Mountain Valley Pipeline, LLC)		Franklin County	R3 or R4	03010101	8/24/2021	S-SS8	20	1
4. CHANNEL ALTERATION: Stream crossings, riprap, concrete, gabions, or concrete blocks, straightening of channel, channelization, embankments, spoil piles, constrictions, livestock Conditional Category NOTES>>									
	Negligible	Minor		Moderate		Severe		NOTES	
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	20-40% of the stream reach is disrupted by any of the channel	au - 60% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander	is disrupted by any	Greater than 80% of by any of the chann in the parameter gu 80% of banks sho riprap, or	el alterations listed uidelines AND/OR ored with gabion,		
				pattern has not	pattern has not				
Scores	1.5	1.3	1.1			0.	5		
Scores	-	-		0.9	0.7	0. IITS FOR TH			

RCI= (Sum of all CI's)/5, except if stream is ephemeral RCI = (Riparian CI/2)

COMPENSATION REQUIREMENT (CR) >>

CR = RCI X L_I X IF

INSERT PHOTOS:








 $\label{eq:CAPTION.} \textbf{CAPTION}. \ \textbf{Assessment is limited to areas within the temporary ROW}.$


DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER












CL STAKEOUT POINTS: S-SS8 CROSS SECTION B (PIPE CL)								
	PRE	POST-CF	ROSSING					
DT LOC	NODTUING	EASTING		VERT.	HORZ.			
PT. LOC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.			
TS-L	13426765.82	2032506.58	869.33					
BS-L	13426767.89	2032502.65	867.81					
THW	13426768.90	2032500.34	867.46					
BS-R	13426770.47	2032497.24	867.91					
TS-R	13426772.63	2032492.56	871.45					




SURVEY NOTES:

- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on November 29, 2018.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. All section views shown are left to right facing downstream.
- 6. Cross-section B shot at location of pipe centerline (based on best professional judgement).








CROSS SECTION LEGEND EXISTING GRADE

CROSS SECTION H: 1"=10' V: 1"=5'



PENDING CROSSING

PHOTO TAKEN LOOKING PENDING CROSSING PHOTO TAKEN LOOKING

Horizontal Datum: NAD 1983 UTM ZONE 1 Vertical Datum: NAVD 88 Boundary and Topo Source: WSSI 2' C.I. Topo PENDING CROSSING SIH EJC Sheet # 1 of 1

PHOTO TAKEN LOOKING

Computer File Name: L:\Survey\22000s\22800\22865.03\Spread I Work Dwgs 2865_03 S-I MP 279-291 Sheets.dwg

Approved

PFS