

MVP Variance Request Form

Variance Request No.: F-11



Date Approval Requested by Contractor: 9/20/2018

Date Submitted by Chief Inspector to LEI: 9/20/2018

Date Received by FERC:

FERC Approval Reference No.:

Requested By: John Uhrin

Spread: F

Variance Type: PM

Request Prepared By *: Phil Veneziano

Variance Sequence Number: F-11

* The FERC compliance monitor should be alerted and given a copy of the draft variance for review prior to submittal

Location (Use either Station or Milepost)

Station: 9340+00

To: 9340+00

Milepost: 176.75

To: 176.75

Alignment Sheet Number: N/A

Tract No.: WV-MO-012.010 and WV-MO-012.015

Current Land Use/ Vegetative Cover: Forested

Other Agency Jurisdiction: None

Nearby Features (Water body, T&E Habitat, Wetland, Noxious Weed Area, Residence (distance), Cultural Resource Site (distance) etc.):

In or w/in 50 feet of a wetland: Yes No

In or w/in 50 feet of a waterbody: Yes No

Wetland or Waterbody ID: S-G48, S-G49, S-G52

- Noxious Weed Area
- Raptor Nest
- Residence (Distance)
- T/E Species Habitat
- Cultural Resource Site
- Water Well
- Other (Specify):

Additional Stream footage impacted: None

Additional Wetland impacts: N/A

Net acreage affected: 0

Tree Clearing Required: 0

Acreage of tree clearing: 0

Variance Level: Level 1 Level 2 Level 3

Variance From: Permit Plan Procedures EPPM Specification Drawing Mitigation Measure

Line List Other: Describe:

Detailed Description of Variance: Attachments? Yes No Photos? Yes No

The Nationwide Permit 12 issued by the Huntington and Pittsburgh Districts of the U.S. Army Corps of Engineers for the MVP Project require stream crossings in those districts (other than the crossings of the Gauley River, Greenbrier River, Elk River, and Meadow River) to be "completed in a continuous, progress manner and within 72 hours during seasonal normal or below normal stream flow conditions."

Mountain Valley requests approval for extended hour work for streams S-G48, S-G49, and S-G52, all of which are in Monroe County, West Virginia. Because these streams are in close proximity to each other, the crossings must be done simultaneously. In order to complete the crossings within 72 hours in compliance with its federal permits, active construction during extended hours is required. The extended hour work will be short in duration (no more than 2-3 nights) and temporary in nature. There are no residences within 1/2 mile of these crossings, so noise impacts will be minimal. In addition, Mountain Valley commits to complete as much work as possible during daylight hours to limit the need for extended hour work. Working during daylight hours maximizes worker safety and limits noise and any other associated construction impacts. Mountain Valley also commits to moving heavy equipment to the waterbody crossing location only during daylight hours.

List Attachments:		
--------------------------	--	--

Variance Justification:
See description above.

For MVP Use Only		
Additional Surveys Required	Surveyed Corridor Description	Additional Surveys Completed
Cultural Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	N/A	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
T & E Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Waterbodies/Wetlands <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Proof of Previous Biological and Cultural Survey Clearance
N/A

Landowner:
Land Agent Contact
Landowner Approval Obtained Yes No

Sign Off:	Name	Signature	Date
Construction Manager	<i>John Uhrin</i>	<i>John Uhrin</i>	9/20/2018
Lead Environmental Inspector	<i>Percy Jones</i>	<i>Percy Jones</i>	9/20/2018
Third Party Compliance Manager or monitor	<i>n/a</i>		
ROW Land Agent *	<i>Joe Park</i>	<i>Joe Park</i>	9/20/2018
Environmental Supervisor	<i>Megan Neylon</i>	<i>Megan Neylon</i>	9/20/2018

*signature denotes confirmed landowner approval

For FERC Compliance Monitor and Compliance Manager Use Only

Variance Approved:		Variance Denied:		Beyond Authority:	
Signature:					
Date:					
Stipulations:					

--	--	--	--	--	--

Spread No.:	F	Variance Request No.:	F-11
--------------------	---	------------------------------	------

VARIANCE CONDITIONS

Name:		Title:		Organization:	
Conditions:					

Name:		Title:		Organization:	
Conditions:					

Name:		Title:		Organization:	
Conditions:					